

Catalogue of Palaearctic Coleoptera - Volume 7, 2010
 I. Löbl & A. Smetana (Apollo Books)
 Index to species-group names

- the order is by species-group names and then by current genera rather than by authors
- species-group synonyms are in *Italics*

<i>abachidsei</i> Stark, 1952, <i>Carphoborus</i>	213
<i>abaensis</i> Tsai & Yin, 1962, <i>Scolytus</i>	237
<i>abbreviatus</i> Reitter, 1896, <i>Cercomorphus</i>	108
<i>abbreviatus</i> Schedl, 1943, <i>Cryphalus</i>	218
<i>abbreviatus</i> Eggers, 1911, <i>Crypturgus</i>	227
<i>abbreviatus</i> Fabricius, 1787, <i>Sphenophorus</i>	191
<i>abbreviatus</i> Herbst, 1795, <i>Sphenophorus</i>	191
<i>abdeldayemi</i> Meregalli & Colonnelli, 2006, <i>Ocladius</i>	184
<i>abdominalis</i> Pic, 1896, <i>Cercomorphus</i>	108
<i>abdominalis</i> Schedl, 1942, <i>Genyocerus</i>	204
<i>abeillei</i> Desbrochers des Loges, 1892, <i>Baris</i>	254
<i>abeillei</i> Desbrochers des Loges, 1869, <i>Neocoenorrhinus</i>	125
<i>abeillei</i> Guillebeau, 1893, <i>Phloeotribus</i>	213
<i>aberrans</i> Sharp, 1891, <i>Phaulimia</i>	96
<i>abhorrens</i> Wichmann, 1913, <i>Scolytus</i>	239
<i>abietinus</i> Fabricius, 1792, <i>Dendroctonus</i>	208
<i>abietinus</i> Kôno & Tamanuki, 1939, <i>Dryocoetes</i>	231
<i>abietinus</i> Wood, 1989, <i>Pityophthorus</i>	216
<i>abietiperda</i> Bechstein, 1818, <i>Hylurgops</i>	206
<i>abietis</i> Ratzeburg, 1837, <i>Cryphalus</i>	218
<i>abietis</i> Tsai & Yin, 1964, <i>Phloeosinus</i>	211
<i>abietis</i> Kurentsov, 1941, <i>Pityophthorus</i>	216
<i>abietis</i> Kurentsov, 1941, <i>Polygraphus</i>	214
<i>abnormis</i> Eichhoff, 1869, <i>Eccoptyterus</i>	244
<i>abrotani</i> Germar, 1824, <i>Aulacobaris</i>	254
<i>abruptoides</i> Schedl, 1955, <i>Xylosandrus</i>	250
<i>abruptum</i> Sharp, 1891, <i>Oxystoma</i>	169
<i>abruptus</i> Kleine, 1935, <i>Higonius</i>	147
<i>abruptus</i> Sampson, 1923, <i>Peroplatypus</i>	202
<i>abruptus</i> Sampson, 1914, <i>Xylosandrus</i>	250
<i>absinthii</i> Lepeletier & Audinet-Serville, 1825, <i>Baris</i>	254
<i>absinthii</i> Panzer, 1794, <i>Melanobaris</i>	258
<i>abundans</i> Frieser, 1997, <i>Baseocolpus</i>	96
<i>acanthopanaxi</i> Niisima, 1913, <i>Ernoporus</i>	220
<i>acanthyllidis</i> Normand, 1921, <i>Catapion</i>	164
<i>acatayi</i> Schedl, 1958, <i>Phloeosinus</i>	211
<i>acaulus</i> Wolfrum, 1953, <i>Exechesops</i>	102
<i>accidirostris</i> Zaslavskij, 1956, <i>Nespilobaris</i>	259
<i>aceri</i> Kôno, 1926, <i>Euops</i>	139
<i>acerifoliae</i> Suppantšitsch, 1996, <i>Aspidapion</i>	153
<i>aceris</i> Krivolutskaya, 1968, <i>Dryocoetes</i>	230
<i>aceris</i> Niisima, 1910, <i>Indocryphalus</i>	250
<i>aceris</i> Lindemann, 1875, <i>Lymantor</i>	231

<i>aceris</i> Knotek, 1892, <i>Scolytus</i>	238
<i>aceris</i> Kurentsov, 1941, <i>Xyleborus</i>	249
<i>achillei</i> Reitter, 1895, <i>Hylastinus</i>	206
<i>aciculare</i> Germar, 1817, <i>Helianthemapion</i>	150
<i>acium</i> Gyllenhal, 1833, <i>Squamapion</i>	161
<i>acridulus</i> Linnaeus, 1758, <i>Notaris</i>	195
<i>aculeatus</i> Blandford, 1894, <i>Diapus</i>	203
<i>acuminatum</i> Schilsky, 1906, <i>Lepidapion</i>	159
<i>acuminatus</i> Schedl, 1966, <i>Coccotrypes</i>	229
<i>acuminatus</i> Gyllenhal, 1827, <i>Ips</i>	233
<i>acupunctatus</i> Gyllenhal, 1838, <i>Scyphophorus</i>	190
<i>acuticlava</i> Desbrochers des Loges, 1902, <i>Catapion</i>	164
<i>acuticollis</i> Wolfrum, 1948, <i>Atinellia</i>	102
<i>adanensis</i> Pic, 1914, <i>Arthrostenus</i>	193
<i>adductum</i> Frieser, 1980, <i>Phaenotheriosoma</i>	95
<i>adelphus</i> Wolfrum, 1948, <i>Litocerus</i>	100
<i>adelphus</i> Kolbe, 1892, <i>Microsebus</i>	146
<i>adjectum</i> Desbrochers des Loges, 1893, <i>Protapion</i>	174
<i>adumbratus</i> Blandford, 1894, <i>Xyleborus</i>	248
<i>adustipennis</i> Motschulsky, 1861, <i>Crossotarsus</i>	201
<i>adustus</i> Senna, 1895, <i>Cerobates</i>	146
<i>advena</i> Blandford, 1894, <i>Coccotrypes</i>	228
<i>aegyptiaca</i> Desbrochers des Loges, 1891, <i>Elasmobaris</i>	257
<i>aegyptiacum</i> Desbrochers des Loges, 1870, <i>Ceratapion</i>	154
<i>aegyptiacus</i> Olivier, 1807, <i>Brachycerus</i>	182
<i>aegyptiacus</i> Desbrochers des Loges, 1896, <i>Echinocnemus</i>	194
<i>aegyptiacus</i> Pic, 1900, <i>Nanophyes</i>	180
<i>aegyptiacus</i> Pic, 1920, <i>Scolytus</i>	237
<i>aeneicollis</i> Gerstaecker, 1854, <i>Pseudaplemonus</i>	152
<i>aeneocephalum</i> Gyllenhal, 1813, <i>Ischnopterapion</i>	170
<i>aeneomicans</i> Wencker, 1864, <i>Ischnopterapion</i>	170
<i>aeneoniger</i> Faust, 1890, <i>Montaninvolvulus</i>	125
<i>aeneovirens</i> Marsham, 1802, <i>Neocoenorrhinus</i>	126
<i>aeneovirens</i> Schilsky, 1902, <i>Stenopterapion</i>	171
<i>aeneum</i> Fabricius, 1775, <i>Aspidapion</i>	153
<i>aeneus</i> Legalov, 2002, <i>Auletes</i>	109
<i>aeonii</i> Lindberg, 1953, <i>Aphanarthrum</i>	226
<i>aequaliclavatus</i> Schedl, 1939, <i>Hypothenemus</i>	223
<i>aequalis</i> Reitter, 1913, <i>Anisandrus</i>	242
<i>aequatus</i> Linnaeus, 1767, <i>Tatianaerhynchites</i>	128
<i>aequipunctatus</i> Niisima, 1905, <i>Scolytus</i>	237
<i>aeratum</i> Stephens, 1831, <i>Holotrichapion</i>	168
<i>aereipennis</i> Desbrochers des Loges, 1895, <i>Perrhynchites</i>	126
<i>aereirostre</i> Desbrochers des Loges, 1901, <i>Pseudaplemonus</i>	152
<i>aerosus</i> Voss, 1958, <i>Cartorhynchites</i>	120
<i>aerugineum</i> Kirsch, 1878, <i>Helianthemapion</i>	150
<i>aes</i> Sawada, 1993, <i>Cneminvolvulus</i>	120
<i>aesculi</i> Ferrari, 1867, <i>Xyleborinus</i>	246
<i>aestimatum</i> Faust, 1891, <i>Holotrichapion</i>	168
<i>aestivum</i> Germar, 1817, <i>Protapion</i>	175

aethiops Herbst, 1797, <i>Holotrichapion</i>	168
aethiops Bach, 1854, <i>Mecorhis</i>	124
aethiops Fabricius, 1792, <i>Notaris</i>	195
afer Gyllenhal, 1833, <i>Cyanapion</i>	165
affectatus Faust, 1887, <i>Deporaus</i>	117
affine Wollaston, 1860, <i>Aphanarthrum</i>	226
affine Kirby, 1808, <i>Perapion</i>	151
affinis Shibata, 1979, <i>Atinellia</i>	102
affinis Jordan, 1903, <i>Basitropis</i>	92
affinis Blandford, 1894, <i>Dryocoetes</i>	230
affinis Voss, 1924, <i>Eugnamptobius</i>	118
affinis Schilsky, 1906, <i>Leptapoderus</i>	132
<i>affinis</i> Eggers, 1914, <i>Scolytus</i>	239
affinis Eichhoff, 1868, <i>Xyleborus</i>	246
afghanum Voss, 1963, <i>Malvapion</i>	163
afghanus Legalov, 2003, <i>Compsapoderus</i>	130
afghanus Legalov, 2003, <i>Cyllorhynchites</i>	121
africanum Vauloger, 1901, <i>Phaenotheriolum</i>	95
ageniculatus Legalov, 2007, <i>Heterapoderus</i>	131
<i>agnatus</i> Blandford, 1894, <i>Scolytus</i>	237
agrana Heller, 1927, <i>Autonopis</i>	186
agrestis Boheman, 1833, <i>Phloeophilus</i>	95
agyrtinum Gistel, 1857, <i>Podapion</i>	176
<i>ahena</i> Desbrochers des Loges, 1875, <i>Jekelia</i>	194
aidhabensis Meregalli & Colonnelli, 2006, <i>Ocladius</i>	184
<i>aizawai</i> Kôno, 1938, <i>Pityogenes</i>	236
akashii Morimoto, 1981, <i>Uncifer</i>	104
akbesianum Desbrochers des Loges, 1897, <i>Ceratapion</i>	154
akinini Faust, 1885, <i>Aletinus</i>	110
akitai Senoh, 1989, <i>Ulorhinus</i>	97
alaica Bajtenov, 1977, <i>Fremuthiella</i>	172
<i>alaiensis</i> Faust, 1887, <i>Sphenophorus</i>	191
<i>alaskanum</i> Fall, 1926, <i>Eutrichapion</i>	166
<i>albanicus</i> Eggers, 1911, <i>Pityogenes</i>	235
<i>albanicus</i> Formánek, 1925, <i>Pseudaplemonus</i>	152
<i>albescens</i> Wagner, 1906, <i>Aspidapion</i>	153
<i>albescens</i> Reitter, 1897, <i>Bruchela</i>	107
<i>albescens</i> Shibata, 1963, <i>Penestica</i>	92
<i>albescens</i> Jordan, 1895, <i>Phloeobius</i>	97
<i>albida</i> Küster, 1848, <i>Bruchela</i>	107
<i>albidentatus</i> Gyllenhal, 1840, <i>Brachycerus</i>	182
<i>albidum</i> Wichmann, 1916, <i>Liparthrum</i>	211
<i>albinus</i> Linnaeus, 1758, <i>Platystomos</i>	97
<i>albipennis</i> Motschulsky, 1858, <i>Genyocerus</i>	204
<i>albipilis</i> Reitter, 1887, <i>Hypothenemus</i>	224
<i>albirostris</i> Herbst, 1784, <i>Tropideres</i>	101
<i>albirostris</i> Schaller, 1783, <i>Tropideres</i>	101
<i>albisignatus</i> Senoh, 1996, <i>Platystomos</i>	97
<i>albisquama</i> Zaslavskij, 1956, <i>Anthinobaris</i>	252
<i>alboguttata</i> H. Brisout de Barneville, 1870, <i>Elasmobaris</i>	257

albomaculatus H. Brisout de Barneville, 1870, <i>Arganthonius</i>	260
albopicta Reitter, 1895, <i>Eremobaris</i>	257
<i>albopilosum</i> P. H. Lucas, 1847, <i>Kalcapion</i>	160
<i>alboseriata</i> Reitter, 1908, <i>Cosmobaris</i>	256
albosparsus Reitter, 1910, <i>Calyptopygus</i>	256
albosquamulatus Boheman, 1837, <i>Eumycterus</i>	261
albosuturata Reitter, 1897, <i>Bruchela</i>	107
<i>albovittatum</i> Herbst, 1784, <i>Exapion</i>	158
albovittatus Roelofs, 1874, <i>Nanophyes</i>	180
<i>albus</i> Abeille de Perrin, 1898, <i>Theryus</i>	259
alcaidei A. Hoffmann, 1957, <i>Aulacobaris</i>	254
alces Frieser, 1995, <i>Exechesops</i>	102
alcyonea Pascoe, 1875, <i>Mecorhis</i>	124
alcyoneum Germar, 1817, <i>Cyanapion</i>	165
<i>alensis</i> Gredler, 1866, <i>Bruchela</i>	108
<i>alepensis</i> Pic, 1925, <i>Corimalia</i>	177
<i>alepensis</i> Pic, 1915, <i>Theanellus</i>	197
alexandri Korotyaev, 1988, <i>Synapion</i>	172
alexandri Legalov, 2001, <i>Hemitrichapion</i>	167
<i>alfierii</i> Pic, 1926, <i>Hypophyes</i>	178
<i>alfierii</i> Pic, 1915, <i>Lepidapion</i>	159
<i>alfierii</i> Pic, 1914, <i>Picia</i>	196
<i>algericus</i> Pic, 1919, <i>Nanomimus</i>	180
<i>algorica</i> Desbrochers des Loges, 1892, <i>Aulacobaris</i>	254
<i>algorica</i> Desbrochers des Loges, 1892, <i>Melanobaris</i>	258
<i>algoricum</i> Everts, 1879, <i>Apion</i>	149
<i>algoricum</i> Desbrochers des Loges, 1895, <i>Protapion</i>	173
<i>algius</i> Fabricius, 1787, <i>Brachycerus</i>	183
<i>algius</i> Bartolozzi, 1988, <i>Eremoxenus</i>	144
<i>aliena</i> Faust, 1890, <i>Corimalia</i>	177
<i>alienus</i> Schedl, 1976, <i>Scolytogenes</i>	225
<i>allardi</i> Jekel, 1876, <i>Bruchela</i>	107
<i>alleni</i> Legalov, 2008, <i>Paroplapoderus</i>	141
<i>alliariae</i> Linnaeus, 1758, <i>Rhynchites</i>	128
<i>alluaudi</i> Peyerimhoff, 1923, <i>Coleobothrus</i>	227
<i>alni</i> Niisima, 1909, <i>Alniphagus</i>	206
<i>alni</i> Chinaglia, 1908, <i>Apoderus</i>	130
<i>alni</i> O. F. Müller, 1776, <i>Byctiscus</i>	113
<i>alni</i> Krivolutskaya, 1958, <i>Cryphalus</i>	219
<i>alni</i> Georg, 1856, <i>Dryocoetes</i>	230
<i>alni</i> Pfeffer, 1940, <i>Taphrorychus</i>	232
<i>alni</i> Lindemann, 1875, <i>Trypophloeus</i>	226
<i>alni</i> Niisima, 1909, <i>Xyleborinus</i>	246
<i>alni</i> Mulsant & Rey, 1856, <i>Xyleborus</i>	248
<i>alniphagus</i> Nobuchi, 1975, <i>Ernoporicus</i>	220
<i>alpha</i> Beeson, 1929, <i>Microperus</i>	245
<i>alpinum</i> Wencker, 1864, <i>Perapion</i>	151
<i>altaica</i> Legalov, 1997, <i>Notaris</i>	195
<i>alter</i> Eggers, 1923, <i>Hypothenemus</i>	221
<i>alternans</i> Germar, 1824, <i>Araecerus</i>	104

<i>alternans</i> Kirsch, 1871, <i>Arthrostenus</i>	193
<i>alternans</i> Jordan, 1904, <i>Doticus</i>	105
<i>alternans</i> Eggers, 1931, <i>Dryocoetes</i>	230
<i>alternans</i> Schedl, 1959, <i>Hylesinus</i>	207
<i>alternans</i> Wiedemann, 1819, <i>Phloeobius</i>	97
<i>alternans</i> Faust, 1885, <i>Theanellus</i>	197
<i>alternans</i> Eichhoff, 1869, <i>Xyleborus</i>	249
<i>alternata</i> Frieser, 1977, <i>Aulodina</i>	92
<i>alternatus</i> Jordan, 1895, <i>Doticus</i>	105
<i>altiatlantis</i> Antoine, 1936, <i>Synapion</i>	171
<i>altnemelicum</i> Bajtenov, 1973, <i>Perapion</i>	150
<i>amabilis</i> Shibata, 1979, <i>Cedus</i>	99
<i>amabilis</i> Roelofs, 1874, <i>Involvulus</i>	122
<i>amakusanus</i> Murayama, 1934, <i>Hypothenemus</i>	221
<i>amamianus</i> Shibata, 1969, <i>Litocerus</i>	100
<i>amamianus</i> Morimoto, 1978, <i>Ozotomerus</i>	94
<i>amamiensis</i> Voss, 1971, <i>Cartorhynchites</i>	120
<i>amanicola</i> Pic, 1905, <i>Baris</i>	254
<i>amaurus</i> Wolfrum, 1948, <i>Acorynus</i>	99
<i>ambiguus</i> Blandford, 1894, <i>Hylastes</i>	205
<i>ambitiosus</i> C. F. C. Schaufuss, 1898, <i>Premnobius</i>	237
<i>ambustus</i> Wolfrum, 1948, <i>Litocerus</i>	100
<i>americana</i> Casey, 1920, <i>Cosmobaris</i>	256
<i>americanus</i> Hopkins, 1915, <i>Dryocoetes</i>	230
<i>amethystinum</i> Miller, 1857, <i>Loborhynchapion</i>	168
<i>amethystinus</i> Kleine, 1916, <i>Prophthalmus</i>	143
<i>anguemae</i> Korotyaev, 1991, <i>Hemitrichapion</i>	167
<i>amicta</i> Voss, 1938, <i>Mecorhis</i>	124
<i>amitinus</i> Voss, 1932, <i>Cyrtolabus</i>	135
<i>amitinus</i> Eichhoff, 1872, <i>Ips</i>	234
<i>ammodendroni</i> Bajtenov, 1976, <i>Pseudoprotapion</i>	175
<i>amoena</i> Voss, 1958, <i>Athesapeuta</i>	260
<i>amorphus</i> Eggers, 1926, <i>Hadrodemius</i>	245
<i>amphibolum</i> Faust, 1890, <i>Stenoptera pion</i>	171
<i>amphicranulus</i> Eggers, 1923, <i>Xyleborus</i>	247
<i>ampliatus</i> Eggers, 1936, <i>Hypothenemus</i>	221
<i>amplicollis</i> Voss, 1942, <i>Deporaus</i>	117
<i>amplicollis</i> Eichhoff, 1869, <i>Xyleborus</i>	247
<i>amplifolius</i> Yin & Huang, 1996, <i>Polygraphus</i>	214
<i>amplipenne</i> Gyllenhal, 1833, <i>Holotrichapion</i>	168
<i>amputatus</i> Blandford, 1894, <i>Xylosandrus</i>	249
<i>amseli</i> Voss, 1961, <i>Afghanocryptus</i>	192
<i>amudariense</i> Bajtenov, 1981, <i>Catapion</i>	164
<i>amurense</i> Bajtenov, 1983, <i>Eutrichapion</i>	166
<i>amurensis</i> Voss, 1930, <i>Aspidobyctiscus</i>	112
<i>amurensis</i> Faust, 1882, <i>Neoeugnampius</i>	119
<i>amurensis</i> Eggers, 1908, <i>Scolytus</i>	239
<i>amygdali</i> Iablokoff-Khnzorian, 1954, <i>Rhynchites</i>	127
<i>amygdali</i> Guérin-Méneville, 1847, <i>Scolytus</i>	237
<i>analisis</i> Olivier, 1791, <i>Baris</i>	254

<i>analis</i> Morimoto, 1981, <i>Habrissus</i>	92
<i>analogus</i> LeConte, 1868, <i>Tomicus</i>	209
<i>anarchajense</i> Ter-Minasian, 1971, <i>Apion</i>	148
<i>anatolica</i> Pic, 1904, <i>Bruchela</i>	107
<i>anatolicus</i> Knížek & Pfeffer, 1995, <i>Hylastes</i>	205
<i>anatolicus</i> Eggers, 1911, <i>Scolytus</i>	237
<i>anceps</i> Wollaston, 1864, <i>Auletobius</i>	110
<i>anchis</i> Jordan, 1912, <i>Acorynus</i>	99
<i>andalusiaca</i> H. Brisout de Barneville, 1870, <i>Aulacobaris</i>	252
<i>andalusiacum</i> Desbrochers des Loges, 1889, <i>Hemitrichapion</i>	166
<i>andamanensis</i> Blandford, 1896, <i>Euwallacea</i>	244
<i>andamanicus</i> Senna, 1896, <i>Cerobates</i>	146
<i>andersoni</i> Wood, 1954, <i>Hypothenemus</i>	224
<i>andreinii</i> Osella, 1977, <i>Raymondionymus</i>	200
<i>andresi</i> Eggers, 1927, <i>Phloeosinus</i>	211
<i>andrewesi</i> Voss, 1930, <i>Cyllorhynchites</i>	121
<i>andrewesi</i> Blandford, 1896, <i>Xyleborinus</i>	245
<i>androssowi</i> Wagner, 1914, <i>Pseudoprotapion</i>	175
<i>angelovi</i> Strejček & Čočev, 1994, <i>Bruchela</i>	107
<i>angeri</i> Pfeffer, 1927, <i>Pityophthorus</i>	216
<i>angorensis</i> Pic, 1926, <i>Rhynchites</i>	127
<i>angularis</i> Allard, 1868, <i>Bruchela</i>	108
<i>angulaticeps</i> Senna, 1898, <i>Cerobates</i>	147
<i>angulatus</i> R.-Z. Zhang, 1993, <i>Baryrhynchus</i>	142
<i>angulatus</i> Shibata, 1980, <i>Hypseus</i>	96
<i>angulatus</i> Eichhoff, 1876, <i>Orthotomicus</i>	234
<i>angulatus</i> Park & Morimoto, 1999, <i>Uncifer</i>	104
<i>angulipennis</i> Liu, 1886, <i>Paroplapoderus</i>	140
<i>angulirostre</i> Schilsky, 1901, <i>Ceratapion</i>	154
<i>angulosum</i> Motschulsky, 1860, <i>Oxystoma</i>	169
<i>angusta</i> Brullé, 1832, <i>Aulacobaris</i>	252
<i>angusta</i> Morimoto, 1981, <i>Phaulimia</i>	96
<i>angustatum</i> Gyllenhal, 1813, <i>Ischnopterapion</i>	170
<i>angustatum</i> Kirby, 1811, <i>Ischnopterapion</i>	170
<i>angustatus</i> Herbst, 1794, <i>Hylastes</i>	205
<i>angustatus</i> Eichhoff, 1866, <i>Xyleborinus</i>	245
<i>angusticolle</i> Gyllenhal, 1833, <i>Protapion</i>	173
<i>angusticollis</i> Legalov, 2007, <i>Byctiscus</i>	113
<i>angusticollis</i> Eggers, 1929, <i>Hylastes</i>	205
<i>angustiforme</i> J. R. Sahlberg, 1921, <i>Catapion</i>	164
<i>angustifrons</i> Kleine, 1922, <i>Cerobates</i>	146
<i>angustifrons</i> Voss, 1932, <i>Temnocerus</i>	129
<i>angustipenne</i> Desbrochers des Loges, 1896, <i>Squamapion</i>	161
<i>angustipennis</i> Senna, 1895, <i>Cerobates</i>	146
<i>angustipennis</i> Jordan, 1895, <i>Dendropemon</i>	93
<i>angustipennis</i> Bach, 1854, <i>Nanophyes</i>	181
<i>angustissimum</i> Desbrochers des Loges, 1889, <i>Ceratapion</i>	155
<i>angustius</i> Desbrochers des Loges, 1898, <i>Ceratapion</i>	155
<i>angustula</i> Frieser, 1995, <i>Rhaphitropis</i>	103
<i>angustus</i> Tsai & Yin, 1965, <i>Polygraphus</i>	214

anjiensis Legalov, 2007, <i>Lamprolabus</i>	136
anna Shibata, 1969, <i>Illis</i>	103
anna Jordan, 1903, <i>Tropideres</i>	101
annapurnae Legalov, 2007, <i>Mecorhis</i>	124
annapurnae Legalov, 2007, <i>Paroplapoderus</i>	141
annularis Faust, 1881, <i>Elasmobaris</i>	257
annulatus Gyllenhal, 1838, <i>Nanomimus</i>	179
annulicollis Enderlein, 1929, <i>Coleobothrus</i>	227
annulipes L. W. Schaufuss, 1887, <i>Hormocerus</i>	148
annulipes Morimoto, 1981, <i>Phaulimia</i>	96
annulipes Jordan, 1895, <i>Rawasia</i>	98
annulipes Wencker, 1864, <i>Squamapion</i>	161
annulipes Jordan, 1895, <i>Xylinada</i>	102
anobioides Sharp, 1891, <i>Choragus</i>	106
anomalus Oke, 1934, <i>Hylastes</i>	205
anonae Hopkins, 1915, <i>Coccotrypes</i>	228
anteapicalis Pic, 1919, <i>Nanophyes</i>	181
antennale Desbrochers des Loges, 1896, <i>Holotrichapion</i>	168
antennalis Morimoto, 1980, <i>Nessiiodocus</i>	100
antennalis Legalov, 2007, <i>Physapoderus</i>	133
antennata Wolfrum, 1948, <i>Rhaphitropis</i>	103
antennatus Morimoto, 1962, <i>Barinomorphus</i>	254
antennatus Ritsema, 1882, <i>Ceocephalus</i>	147
anthocephali Schedl, 1969, <i>Dinoplatypus</i>	202
anthracinus Jordan, 1924, <i>Melanopsacus</i>	106
anthracinus Gyllenhal, 1838, <i>Scyphophorus</i>	190
antiallus Jordan, 1912, <i>Exechesops</i>	102
antipodus Schedl, 1952, <i>Hylesinus</i>	207
antoinei Hustache, 1932, <i>Theanellus</i>	197
antoinei Peyerimhoff, 1949, <i>Triotemnus</i>	233
anulatus Aragona, 1830, <i>Nanomimus</i>	179
aomoriensis Nobuchi, 1973, <i>Scolytus</i>	237
apatoides Eichhoff, 1876, <i>Hypothenemus</i>	224
apennincola Osella, 1993, <i>Phrissotrichum</i>	152
apertus Sharp, 1889, <i>Cartorhynchites</i>	120
apertus Kleine, 1925, <i>Microtrachelizus</i>	147
apertus Schedl, 1939, <i>Xyleborus</i>	248
apfelbecki Eggers, 1940, <i>Crypturgus</i>	227
aphanes Günther, 1934, <i>Otidognathus</i>	188
aphodioides A. Villa & G. B. Villa, 1833, <i>Crypturgus</i>	228
aphyllae Peyerimhoff, 1929, <i>Hypophyes</i>	178
apicalis Jordan, 1894, <i>Acorynus</i>	99
apicalis Blandford, 1894, <i>Anisandrus</i>	242
apicalis Faust, 1890, <i>Leptapoderus</i>	132
apicalis Pic, 1919, <i>Nanophyes</i>	181
apicalis Walker, 1859, <i>Phloeobius</i>	97
apicatus Schedl, 1971, <i>Coccotrypes</i>	229
apicinotus Wolfrum, 1948, <i>Acorynus</i>	99
apionoides Sharp, 1889, <i>Involvulus</i>	122
aplotum Jordan, 1912, <i>Nerthomma</i>	103

appenina Dieck, 1870, <i>Ferreria</i>	199
applicatus Kleine, 1923, <i>Peraprophthalmus</i>	148
approximans F. Walker, 1859, <i>Baryrhynchus</i>	142
approximatum Desbrochers des Loges, 1904, <i>Exapion</i>	158
apricans Herbst, 1797, <i>Protapion</i>	173
apsinthii Panzer, 1794, <i>Melanobaris</i>	258
aquilinum Boheman, 1839, <i>Perapion</i>	151
aquilonius Nobuchi, 1975, <i>Cryphalus</i>	218
aquilus Blandford, 1894, <i>Xyleborus</i>	246
arabiae Schedl, 1975, <i>Hylesinopsis</i>	207
arabica Damoiseau, 1964, <i>Amorphocephala</i>	143
arabica Muizon, 1954, <i>Orfilaia</i>	143
arabicus Wagner, 1909, <i>Aplemonus</i>	149
arabicus Frieser, 1981, <i>Cylindroides</i>	92
arakii Sawamoto, 1942, <i>Pityophthorus</i>	216
araneiforme Wagner, 1909, <i>Conapium</i>	172
aratus Blandford, 1894, <i>Scolytus</i>	237
araxellum Reitter, 1916, <i>Mesotrichapion</i>	169
araxicola Wagner, 1912, <i>Hemitrichapion</i>	167
araxicola Reitter, 1895, <i>Labiaticola</i>	257
arbuti Hopkins, 1915, <i>Xyleborinus</i>	246
arcifer Frieser, 1985, <i>Hypseus</i>	96
arcirostre Desbrochers des Loges, 1895, <i>Squamapion</i>	161
arcticum Korotyaev, 1988, <i>Apion</i>	148
arctithorax Pic, 1899, <i>Aegyptobaris</i>	252
arcuatum Bajtenov, 1977, <i>Perapion</i>	151
ardesia Olivier, 1807, <i>Sphenophorus</i>	191
areccae Hornung, 1842, <i>Hypothenemus</i>	221
arenarium Bajtenov, 1978, <i>Perapion</i>	151
areolatus Fairmaire, 1900, <i>Otidognathus</i>	188
areolatus Boheman, 1845, <i>Trigonorhinus</i>	99
argamani Friedman & Freidberg, 2007, <i>Stenopterapion</i>	171
argentata Küster, 1847, <i>Bruchela</i>	108
argentatum Gerstaecker, 1854, <i>Lepidapion</i>	159
argentatus Pic, 1940, <i>Arthrostenus</i>	193
argentinensis Schedl, 1939, <i>Hypothenemus</i>	222
argentinensis Schedl, 1931, <i>Xyleborus</i>	247
argillaceus Reiche & Saulcy, 1858, <i>Brachycerus</i>	182
arguta Faust, 1882, <i>Mecorhis</i>	124
arisannensis Murayama, 1934, <i>Platypus</i>	202
arisanus Niisima, 1942, <i>Phloeosinus</i>	211
arisanus Eggers, 1939, <i>Xylechinus</i>	209
arisi Schilsky, 1912, <i>Bruchela</i>	107
aritzensis Osella, 1977, <i>Derosasius</i>	199
armandi Tsai & Li, 1959, <i>Dendroctonus</i>	208
armata Baudi di Selve, 1887, <i>Bruchela</i>	107
armatum Wollaston, 1862, <i>Aphanarthrum</i>	226
armatum Gerstaecker, 1854, <i>Ceratapion</i>	155
armatus Voss, 1926, <i>Agomadaranus</i>	140
armatus Reitter, 1887, <i>Phloeosinus</i>	211

<i>armatus</i> Comolli, 1837, <i>Scolytus</i>	239
<i>armeniacum</i> Desbrochers des Loges, 1896, <i>Hemitrichapion</i>	167
<i>armeniacus</i> Zajcev, 1937, <i>Rhynchites</i>	127
<i>armeniacus</i> Reitter, 1897, <i>Thamnurgus</i>	232
<i>armiferum</i> Wencker, 1864, <i>Protapion</i>	174
<i>armiger</i> Schedl, 1953, <i>Xyleborus</i>	246
<i>armillatus</i> Fabricius, 1801, <i>Procas</i>	196
<i>armipennis</i> Schedl, 1953, <i>Xyleborus</i>	247
<i>armipes</i> Voss, 1933, <i>Euops</i>	138
<i>armipes</i> Roelofs, 1875, <i>Manilabaris</i>	261
<i>arnoldi</i> Semenov, 1902, <i>Liparthrum</i>	210
<i>arragonicum</i> Everts, 1884, <i>Ischnopterapion</i>	170
<i>arrogans</i> Wencker, 1858, <i>Eutrichapion</i>	166
<i>artecavus</i> Schedl, 1941, <i>Dinoplatypus</i>	202
<i>artecomans</i> Schedl, 1953, <i>Hadrodemius</i>	245
<i>artecurtus</i> Schedl, 1960, <i>Platypus</i>	202
<i>artelaevis</i> Schedl, 1942, <i>Euwallacea</i>	244
<i>artemisiae</i> Herbst, 1795, <i>Baris</i>	254
<i>artemisiae</i> Panzer, 1794, <i>Baris</i>	254
<i>artemisiae</i> Wollaston, 1854, <i>Liparthrum</i>	210
<i>artemisiae</i> A. Hoffmann, 1956, <i>Neosharpia</i>	261
<i>artemisiae</i> Moravitz, 1861, <i>Pseudaplemonus</i>	152
<i>artepunctatus</i> Eggers, 1941, <i>Dryocoetes</i>	230
<i>artestriatus</i> Eichhoff, 1878, <i>Xyleborinus</i>	245
<i>arunachalensis</i> Legalov, 2007, <i>Auletobius</i>	109
<i>arundineti</i> Stephens, 1831, <i>Thryogenes</i>	197
<i>arundinis</i> Eichhoff, 1878, <i>Hypothenemus</i>	221
<i>asanoi</i> Nakane, 1963, <i>Acorynus</i>	99
<i>asaroriensis</i> Beeson, 1940, <i>Hypothenemus</i>	222
<i>ashuensis</i> Murayama, 1950, <i>Indocryphalus</i>	250
<i>ashuensis</i> Murayama, 1954, <i>Xyleborus</i>	247
<i>asiaticum</i> Desbrochers des Loges, 1894, <i>Diplapion</i>	156
<i>asiaticus</i> Kleine, 1920, <i>Cerobates</i>	146
<i>asiaticus</i> Voss, 1974, <i>Deporaus</i>	117
<i>asiaticus</i> Legalov & Liu, 2005, <i>Euops</i>	137
<i>asiaticus</i> Desbrochers des Loges, 1908, <i>Rhynchites</i>	127
<i>asiminae</i> Hopkins, 1915, <i>Hypothenemus</i>	222
<i>asmenus</i> Jordan, 1913, <i>Acanthothorax</i>	94
<i>asperatus</i> Blandford, 1895, <i>Ambrosiodmus</i>	241
<i>asperatus</i> Gyllenhal, 1813, <i>Cryphalus</i>	218
<i>asperatus</i> Ratzeburg, 1837, <i>Cryphalus</i>	219
<i>asperatus</i> Schedl, 1967, <i>Hypothenemus</i>	224
<i>aspericauda</i> Eggers, 1941, <i>Xyleborinus</i>	246
<i>aspericollis</i> Wagner, 1908, <i>Fremuthiella</i>	172
<i>aspericollis</i> Wollaston, 1860, <i>Hypothenemus</i>	222
<i>aspericollis</i> Heller, 1941, <i>Nassophasis</i>	190
<i>aspericollis</i> Eichhoff, 1878, <i>Scolytogenes</i>	225
<i>aspericollis</i> Jordan, 1895, <i>Xylinada</i>	102
<i>asperipennis</i> Eggers, 1934, <i>Euwallacea</i>	245
<i>asperulus</i> LeConte, 1857, <i>Scyphophorus</i>	190

<i>assamensis</i> Eggers, 1930, <i>Euwallacea</i>	245
<i>assamensis</i> Browne, 1964, <i>Genyocerus</i>	204
<i>assamensis</i> Chevrolat, 1882, <i>Otidognathus</i>	188
<i>assamensis</i> Boheman, 1845, <i>Physapoderus</i>	133
<i>assamensis</i> Stebbing, 1907, <i>Sphaerotrypes</i>	204
<i>assamensis</i> Stebbing, 1909, <i>Xyleborus</i>	247
<i>assimile</i> Kirby, 1808, <i>Protapion</i>	173
<i>assimilis</i> Roelofs, 1874, <i>Neocoenorrhinus</i>	125
<i>assimilis</i> Kleine, 1916, <i>Prophthalmus</i>	143
<i>assimilis</i> Boheman, 1858, <i>Scolytus</i>	239
<i>asteromaculatus</i> Oda, 1978, <i>Platystomos</i>	97
<i>astragali</i> Gozis, 1881, <i>Exapion</i>	158
<i>astragali</i> Thunberg, 1815, <i>Podapion</i>	176
<i>astragali</i> Paykull, 1800, <i>Pseudoprotapion</i>	176
<i>astralagi</i> Herbst, 1795, <i>Exapion</i>	158
<i>asturiense</i> Wagner, 1914, <i>Exapion</i>	158
<i>ater</i> Eggers, 1923, <i>Cnestus</i>	242
<i>ater</i> Eggers, 1936, <i>Coccotrypes</i>	228
<i>ater</i> Hagedorn, 1909, <i>Diameterus</i>	204
<i>ater</i> Eggers, 1933, <i>Dryocoetes</i>	231
<i>ater</i> Nobuchi, 1975, <i>Ernoporicus</i>	220
<i>ater</i> Paykull, 1800, <i>Hylastes</i>	205
<i>ater</i> Fabricius, 1792, <i>Pityogenes</i>	235
<i>ater</i> Geoffroy, 1785, <i>Platyrrhinus</i>	96
<i>ater</i> Voss, 1932, <i>Pseudallapoderus</i>	137
<i>ater</i> Blatchley, 1928, <i>Tanysphyrus</i>	198
<i>ater</i> Marsham, 1802, <i>Trypodendron</i>	251
<i>ateroides</i> Legalov, 2002, <i>Pseudallapoderus</i>	137
<i>aterrima</i> Hampe, 1850, <i>Notaris</i>	195
<i>aterrimum</i> Schilsky, 1906, <i>Taphrotopium</i>	157
<i>aterrimus</i> Voss, 1938, <i>Cneminvolvulus</i>	120
<i>aterrimus</i> Aurivillius, 1891, <i>Desmidophorus</i>	185
<i>aterrimus</i> Eggers, 1933, <i>Hylastes</i>	205
<i>aterrimus</i> C. O. Waterhouse, 1874, <i>Orchidophilus</i>	261
<i>aterrimus</i> Strohmeyer, 1908, <i>Polygraphus</i>	214
<i>atlanticum</i> Uyttenboogaart, 1935, <i>Taeniapion</i>	162
<i>atlasica</i> Hustache, 1923, <i>Aulacobaris</i>	252
<i>atlasicus</i> A. Hoffmann, 1962, <i>Brachycerus</i>	183
<i>atomarium</i> Gyllenhal, 1813, <i>Squamapion</i>	161
<i>atomarium</i> Kirby, 1808, <i>Squamapion</i>	161
<i>atomarius</i> Gené, 1839, <i>Procas</i>	196
<i>atomus</i> LeConte, 1868, <i>Crypturgus</i>	228
<i>atomus</i> Hopkins, 1915, <i>Trischidias</i>	226
<i>atramentaria</i> Boheman, 1836, <i>Melanobaris</i>	258
<i>atratum</i> Germar, 1817, <i>Protopirapion</i>	171
<i>atratum</i> Gravenhorst, 1807, <i>Podapion</i>	176
<i>atratus</i> Eichhoff, 1876, <i>Ambrosiophilus</i>	242
<i>atricolor</i> Faust, 1887, <i>Compsapoderus</i>	130
<i>atricolor</i> Boheman, 1844, <i>Labiaticola</i>	257
<i>atricornis</i> Mulsant & Guillebeau, 1855, <i>Attelabus</i>	134

<i>atripenne</i> Desbrochers des Loges, 1902, <i>Ceratapion</i>	156
<i>atriplicis</i> Fabricius, 1777, <i>Melanobaris</i>	258
<i>atrimostris</i> Fabricius, 1781, <i>Grypus</i>	194
<i>atrimostris</i> Lohse, 1992, <i>Thryogenes</i>	197
<i>atritarse</i> Gyllenhal, 1833, <i>Pseudapion</i>	163
<i>atritarsis</i> Pic, 1925, <i>Corimalia</i>	177
<i>atrocaeruleus</i> Stephens, 1831, <i>Neocoenorrhinus</i>	125
<i>atrocyaneus</i> Ter-Minasian, 1944, <i>Cneminvolvulus</i>	120
<i>atrolineatus</i> Pic, 1919, <i>Dieckmanniellus</i>	179
<i>atrolineatus</i> Pic, 1919, <i>Dieckmanniellus</i>	179
<i>atrolineatus</i> Pic, 1924, <i>Nanophyes</i>	180
<i>atromaculatus</i> Pic, 1919, <i>Nanophyes</i>	181
<i>atronitens</i> Chevrolat, 1861, <i>Melanobaris</i>	258
<i>atronitidus</i> Pic, 1929, <i>Leptapoderus</i>	132
<i>atrorufus</i> Voss, 1942, <i>Caenorhinus</i>	115
<i>atrovittatus</i> Pic, 1929, <i>Leptapoderus</i>	132
<i>attelaboides</i> Fabricius, 1787, <i>Cimberis</i>	90
<i>attenuatus</i> Vitale, 1903, <i>Brachycerus</i>	183
<i>attenuatus</i> Nobuchi, 1981, <i>Cosmoderes</i>	217
<i>attenuatus</i> Erichson, 1836, <i>Hylastes</i>	205
<i>attenuatus</i> Blandford, 1894, <i>Xyleborinus</i>	246
<i>atticus</i> Eggers, 1911, <i>Crypturgus</i>	227
<i>atritus</i> Peyerimhoff, 1932, <i>Carphoborus</i>	213
<i>atritus</i> Kleine, 1923, <i>Microtrachelizus</i>	147
<i>aubei</i> Perris, 1855, <i>Phloeosinus</i>	211
<i>aubei</i> Marquet, 1864, <i>Raymondionymus</i>	200
<i>aulacus</i> Beaver & Liu, 2008, <i>Diapus</i>	203
<i>auletoides</i> Reitter, 1901, <i>Fremuthiella</i>	172
<i>auletoides</i> Reitter, 1911, <i>Titanomalía</i>	178
<i>auliensis</i> Reitter, 1901, <i>Baris</i>	254
<i>auliensis</i> Pic, 1901, <i>Corimalia</i>	177
<i>auratus</i> Geoffroy, 1785, <i>Byctiscus</i>	113
<i>auratus</i> Scopoli, 1763, <i>Rhynchites</i>	127
<i>aureolus</i> Perris, 1864, <i>Nanodiscus</i>	179
<i>auricapillus</i> Voss, 1930, <i>Cyllorhynchites</i>	121
<i>aurifasciata</i> Escalera, 1914, <i>Baris</i>	254
<i>aurifer</i> Olivier, 1791, <i>Rhynchites</i>	127
<i>aurifrons</i> Roelofs, 1874, <i>Eugnampitobius</i>	118
<i>auripes</i> Chobaut, 1909, <i>Raymondiellus</i>	199
<i>aurolineatus</i> Abeille de Perrin, 1893, <i>Choragus</i>	106
<i>auronitens</i> Gistel, 1857, <i>Byctiscus</i>	114
<i>aurouxii</i> González, 1965, <i>Coiffaitiella</i>	199
<i>australis</i> Legalov & Liu, 2005, <i>Euops</i>	137
<i>austriacum</i> Wagner, 1904, <i>Ceratapion</i>	154
<i>austriacus</i> Olivier, 1807, <i>Doydirhynchus</i>	90
<i>austriacus</i> Guillebeau, 1893, <i>Phloeotribus</i>	213
<i>austriacus</i> Wachtl, 1887, <i>Pityogenes</i>	236
<i>austrina</i> Peyerimhoff, 1949, <i>Bruchela</i>	107
<i>austrinum</i> Wollaston, 1864, <i>Catapion</i>	164
<i>austrochinensis</i> Legalov, 2007, <i>Neoeugnampitus</i>	119

austroturcum Bajtenov & Lodos, 1977, <i>Catapion</i>	164
autographus Ratzeburg, 1837, <i>Dryocoetes</i>	230
avellanae Linnaeus, 1767, <i>Apoderus</i>	129
avida Faust, 1891, <i>Fremuthiella</i>	172
axeli Alonso-Zarazaga, 1989, <i>Pseudorobitis</i>	182
azarovae Legalov, 2006, <i>Deporaus</i>	117
azerbaidzhanicus Michalski, 1964, <i>Scolytus</i>	237
abadjanidis Eggers, 1910, <i>Liparthrum</i>	210
babai Chûjô & Morimoto, 1959, <i>Caenosilapillus</i>	193
babai Murayama, 1961, <i>Coccotrypes</i>	228
babai Murayama, 1961, <i>Cryphalus</i>	218
babai Chûjô & Morimoto, 1959, <i>Limnobaris</i>	251
babaulti Hustache, 1928, <i>Acythogaster</i>	252
bacanasicum Bajtenov, 1973, <i>Ceratapion</i>	156
bacchoides Voss, 1934, <i>Rhynchites</i>	127
bacchus Linnaeus, 1758, <i>Rhynchites</i>	127
badakschanicum Voss, 1959, <i>Hemitrichapion</i>	167
badius Günther, 1938, <i>Otidognathus</i>	188
badius Nobuchi, 1975, <i>Scolytogenes</i>	225
badius Eichhoff, 1869, <i>Xyleborus</i>	249
baenai Alonso-Zarazaga, 1998, <i>Podapion</i>	176
bagoides Reitter, 1913, <i>Theanellus</i>	197
baguenai Cobos, 1954, <i>Trigonorhinus</i>	99
baicalicus Eggers, 1933, <i>Pityogenes</i>	235
baikalicus Reitter, 1899, <i>Dryocoetes</i>	231
bakeri Hopkins, 1915, <i>Coccotrypes</i>	228
balassogloi Faust, 1881, <i>Elasmobaris</i>	257
balassogloi Faust, 1885, <i>Melanobaris</i>	258
balcanicus K. Daniel & J. Daniel, 1898, <i>Attelabus</i>	134
balcanicus Pfeffer, 1940, <i>Pityophthorus</i>	216
balcanicus Eggers, 1911, <i>Scolytus</i>	237
balchaschense Bajtenov, 1978, <i>Betulapion</i>	172
baldensis Bellò, 1981, <i>Osellaeus</i>	150
balearicus Bedel, 1874, <i>Brachycerus</i>	182
balgensis Murayama, 1943, <i>Carphoborus</i>	213
balkis Meregalli & Colonnelli, 2006, <i>Ocladius</i>	184
balteatus Roelofs, 1874, <i>Leptapoderus</i>	132
baluchistani Schedl, 1958, <i>Scolytus</i>	239
bambesanus Eggers, 1940, <i>Hypothenemus</i>	221
bambusae Beeson, 1939, <i>Coccotrypes</i>	228
bananensis Eggers, 1922, <i>Hypothenemus</i>	224
banjoewangi Schedl, 1939, <i>Cnestus</i>	243
baojiensis Legalov, 2007, <i>Involvulus</i>	122
barani Pascoe, 1874, <i>Ocladius</i>	184
barbarus Linnaeus, 1758, <i>Brachycerus</i>	182
barbatomorphus Schedl, 1951, <i>Euwallacea</i>	244
barbatulus Schedl, 1934, <i>Euwallacea</i>	244
barbatus Eggers, 1912, <i>Cnemonyx</i>	237
barbatus Schedl, 1934, <i>Coccotrypes</i>	228
barbatus Hagedorn, 1910, <i>Euwallacea</i>	244

<i>barbeyi</i> Strohmeier, 1929, <i>Crypturgus</i>	227
<i>barbiellinii</i> Leoni, 1907, <i>Limnobaris</i>	251
<i>barbirostre</i> A. Hoffmann, 1953, <i>Holotrichapion</i>	168
<i>barkleyi</i> Alonso-Zarazaga, 2011, <i>Perapion</i>	151
<i>barnevillei</i> Wencker, 1864, <i>Ceratapion</i>	155
<i>bartolii</i> Osella, 1977, <i>Raymondionymus</i>	200
<i>bartschti</i> Mühl, 1891, <i>Liparthrum</i>	210
<i>basalis</i> Voss, 1958, <i>Pertorcus</i>	252
<i>basicorne</i> Illiger, 1807, <i>Ceratapion</i>	156
<i>basilaris</i> Gyllenhal, 1839, <i>Auletobius</i>	110
<i>basilineatus</i> Heller, 1931, <i>Nanophyes</i>	180
<i>basimaculata</i> Voss, 1958, <i>Nespilobaris</i>	259
<i>basipennis</i> Sharp, 1891, <i>Autotropis</i>	93
<i>basjoo</i> Niisima, 1910, <i>Hypothenemus</i>	222
<i>bassiaeavorus</i> Hopkins, 1915, <i>Coccotrypes</i>	229
<i>batnense</i> Desbrochers des Loges, 1894, <i>Exapion</i>	158
<i>batnensis</i> C. N. F. Brisout de Barneville, 1883, <i>Hylastes</i>	205
<i>baudii</i> Desbrochers des Loges, 1893, <i>Bruchela</i>	107
<i>bauhaniae</i> Schedl, 1950, <i>Hypothenemus</i>	221
<i>bavariensis</i> Voss, 1939, <i>Chonostropheus</i>	114
<i>beauprei</i> Hustache, 1938, <i>Baris</i>	254
<i>beaveri</i> Browne, 1975, <i>Platypus</i>	202
<i>beaveri</i> Browne, 1978, <i>Xyleborinus</i>	245
<i>beccarii</i> Pascoe, 1885, <i>Rhabdoscelus</i>	190
<i>beckeri</i> Desbrochers des Loges, 1875, <i>Aletinus</i>	110
<i>beckeri</i> Desbrochers des Loges, 1875, <i>Ceratapion</i>	154
<i>beckeri</i> Thatcher, 1954, <i>Dendroctonus</i>	208
<i>becvari</i> Frieser, 1995, <i>Exechesops</i>	102
<i>bedeli</i> Faust, 1891, <i>Elasmobaris</i>	257
<i>bedeli</i> Reitter, 1888, <i>Limnobaris</i>	251
<i>beelsoni</i> Eggers, 1936, <i>Crypturgus</i>	227
<i>beelsoni</i> Damoiseau, 1964, <i>Cyphagogus</i>	145
<i>beelsoni</i> Saha, 1993, <i>Xylosandrus</i>	249
<i>behnei</i> Korotyaev, 1988, <i>Baris</i>	254
<i>beijinensis</i> Legalov, 2007, <i>Cartorhynchites</i>	120
<i>beijingensis</i> Legalov, 2003, <i>Euops</i>	138
<i>bellus</i> Fremuth & Legalov, 2002, <i>Perrhynchites</i>	126
<i>belokanicus</i> Stark, 1941, <i>Scolytus</i>	238
<i>belokobylskii</i> Legalov, 2007, <i>Paratrachelophorus</i>	133
<i>beloni</i> Power, 1879, <i>Symmorphocerus</i>	144
<i>belovi</i> Korotyaev, 1988, <i>Baris</i>	254
<i>belovi</i> Korotyaev, 1988, <i>Turanocryptus</i>	193
<i>beneficus</i> Kleine, 1925, <i>Microtrachelizus</i>	147
<i>bengalensis</i> Legalov, 2003, <i>Auletobius</i>	109
<i>bengalensis</i> Kleine, 1937, <i>Baryrhynchus</i>	142
<i>bengalensis</i> Legalov, 2007, <i>Euops</i>	139
<i>bengalensis</i> Legalov, 2003, <i>Micrapoderus</i>	137
<i>bengalensis</i> Wood, 1988, <i>Sphaerotrypes</i>	204
<i>bengalensis</i> Stebbing, 1908, <i>Xylosandrus</i>	249
<i>benignum</i> Faust, 1898, <i>Conapium</i>	172

benjamini Marquet, 1875, <i>Coiffaitiella</i>	199
berberidis Voss, 1933, <i>Auletobius</i>	109
<i>berezinae</i> Stark, 1952, <i>Trypophloeus</i>	226
berezovskyi Legalov, 2003, <i>Euops</i>	138
berezovskyi Legalov, 2007, <i>Involvulus</i>	122
bergeri Spessivtsev, 1919, <i>Xylechinus</i>	209
<i>bergrothi</i> Desbrochers des Loges, 1895, <i>Protapion</i>	174
bermani Korotyayev, 1997, <i>Pseudaplemonus</i>	152
berthieri Pic, 1901, <i>Aulacobaris</i>	252
<i>berytensis</i> Pic, 1919, <i>Nanophyes</i>	181
<i>besseri</i> Krynicki, 1832, <i>Brachycerus</i>	184
besucheti Frieser, 1978, <i>Phaenotheriosoma</i>	95
<i>betpakdalense</i> Bajtenov, 1981, <i>Hoplopodapion</i>	150
<i>betpakdalensis</i> Bajtenov, 1982, <i>Hypophyes</i>	178
betulae Linnaeus, 1758, <i>Byctiscus</i>	113
betulae Linnaeus, 1758, <i>Deporaus</i>	117
betulae Gyllenhal, 1833, <i>Pirapion</i>	170
betulae Niisima, 1943, <i>Scolytus</i>	237
betulae Schedl, 1974, <i>Taphrorychus</i>	232
<i>betuleti</i> Fabricius, 1792, <i>Byctiscus</i>	113
beuthini An. Hoffmann, 1874, <i>Omphalapion</i>	157
bezaziani Peyerimhoff, 1935, <i>Hypothenemus</i>	221
bhamoensis Faust, 1895, <i>Mecorhis</i>	124
bhutanensis Frieser, 2001, <i>Melanopsacus</i>	106
bhutanicola Damoiseau, 1979, <i>Microsebus</i>	146
<i>bialowiezensis</i> Karpiński, 1931, <i>Pityogenes</i>	235
<i>bibractensis</i> Balachowsky, 1949, <i>Pityophthorus</i>	217
bicallosicollis Voss, 1932, <i>Heterapoderus</i>	131
<i>bicallosus</i> Eggers, 1933, <i>Scolytus</i>	238
<i>bicanaliculatus</i> L. W. Schaufuss, 1885, <i>Trachelizus</i>	148
bicarinatus Nobuchi, 1975, <i>Cryphalus</i>	218
bicaudatum Wollaston, 1865, <i>Liparthrum</i>	210
bicinctum Wollaston, 1860, <i>Aphanarthrum</i>	226
bicolor Legalov, 2007, <i>Aderorhinus</i>	118
bicolor Wollaston, 1860, <i>Aphanarthrum</i>	226
bicolor Gmelin, 1790, <i>Attelabus</i>	134
bicolor Gistel, 1857, <i>Byctiscus</i>	114
bicolor Abeille de Perrin, 1895, <i>Cercomorphus</i>	108
bicolor Heller, 1916, <i>Cerobates</i>	146
<i>bicolor</i> L. Redtenbacher, 1868, <i>Compsapoderus</i>	130
bicolor Voss, 1938, <i>Deporaus</i>	116
bicolor Pic, 1905, <i>Doydirhynchus</i>	90
bicolor Blandford, 1894, <i>Euwallacea</i>	244
bicolor Legalov & Liu, 2005, <i>Henicolabus</i>	135
<i>bicolor</i> Brullé, 1832, <i>Hylesinus</i>	207
<i>bicolor</i> Eggers, 1920, <i>Hypothenemus</i>	222
<i>bicolor</i> Schedl, 1939, <i>Hypothenemus</i>	222
<i>bicolor</i> Gredler, 1857, <i>Ixapion</i>	159
<i>bicolor</i> Sokanovskiy, 1960, <i>Polygraphus</i>	214
bicolor Herbst, 1794, <i>Taphrorychus</i>	232

<i>bicolor</i> Rossi, 1792, <i>Tatianaerhynchites</i>	128
<i>bicoloripes</i> Legalov, 2007, <i>Caenorhinus</i>	115
<i>bicoloroides</i> Legalov, 2003, <i>Euops</i>	138
<i>bicoloroides</i> Legalov, 2007, <i>Japonorhynchites</i>	123
<i>bicornioides</i> Schedl, 1952, <i>Cnestus</i>	242
<i>bicornis</i> Frieser, 1995, <i>Gibber</i>	103
<i>bicuspis</i> Voss, 1924, <i>Auletomorphus</i>	120
<i>bicuspis</i> Jordan, 1912, <i>Litocerus</i>	100
<i>bicuspis</i> Reitter, 1887, <i>Xylocleptes</i>	233
<i>bidens</i> Fabricius, 1792, <i>Pityogenes</i>	235
<i>bidentatus</i> Herbst, 1784, <i>Pityogenes</i>	235
<i>bifarium</i> Balfour-Browne, 1944, <i>Squamapion</i>	161
<i>bifasciata</i> Boisduval, 1835, <i>Diocalandra</i>	186
<i>bifasciatus</i> Legalov, 2007, <i>Caenorhinus</i>	115
<i>bifasciatus</i> Quedenfeldt, 1887, <i>Cylindroides</i>	92
<i>bifasciatus</i> Pic, 1919, <i>Nanophyes</i>	181
<i>bifasciatus</i> Tournier, 1875, <i>Ocladius</i>	184
<i>bifasciatus</i> Chevrolat, 1882, <i>Otidognathus</i>	188
<i>biformis</i> Chapuis, 1865, <i>Platypus</i>	202
<i>bifoveolata</i> Shibata, 1984, <i>Stenorhis</i>	107
<i>bifoveolatum</i> Stephens, 1831, <i>Stenopterapion</i>	171
<i>biguttatus</i> Faust, 1882, <i>Procas</i>	196
<i>bihastatus</i> Frivaldszky, 1892, <i>Lamprolabus</i>	136
<i>bihumeratus</i> Jekel, 1860, <i>Agomadaranus</i>	140
<i>bilineata</i> Tournier, 1868, <i>Corimalia</i>	177
<i>bilineatoides</i> Legalov, 2007, <i>Byctiscus</i>	113
<i>bilineatus</i> Legalov, 2003, <i>Byctiscus</i>	113
<i>bilineatus</i> Faust, 1883, <i>Physapoderus</i>	133
<i>bilineatus</i> Germar, 1819, <i>Ulorhinus</i>	97
<i>bilobicollis</i> Senna, 1898, <i>Higonius</i>	147
<i>bimaculata</i> Senoh & Matoba, 2004, <i>Basitropis</i>	92
<i>bimaculata</i> Fabricius, 1787, <i>Tournotaris</i>	197
<i>bimaculatus</i> Voss, 1929, <i>Leptapoderus</i>	132
<i>bimaculatus</i> Duftschmid, 1825, <i>Platypus</i>	202
<i>bimaculosus</i> Voss, 1939, <i>Neoeugnamptus</i>	119
<i>bimaculosus</i> Voss, 1941, <i>Neoeugnamptus</i>	119
<i>binaghii</i> Solari, 1952, <i>Aulacobaris</i>	252
<i>binbyanicus</i> Legalov, 2007, <i>Pseudomesauletes</i>	111
<i>binodulus</i> Ratzeburg, 1837, <i>Trypophloeus</i>	226
<i>binodus</i> Reitter, 1913, <i>Kissophagus</i>	208
<i>biunctatus</i> Legalov, 2007, <i>Caenorhinus</i>	116
<i>bipartirostre</i> Desbrochers des Loges, 1889, <i>Oxystoma</i>	169
<i>bipartitum</i> Desbrochers des Loges, 1902, <i>Ceratapion</i>	156
<i>bipartitus</i> Hartmann, 1899, <i>Cyrtotrachelus</i>	187
<i>biplaga</i> Jordan, 1903, <i>Sintor</i>	98
<i>bipunctatus</i> Legalov, 2007, <i>Dicranognathus</i>	110
<i>bipunctatus</i> Roelofs, 1874, <i>Echinocnemus</i>	194
<i>bipunctatus</i> Shibata, 1969, <i>Sintor</i>	98
<i>birmanicus</i> Senna, 1894, <i>Cerobates</i>	146
<i>birmanicus</i> Faust, 1895, <i>Cyrtotrachelus</i>	187

<i>birmanus</i> Eggers, 1925, <i>Coriacephilus</i>	217
<i>birmanus</i> Eichhoff, 1878, <i>Hypothenemus</i>	221
<i>birosimensis</i> Murayama, 1958, <i>Cryphalus</i>	218
<i>biseriatum</i> Desbrochers des Loges, 1875, <i>Ceratapion</i>	154
<i>bisignatus</i> Fåhraeus, 1839, <i>Ulorhinus</i>	97
<i>biskrensis</i> H. Brisout de Barneville, 1869, <i>Allomalina</i>	177
<i>biskrensis</i> Chobaut, 1897, <i>Elasmobaris</i>	257
<i>bispinosus</i> Gyllenhal, 1833, <i>Lamprolabus</i>	136
<i>bispinulus</i> Eggers, 1927, <i>Trypophloeus</i>	226
<i>bispinus</i> O. F. Müller, 1776, <i>Byctiscus</i>	113
<i>bispinus</i> Guyon, 1855, <i>Pityogenes</i>	235
<i>bispinus</i> Nobuchi, 1981, <i>Xyleborus</i>	248
<i>bispinus</i> Duftschmid, 1825, <i>Xylocleptes</i>	233
<i>bistriatus</i> Kleine, 1935, <i>Callipareius</i>	144
<i>bistridentatus</i> Eichhoff, 1878, <i>Pityogenes</i>	235
<i>bistriolatus</i> Faust, 1898, <i>Compsapoderus</i>	130
<i>bistrispinosus</i> Faust, 1895, <i>Agomadaranus</i>	140
<i>bisulcatus</i> Voss, 1922, <i>Japonorhynchites</i>	123
<i>bisulcatus</i> Lund, 1800, <i>Trachelizus</i>	148
<i>bituberculatum</i> Wollaston, 1854, <i>Liparthrum</i>	210
<i>bituberculatus</i> Voss, 1926, <i>Paroplapoderus</i>	141
<i>bituberculatus</i> Puzyr, 1951, <i>Scolytus</i>	239
<i>biuncus</i> Blandford, 1896, <i>Dinoplatypus</i>	202
<i>biuncus</i> Reitter, 1894, <i>Xylocleptes</i>	233
<i>bivittatum</i> Gerstaecker, 1854, <i>Exapion</i>	158
<i>bivittatum</i> Kirby, 1837, <i>Trypodendron</i>	251
<i>bivittatus</i> Fuente, 1912, <i>Nanomimus</i>	180
<i>blandfordi</i> Stebbing, 1909, <i>Ips</i>	234
<i>blandfordi</i> Sampson, 1913, <i>Pseudohyorrhynchus</i>	210
<i>blandfordi</i> Gebhardt, 2006, <i>Scolytoplatypus</i>	240
<i>blandoloides</i> Legalov, 2007, <i>Heterapoderus</i>	131
<i>blandulus</i> Voss, 1942, <i>Caenorhinus</i>	116
<i>bletoni</i> Hustache, 1939, <i>Lepidapion</i>	159
<i>bleusei</i> Pic, 1900, <i>Nanophyes</i>	180
<i>blumi</i> Schedl, 1979, <i>Dinoplatypus</i>	202
<i>bodemeyeri</i> Wolfrum, 1956, <i>Phaenotherion</i>	95
<i>bodemeyeri</i> Voss, 1943, <i>Tychiophaenus</i>	197
<i>bodoanum</i> Reitter, 1913, <i>Cyclorhipidion</i>	243
<i>boehmi</i> Wagner, 1911, <i>Ceratapion</i>	154
<i>bohemani</i> Schultze, 1897, <i>Baris</i>	254
<i>bohemanii</i> Boheman, 1839, <i>Protapion</i>	174
<i>boieldieui</i> Perroud, 1864, <i>Hypothenemus</i>	222
<i>boiteli</i> Normand, 1939, <i>Phrissotrichum</i>	152
<i>bokharanum</i> Györfy, 1923, <i>Ceratapion</i>	154
<i>bomaense</i> Faust, 1899, <i>Conapium</i>	172
<i>boninensis</i> Morimoto & Kojima, 2005, <i>Cyphagogus</i>	145
<i>boninensis</i> Morimoto, 1978, <i>Euparius</i>	92
<i>bonnairei</i> C. N. F. Brisout de Barneville, 1884, <i>Carphoborus</i>	213
<i>bonvouloiri</i> Chapuis, 1865, <i>Crossotarsus</i>	201
<i>bonvouloiri</i> Pic, 1919, <i>Dieckmanniellus</i>	179

bonvouloiri Chapuis, 1869, <i>Hylurgops</i>	205
bonvouloirii C. N. F. Brisout de Barneville, 1880, <i>Osellaeus</i>	150
<i>boops</i> Gyllenhal, 1839, <i>Oryxolaemus</i>	169
<i>borassi</i> Beeson, 1939, <i>Coccotrypes</i>	229
<i>borchmanni</i> Voss, 1958, <i>Hypuranius</i>	160
<i>boreale</i> Swaine, 1917, <i>Trypodendron</i>	251
<i>borealis</i> Karpiński, 1933, <i>Carphoborus</i>	213
<i>borealis</i> Jordan, 1894, <i>Cyrtotrachelus</i>	187
<i>borealis</i> Nobuchi, 1981, <i>Xylosandrus</i>	249
<i>boreum</i> Gønget, 1997, <i>Protapion</i>	174
<i>borisi</i> Zherikhin, 1996, <i>Nanomimus</i>	179
<i>borkhsenii</i> Zaslavskij, 1956, <i>Cosmobaris</i>	256
<i>borneensis</i> Senna, 1898, <i>Cerobates</i>	147
<i>borrei</i> Power, 1878, <i>Agriorrhynchus</i>	142
<i>bos</i> Abeille de Perrin, 1895, <i>Cercomorphus</i>	108
<i>bostrichoides</i> P. W. J. Müller, 1821, <i>Choragus</i>	106
<i>bostrichus</i> Tigny, 1801, <i>Scolytus</i>	240
<i>botscharnikovi</i> Stark, 1931, <i>Hylesinus</i>	207
<i>boudali</i> Normand, 1937, <i>Loborhynchapion</i>	168
<i>bowringii</i> Jekel, 1860, <i>Euops</i>	138
<i>brachati</i> Frieser, 1995, <i>Phaenotheriosoma</i>	95
<i>brachialis</i> Voss, 1924, <i>Heterapoderus</i>	131
<i>brachmanus</i> Faust, 1895, <i>Desmidophorus</i>	185
<i>brachmanus</i> Voss, 1924, <i>Paratrachelophorus</i>	133
<i>brachycerus</i> Petri, 1912, <i>Pseudochoragus</i>	107
<i>brachypteros</i> Gmelin, 1790, <i>Sphenophorus</i>	191
<i>brachypterum</i> Sharp, 1918, <i>Apion</i>	149
<i>bradfordi</i> Hopkins, 1915, <i>Hypothenemus</i>	222
<i>brahma</i> Blandford, 1898, <i>Scolytoplatypus</i>	240
<i>brancsiki</i> Tournier, 1874, <i>Notaris</i>	195
<i>brasiliensis</i> Schedl, 1940, <i>Dryocoetes</i>	230
<i>brasiliensis</i> Hopkins, 1915, <i>Hypothenemus</i>	222
<i>brasiliensis</i> Nunberg, 1958, <i>Premnobius</i>	237
<i>brassicae</i> Dufour, 1851, <i>Aulacobaris</i>	253
<i>breiti</i> Wagner, 1910, <i>Metapion</i>	163
<i>bremondi</i> A. Hoffmann, 1938, <i>Lepidapion</i>	159
<i>brenskei</i> Desbrochers des Loges, 1895, <i>Protapion</i>	173
<i>breviatum</i> Desbrochers des Loges, 1875, <i>Oxystoma</i>	170
<i>breviceps</i> Voss, 1926, <i>Agomadaranus</i>	140
<i>breviceps</i> Senna, 1903, <i>Allaeometrus</i>	144
<i>breviclavus</i> Legalov, 2003, <i>Physapoderus</i>	133
<i>brevicollis</i> C. N. F. Brisout de Barneville, 1863, <i>Microon</i>	179
<i>brevicollis</i> Kolenati, 1846, <i>Phloeotribus</i>	212
<i>brevicorne</i> Schilsky, 1902, <i>Protapion</i>	174
<i>brevicornis</i> Senoh, 1986, <i>Protaedus</i>	94
<i>brevifrons</i> Morimoto, 1981, <i>Unciferina</i>	104
<i>brevior</i> Frieser, 1981, <i>Choragus</i>	106
<i>brevior</i> Eggers, 1927, <i>Coccotrypes</i>	230
<i>brevior</i> Eggers, 1927, <i>Cyrtogenius</i>	230
<i>brevipennis</i> Schedl, 1971, <i>Amasa</i>	241

<i>brevipennis</i> Reitter, 1913, <i>Crypturgus</i>	228
<i>brevipennis</i> Kurentsov, 1941, <i>Scolytus</i>	237
<i>brevipennis</i> Voss, 1953, <i>Tanysphyrus</i>	198
<i>brevipile</i> Desbrochers des Loges, 1895, <i>Phrissotrichum</i>	152
<i>brevipilis</i> Pelletier & Borovec, 2003, <i>Trichocaulus</i>	193
<i>brevipilosus</i> Beeson, 1939, <i>Coccotrypes</i>	229
<i>brevipilosus</i> Murayama, 1957, <i>Dryocoetes</i>	231
<i>brevipilosus</i> Murayama, 1957, <i>Taphrorychus</i>	232
<i>brevipilosus</i> Eggers, 1929, <i>Tomicus</i>	209
<i>brevirostre</i> Herbst, 1797, <i>Pseudoperapion</i>	152
<i>brevirostris</i> Sharp, 1891, <i>Gibber</i>	103
<i>brevirostris</i> Korotyaev, 1979, <i>Notaroides</i>	195
<i>brevirostris</i> Korotyaev, 1990, <i>Pseudopiezotrachelus</i>	175
<i>brevis</i> Panzer, 1796, <i>Anisandrus</i>	242
<i>brevis</i> Jordan, 1897, <i>Basitropis</i>	92
<i>brevis</i> Legalov, 2007, <i>Caenorhinus</i>	115
<i>brevis</i> Boheman, 1845, <i>Nanophyes</i>	180
<i>brevis</i> Jordan, 1912, <i>Penestica</i>	92
<i>brevis</i> Legalov, 2007, <i>Pseudomesauletes</i>	111
<i>brevis</i> Eichhoff, 1877, <i>Xylosandrus</i>	249
<i>brevisetosus</i> Schedl, 1943, <i>Hypocryphalus</i>	221
<i>brevissima</i> Roubal, 1927, <i>Baris</i>	254
<i>brevitarsis</i> Senoh, 1990, <i>Misthosima</i>	105
<i>brevithorax</i> Desbrochers des Loges, 1897, <i>Ceratapion</i>	155
<i>brevitibia</i> Bajtenov, 1977, <i>Ceratapion</i>	156
<i>breviusculum</i> Rosenhauer, 1856, <i>Exapion</i>	158
<i>breviusculus</i> Voss, 1929, <i>Paracyncotrachelus</i>	133
<i>breviusculus</i> Schedl, 1942, <i>Xyleborus</i>	248
<i>brisouti</i> Faust, 1882, <i>Baris</i>	255
<i>brisouti</i> Bedel, 1887, <i>Omphalapion</i>	157
<i>bruchoides</i> Schedl, 1942, <i>Phloeocranus</i>	211
<i>bruchoides</i> Sharp, 1891, <i>Uncifer</i>	104
<i>bruleriei</i> Desbrochers des Loges, 1875, <i>Necatapion</i>	165
<i>bruleriei</i> Desbrochers des Loges, 1875, <i>Notodermus</i>	195
<i>brundini</i> Wagner, 1943, <i>Loborhynchapion</i>	169
<i>brunneicollis</i> Hopkins, 1915, <i>Hypothenemus</i>	222
<i>brunneipennis</i> Reitter, 1916, <i>Opanthribus</i>	98
<i>brunneoclavus</i> Legalov, 2007, <i>Deporaus</i>	116
<i>brunneonotata</i> Pic, 1913, <i>Corimalia</i>	177
<i>brunneorufum</i> Balfour-Browne, 1945, <i>Pseudaspidapion</i>	154
<i>brunneus</i> Erichson, 1836, <i>Hylastes</i>	205
<i>brunneus</i> Voss, 1932, <i>Perrhynchitoides</i>	126
<i>brunnicorne</i> Korotyaev, 1992, <i>Scapapion</i>	176
<i>brunnipes</i> Boheman, 1839, <i>Acentrotypus</i>	154
<i>brunnirostris</i> Fabricius, 1792, <i>Grypus</i>	194
<i>brutum</i> Peyerimhoff, 1925, <i>Synapion</i>	172
<i>brylinskyi</i> Reitter, 1889, <i>Thamnurgus</i>	232
<i>buccatus</i> Kleine, 1916, <i>Cyphagogus</i>	145
<i>bucco</i> C. F. C. Schaufuss, 1898, <i>Xyleborus</i>	249
<i>bucklandiae</i> G. A. K. Marshall, 1924, <i>Montaninvolvulus</i>	125

<i>buddebergi</i> Bedel, 1887, <i>Omphalapion</i>	157
<i>bufo</i> Vauloger, 1899, <i>Ocladius</i>	184
<i>bulbinasum</i> Sharp, 1891, <i>Alocentron</i>	153
<i>bulganensis</i> Zherikhin, 1976, <i>Hypophyes</i>	178
<i>bulmerincqii</i> Kolenati, 1846, <i>Taphrorychus</i>	232
<i>buquetii</i> Guérin-Méneville, 1844, <i>Cyrtotrachelus</i>	187
<i>burakowskii</i> Wanat, 1995, <i>Cyanapion</i>	165
<i>burdigalense</i> Wencker, 1859, <i>Catapion</i>	164
<i>burgodionum</i> Schubert, 1958, <i>Protapion</i>	173
<i>burlei</i> Secq & Secq, 1996, <i>Raymondionymus</i>	200
<i>burmanicus</i> Beeson, 1930, <i>Euwallacea</i>	244
<i>burmanus</i> G. A. K. Marshall, 1948, <i>Chelonebarus</i>	256
<i>burmanus</i> G. A. K. Marshall, 1948, <i>Euscelophilus</i>	139
<i>butovitschi</i> Eggers, 1942, <i>Scolytus</i>	237
<i>butovitschi</i> Stark, 1936, <i>Scolytus</i>	237
<i>buyssoni</i> Pic, 1928, <i>Pericartiellus</i>	182
<i>buyssoni</i> Reitter, 1901, <i>Pityophthorus</i>	216
<i>byctiscoidiceps</i> Voss, 1938, <i>Involvulus</i>	123
<i>cacao</i> Fabricius, 1775, <i>Araecerus</i>	104
<i>caeligenus</i> Sawada, 1993, <i>Japonorhynchites</i>	123
<i>caelirostris</i> Heller, 1894, <i>Omotemnus</i>	188
<i>caeruleocephalus</i> Schaller, 1783, <i>Lasiiorhynchites</i>	124
<i>caeruleoflavus</i> Legalov, 2007, <i>Eugnamptobius</i>	118
<i>caeruleopenne</i> Stephens, 1831, <i>Perapion</i>	151
<i>caerulescens</i> Marsham, 1802, <i>Oxystoma</i>	170
<i>caeruleus</i> DeGeer, 1775, <i>Involvulus</i>	122
<i>caeruleus</i> Jekel, 1860, <i>Isolabus</i>	136
<i>caeruleus</i> Geoffroy, 1785, <i>Neocoenorrhinus</i>	125
<i>caesifrons</i> H. Brisout de Barneville, 1869, <i>Corimalia</i>	177
<i>caesius</i> Kleine, 1944, <i>Cerobates</i>	146
<i>caiffense</i> Desbrochers des Loges, 1895, <i>Protapion</i>	174
<i>calabricum</i> A. Solari & F. Solari, 1922, <i>Catapion</i>	164
<i>calamoides</i> Murayama, 1934, <i>Amasa</i>	241
<i>calamus</i> Blandford, 1894, <i>Dinoplatypus</i>	202
<i>calcaratum</i> Wollaston, 1864, <i>Ceratapion</i>	155
<i>calcaratus</i> Eichhoff, 1878, <i>Pityogenes</i>	235
<i>calibatus</i> Townson, 1797, <i>Attelabus</i>	135
<i>caliculus</i> Chapuis, 1865, <i>Dinoplatypus</i>	202
<i>californicum</i> Wood, 1975, <i>Cyclorhipidion</i>	243
<i>californicus</i> Hopkins, 1915, <i>Hypothenemus</i>	222
<i>californicus</i> LeConte, 1868, <i>Scolytus</i>	240
<i>caligatus</i> Haliday, 1872, <i>Lasiiorhynchites</i>	123
<i>caliginosa</i> Shibata, 1980, <i>Plintheria</i>	91
<i>caliginosus</i> Faust, 1895, <i>Hoplapoderus</i>	140
<i>callae</i> Voss, 1943, <i>Tanysphyrus</i>	198
<i>calligonicola</i> Iablokoff-Khnzorian, 1957, <i>Perapion</i>	151
<i>calligraphus</i> Duftschmid, 1825, <i>Pityokteines</i>	236
<i>callistus</i> Jordan, 1924, <i>Gibber</i>	103
<i>callosus</i> Jordan, 1904, <i>Acanthothorax</i>	94
<i>callosus</i> Fåhraeus, 1840, <i>Brachycerus</i>	182

calvus Sharp, 1889, <i>Auletobius</i>	109
calvus Beaver & Liu, 2007, <i>Scolytoplatypus</i>	240
cambodjensis Kleine, 1921, <i>Hemiorychodes</i>	143
camelliae Nobuchi, 1975, <i>Scolytogenes</i>	225
camelus Voss, 1937, <i>Euscelophilus</i>	139
<i>camphorae</i> Eggers, 1936, <i>Arixyleborus</i>	242
camphoratus Tsai & Yin, 1964, <i>Phloeosinus</i>	211
camphoricola Voss, 1924, <i>Cycnotrachelodes</i>	130
cana Küster, 1848, <i>Bruchela</i>	107
<i>canadensis</i> Swaine, 1917, <i>Xyleborus</i>	249
canaliculatus Motschulsky, 1858, <i>Cerobates</i>	146
canariense Wollaston, 1860, <i>Aphanarthrum</i>	226
canariense Wagner, 1914, <i>Lepidapion</i>	159
<i>canariensis</i> Eggers, 1928, <i>Coccotrypes</i>	228
candidum Wencker, 1864, <i>Metapion</i>	163
candidus Nobuchi, 1975, <i>Scolytogenes</i>	225
canescens Wollaston, 1865, <i>Aphanarthrum</i>	226
<i>canescens</i> Semenov, 1900, <i>Cimberis</i>	90
canescens Desbrochers des Loges, 1889, <i>Exapion</i>	158
canescens Solsky, 1881, <i>Nemonyx</i>	90
cangshanensis Legalov, 2007, <i>Neoeugnamptus</i>	119
cangshauensis Legalov, 2007, <i>Deporaus</i>	116
cantabricum Desbrochers des Loges, 1869, <i>Stenopterapion</i>	171
<i>cantabricum</i> Desbrochers des Loges, 1870, <i>Stenopterapion</i>	171
<i>cantianum</i> Wagner, 1906, <i>Protapion</i>	174
cantonensis Voss, 1927, <i>Heterapoderus</i>	131
cantonensis Günther, 1938, <i>Otidognathus</i>	188
canum Israelson, 1990, <i>Liparthrum</i>	210
canus Faust, 1898, <i>Ecnomonychus</i>	121
canus Niisima, 1909, <i>Xyleborus</i>	247
<i>capensis</i> Schoenherr, 1833, <i>Brachycerus</i>	184
caperratus Xie & Liang, 2008, <i>Euscelophilus</i>	139
<i>capillatus</i> Sampson, 1913, <i>Diapus</i>	203
<i>capiomonti</i> Wencker, 1858, <i>Cistapion</i>	149
<i>capitalis</i> Beeson, 1935, <i>Hypothenemus</i>	221
<i>capito</i> C. F. C. Schaufuss, 1898, <i>Xyleborus</i>	249
caprai Giusto, 1993, <i>Aspidapion</i>	153
<i>capronatus</i> Perris, 1866, <i>Taphrorychus</i>	232
<i>capsinicola</i> Fabricius, 1798, <i>Araecerus</i>	104
<i>capsularius</i> Schrank, 1789, <i>Anthribus</i>	91
capucina Faust, 1881, <i>Neosharpia</i>	261
capucinus Schedl, 1938, <i>Cryphalus</i>	218
<i>caraibicus</i> Schedl, 1952, <i>Coccotrypes</i>	229
<i>caraibicus</i> Schedl, 1951, <i>Scolytogenes</i>	225
carbo Faust, 1888, <i>Hollisiella</i>	257
carbo Jordan, 1936, <i>Rhaphitropis</i>	103
carbonaria Boheman, 1836, <i>Melanobaris</i>	258
<i>carbonarium</i> Germar, 1817, <i>Omphalapion</i>	157
<i>carbonarium</i> Everts, 1879, <i>Pseudaplemonus</i>	152
carbonicolor Motschulsky, 1860, <i>Leptapoderus</i>	132

cardamomi C. F. C. Schaufuss, 1905, <i>Coccotrypes</i>	228
cardoni Desbrochers des Loges, 1891, <i>Nassophasis</i>	190
cardoni Senna, 1894, <i>Symmorphocerus</i>	144
carduorum Kirby, 1808, <i>Ceratapion</i>	155
carecti Hoppe, 1795, <i>Thryogenes</i>	197
carens Wolfrum, 1948, <i>Tropideres</i>	101
caricis Thunberg, 1798, <i>Thryogenes</i>	197
carinaerostris Kleine, 1914, <i>Rhinopteryx</i>	148
carinata Shibata, 1978, <i>Rhaphitropis</i>	103
carinatus Kleine, 1917, <i>Allaeometrus</i>	144
carinatus Legalov & X. Zhang, 2007, <i>Euops</i>	138
carinatus Waltl, 1839, <i>Trypodendron</i>	251
carinensis Senna, 1892, <i>Cerobates</i>	146
carinicollis Voss, 1937, <i>Rhabdoscelus</i>	190
carinicollis Günther, 1936, <i>Trymatoderus</i>	192
carinipennis Eichhoff, 1868, <i>Ambrosiodmus</i>	241
carinirostris Osella, 1971, <i>Coiffaitiella</i>	199
carinirostris Tournier, 1874, <i>Echinocnemus</i>	194
cariniventris A. Solari & F. Solari, 1909, <i>Labiaticola</i>	257
carinula Rey, 1894, <i>Brachycerus</i>	183
carinulata Perris, 1869, <i>Alaocyba</i>	199
carinulatus Voss, 1942, <i>Involvulus</i>	122
carnerii Pic, 1922, <i>Cosmobaris</i>	256
carnicus Gortani & Grandi, 1904, <i>Apoderus</i>	130
carnifex Faust, 1891, <i>Omotemnus</i>	188
carniolica Fuchs, 1911, <i>Pityogenes</i>	235
carniolicus Wichmann, 1910, <i>Pityophthorus</i>	216
caroli Frieser, 1997, <i>Rhaphitropis</i>	103
carpetana K. Daniel, 1906, <i>Bruchela</i>	107
carpini Berger, 1917, <i>Cryphalus</i>	218
carpini Ratzeburg, 1837, <i>Scolytus</i>	237
carpini Eggers, 1926, <i>Sphaerotrypes</i>	204
carpini Eggers, 1942, <i>Taphrorychus</i>	232
carpini Kurentsov, 1941, <i>Taphrorychus</i>	232
carpini Stark, 1952, <i>Taphrorychus</i>	232
carpinivorus Murayama, 1930, <i>Cryphalus</i>	218
carpinivorus Choo & Woo, 1989, <i>Dryocoetes</i>	231
carpophagus Hornung, 1842, <i>Coccotrypes</i>	228
casalei Meregalli, 1983, <i>Raymondiellus</i>	199
cassavaensis Schedl, 1938, <i>Hypothenemus</i>	224
castanea Morimoto & Miyakawa, 1985, <i>Moreobaris</i>	258
castaneicolor Jekel, 1860, <i>Paramecolabus</i>	136
castaneidorsis Pic, 1928, <i>Microon</i>	179
castaneus Germar, 1833, <i>Doydirhynchus</i>	90
castaneus Wood, 1954, <i>Hypothenemus</i>	221
castaneus Ratzeburg, 1837, <i>Scolytus</i>	239
catalonica Osella, 1977, <i>Alaocephala</i>	198
cataphracta Peyerimhoff, 1925, <i>Baris</i>	254
catenulatum Wagner, 1910, <i>Diplapion</i>	156
caucasica Schultze, 1897, <i>Melanobaris</i>	258

<i>caucasica</i> Tournier, 1889, <i>Picia</i>	196
<i>causicum</i> Hochhuth, 1847, <i>Catapion</i>	164
<i>causicus</i> Motschulsky, 1875, <i>Choragus</i>	106
<i>causicus</i> Lindemann, 1876, <i>Ernoporicus</i>	220
<i>causicus</i> Pic, 1898, <i>Nanophyes</i>	180
<i>causicus</i> Reitter, 1891, <i>Phloeotribus</i>	212
<i>causicus</i> Butovitsch, 1929, <i>Scolytus</i>	239
<i>causicus</i> Reitter, 1887, <i>Thamnurgus</i>	232
<i>caudatus</i> Korotyaev, 1987, <i>Piezotrachelus</i>	173
<i>caudatus</i> Motschulsky, 1863, <i>Treptoplatypus</i>	203
<i>caullei</i> Wencker, 1858, <i>Ceratapion</i>	156
<i>causticum</i> Faust, 1885, <i>Metapion</i>	163
<i>cavatum</i> Desbrochers des Loges, 1907, <i>Ceratapion</i>	154
<i>caviceps</i> Desbrochers des Loges, 1870, <i>Ceratapion</i>	156
<i>cavifrons</i> Gyllenhal, 1833, <i>Lasiorrhynchites</i>	123
<i>cavifrons</i> Mannerheim, 1843, <i>Trypodendron</i>	251
<i>cavus</i> Shibata, 1986, <i>Deropygus</i>	105
<i>cavus</i> Strohmeyer, 1913, <i>Dinoplatypus</i>	202
<i>cavus</i> Walker, 1859, <i>Schizotrachelus</i>	148
<i>cedri</i> Eichhoff, 1868, <i>Crypturgus</i>	227
<i>cedri</i> C. N. F. Brisout de Barneville, 1883, <i>Phloeosinus</i>	211
<i>cedri</i> Wood, 1989, <i>Pityophthorus</i>	216
<i>celatus</i> Pascoe, 1887, <i>Otidognathus</i>	188
<i>celtis</i> Gredler, 1866, <i>Aulacobaris</i>	253
<i>celtis</i> Lewis, 1883, <i>Eterozemus</i>	145
<i>cembrae</i> Heer, 1836, <i>Ips</i>	234
<i>cembrae</i> Seitner, 1911, <i>Polygraphus</i>	214
<i>centralchinensis</i> Legalov & Liu, 2005, <i>Euops</i>	138
<i>centrasiaticum</i> Bajtenov, 1981, <i>Perapion</i>	151
<i>centromaculata</i> A. Costa, 1863, <i>Corimalia</i>	177
<i>centromaculatus</i> Gyllenhal, 1833, <i>Pseudeuparius</i>	93
<i>cephalonicae</i> Pfeffer, 1940, <i>Pityophthorus</i>	216
<i>cephalotes</i> Voss, 1971, <i>Piezotrachelus</i>	173
<i>cerasi</i> Eggers, 1937, <i>Anisandrus</i>	242
<i>cerasi</i> Eggers, 1942, <i>Dryocoetes</i>	231
<i>cerasi</i> Stark, 1950, <i>Dryocoetes</i>	231
<i>ceratoniae</i> Peyerimhoff, 1926, <i>Taphrorychus</i>	232
<i>cerdo</i> Gerstaecker, 1854, <i>Oxystoma</i>	169
<i>cereus</i> Kleine, 1925, <i>Parorychodes</i>	143
<i>ceroderes</i> Boheman, 1845, <i>Pseudeuparius</i>	93
<i>cervinus</i> Voss, 1930, <i>Eugnamptobius</i>	118
<i>ceuthorhynchoides</i> Wollaston, 1864, <i>Catapion</i>	164
<i>ceylonicum</i> Gerstaecker, 1854, <i>Harpapion</i>	154
<i>ceylonicus</i> Schedl, 1949, <i>Coccotrypes</i>	228
<i>ceylonicus</i> Janczyk, 1960, <i>Hoplapoderus</i>	140
<i>ceylonicus</i> Schedl, 1959, <i>Hyledius</i>	211
<i>chakouri</i> Pic, 1930, <i>Corimalia</i>	178
<i>chalceus</i> Marsham, 1802, <i>Aspidapion</i>	153
<i>chalceus</i> Voss, 1938, <i>Metallorrhynchites</i>	125
<i>chalcographus</i> Olivier, 1795, <i>Orthotomicus</i>	234

chalcographus Linnaeus, 1760, <i>Pityogenes</i>	235
chalybaeus K. Daniel & J. Daniel, 1898, <i>Attelabus</i>	134
chalybeipenne Wollaston, 1854, <i>Aspidapion</i>	153
<i>chalybeus</i> Gmelin, 1790, <i>Aulacobaris</i>	253
<i>chamaecerasi</i> Ter-Minasian, 1950, <i>Rhynchites</i>	127
<i>chamaecipariae</i> Niisima, 1910, <i>Cryphalus</i>	218
<i>champoisi</i> Bedel, 1902, <i>Stenopelmus</i>	198
<i>championi</i> Voss, 1931, <i>Byctiscophilus</i>	114
<i>championi</i> Voss, 1929, <i>Euops</i>	138
chan Semenov, 1892, <i>Eremoxenus</i>	144
<i>chapuisi</i> Blandford, 1894, <i>Crossotarsus</i>	201
<i>chapuisii</i> Blandford, 1891, <i>Phloeotribus</i>	213
<i>characiae</i> Rosenhauer, 1878, <i>Thamnurgus</i>	233
<i>charbinensis</i> Zaslavskij, 1956, <i>Baris</i>	254
<i>charlottae</i> Voss, 1932, <i>Maculphrysus</i>	136
<i>cheliensis</i> Legalov, 2007, <i>Cyllorhynchites</i>	121
<i>chelogaster</i> Schedl, 1958, <i>Scolytus</i>	237
<i>chengduensis</i> Legalov, 2007, <i>Eugnamptobius</i>	118
<i>chenocephalum</i> Desbrochers des Loges, 1902, <i>Ceratapion</i>	154
<i>chevrieri</i> Boheman, 1845, <i>Dieckmanniellus</i>	179
<i>chevrolati</i> Coye, 1869, <i>Baris</i>	254
<i>chevrolati</i> Fåhraeus, 1840, <i>Brachycerus</i>	182
<i>chevrolati</i> Faust, 1891, <i>Hoplapoderus</i>	140
<i>chevrolati</i> Gyllenhal, 1833, <i>Pseudaplemonus</i>	152
<i>chibizo</i> Kôno, 1930, <i>Nanophyes</i>	180
<i>chienzhuangensis</i> Tsai & Li, 1963, <i>Cryphalus</i>	219
<i>chikisanii</i> Niisima, 1905, <i>Scolytus</i>	237
<i>chilensis</i> R. A. Philippi & F. Philippi, 1864, <i>Sitophilus</i>	187
<i>chilgoza</i> Wood, 1989, <i>Pityophthorus</i>	216
<i>chinense</i> Voss, 1939, <i>Eumetopon</i>	111
<i>chinensis</i> Frivaldszky, 1892, <i>Anthinobaris</i>	252
<i>chinensis</i> Faust, 1895, <i>Athesapeuta</i>	260
<i>chinensis</i> Formánek, 1911, <i>Byctiscus</i>	113
<i>chinensis</i> Voss, 1939, <i>Chonostropheus</i>	114
<i>chinensis</i> Faust, 1890, <i>Corimalia</i>	177
<i>chinensis</i> Legalov, 2004, <i>Cyrtolabus</i>	135
<i>chinensis</i> Frieser, 1995, <i>Disphaerona</i>	93
<i>chinensis</i> Voss, 1922, <i>Euops</i>	138
<i>chinensis</i> Schilsky, 1906, <i>Euscelophilus</i>	139
<i>chinensis</i> Frieser, 1981, <i>Glabrinotropis</i>	107
<i>chinensis</i> Frieser, 1995, <i>Habrissus</i>	92
<i>chinensis</i> Legalov, 2003, <i>Humerilabus</i>	136
<i>chinensis</i> Kurentsov & Kononov, 1966, <i>Ips</i>	234
<i>chinensis</i> Senoh & Trýzna, 2006, <i>Morimotanthribus</i>	95
<i>chinensis</i> Jekel, 1860, <i>Paracyncotrachelus</i>	133
<i>chinensis</i> Voss, 1958, <i>Prodiectes</i>	190
<i>chinensis</i> Voss, 1933, <i>Pseudomesauletes</i>	111
<i>chinensis</i> Fairmaire, 1887, <i>Sipalinus</i>	186
<i>chinensis</i> Wolfrum, 1948, <i>Xylinada</i>	102
<i>chinganensis</i> Zaslavskij, 1956, <i>Baris</i>	256

chinlingensis Tsai & Li, 1963, <i>Cryphalus</i>	218
chioneum Iablokoff-Khnzorian, 1957, <i>Perapion</i>	151
chlorthanae Kojima & Yoshihara, 2009, <i>Omobaris</i>	259
<i>chloris</i> Panzer, 1794, <i>Aulacobaris</i>	253
<i>chloris</i> Gravenhorst, 1807, <i>Podapion</i>	176
<i>chlorizans</i> Germar, 1824, <i>Aulacobaris</i>	252
<i>chlorodia</i> Boheman, 1844, <i>Aulacobaris</i>	253
<i>chloroptera</i> Fuente, 1906, <i>Aulacobaris</i>	253
<i>chloropus</i> Duftschmid, 1825, <i>Hylastes</i>	205
<i>chobauti</i> Schilsky, 1906, <i>Exapion</i>	158
<i>cholodkovskyi</i> Spessivtsev, 1916, <i>Carphoborus</i>	213
<i>cholodkovskyi</i> Berger, 1917, <i>Hylesinus</i>	207
<i>christophi</i> Faust, 1884, <i>Cyrtolabus</i>	135
<i>chrysophylli</i> Eggers, 1930, <i>Coptodryas</i>	243
<i>chujoi</i> Schedl, 1951, <i>Beaverium</i>	242
<i>chujoi</i> Kôno, 1939, <i>Calolabus</i>	139
<i>chujoi</i> Voss, 1956, <i>Chonostropheus</i>	114
<i>cicatricosus</i> Motschulsky, 1860, <i>Aspidobyctiscus</i>	112
<i>ciliare</i> Desbrochers des Loges, 1889, <i>Hemitrichapion</i>	166
<i>ciliata</i> Schilsky, 1904, <i>Bruchela</i>	107
<i>ciliatoformis</i> Schedl, 1953, <i>Diuncus</i>	243
<i>ciliatum</i> Eggers, 1928, <i>Liparthrum</i>	210
<i>ciliatus</i> Eggers, 1940, <i>Xyleborus</i>	247
<i>cilicicum</i> Schubert, 1969, <i>Oxystoma</i>	169
<i>cilicicus</i> K. Daniel & J. Daniel, 1903, <i>Doydirhynchus</i>	90
<i>cilo</i> Lewis, 1883, <i>Higonius</i>	147
<i>cinchonae</i> Veen, 1897, <i>Xyleborus</i>	247
<i>cincta</i> Bach, 1854, <i>Rhaphitropis</i>	103
<i>cinctipectoralis</i> Voss, 1930, <i>Leptapoderus</i>	132
<i>cinctipennis</i> Schedl, 1980, <i>Xyleborinus</i>	246
<i>cinctus</i> Paykull, 1792, <i>Allandrus</i>	91
<i>cinctus</i> Faust, 1893, <i>Rhynchophorus</i>	189
<i>cineraceum</i> Wencker, 1864, <i>Squamapion</i>	161
<i>cinerascens</i> Germar, 1817, <i>Holotrichapion</i>	168
<i>cinereus</i> Boheman, 1836, <i>Arthrostenus</i>	193
<i>cinereus</i> Olivier, 1807, <i>Brachycerus</i>	183
<i>cinereus</i> Herbst, 1794, <i>Crypturgus</i>	227
<i>cinereus</i> Miller, 1861, <i>Icaris</i>	194
<i>cinereus</i> Illiger, 1800, <i>Sphenocorynes</i>	190
<i>cingalense</i> Walker, 1859, <i>Harpapion</i>	154
<i>cingulatus</i> Blandford, 1894, <i>Hylesinus</i>	207
<i>cinnamomi</i> Beeson, 1937, <i>Crossotarsus</i>	201
<i>cinnamomi</i> Tsai & Yin, 1964, <i>Phloeosinus</i>	212
<i>circassicus</i> Pic, 1919, <i>Nanophyes</i>	181
<i>circassicus</i> Voss, 1938, <i>Rhynchites</i>	127
<i>circovichii</i> Schatzmayr, 1921, <i>Exapion</i>	158
<i>circumcinctus</i> Pic, 1919, <i>Nanophyes</i>	181
<i>circumscriptus</i> Aubé, 1864, <i>Nanomimus</i>	179
<i>cirrosus</i> Gyllenhal, 1840, <i>Brachycerus</i>	183
<i>cissoides</i> Sharp, 1891, <i>Choragus</i>	106

<i>cisticola</i> Fairmaire, 1859, <i>Mesauletobius</i>	111
<i>citri</i> Beeson, 1930, <i>Ambrosiodmus</i>	241
<i>citri</i> Ebeling, 1935, <i>Hypothenemus</i>	222
<i>civicum</i> Germar, 1817, <i>Catapion</i>	164
<i>clandestinus</i> Faust, 1887, <i>Labiaticola</i>	257
<i>clarus</i> Sawada & Morimoto, 1985, <i>Euops</i>	138
<i>clathratus</i> Herbst, 1786, <i>Anthribus</i>	91
<i>clathratus</i> Desbrochers des Loges, 1871, <i>Brachycerus</i>	183
<i>clathratus</i> Desbrochers des Loges, 1871, <i>Brachycerus</i>	183
<i>clavator</i> Fairmaire, 1903, <i>Eucorynus</i>	94
<i>clavatum</i> Schilsky, 1906, <i>Ceratapion</i>	155
<i>claviger</i> Blandford, 1894, <i>Scolytus</i>	237
<i>clavipes</i> Gerstaecker, 1854, <i>Conapium</i>	172
<i>clavus</i> Wollaston, 1854, <i>Hylastes</i>	205
<i>clopi</i> Chobaut, 1922, <i>Anthribus</i>	92
<i>coadunatus</i> Marsham, 1802, <i>Pteleobius</i>	208
<i>coarctus</i> Voss, 1938, <i>Cartorhynchites</i>	120
<i>cobosi</i> Solari, 1952, <i>Lepidapion</i>	159
<i>coccineum</i> Gmelin, 1790, <i>Apion</i>	149
<i>coccineus</i> Geoffroy, 1785, <i>Attelabus</i>	134
<i>coelebs</i> Korotyaev, 1987, <i>Pseudaspidapion</i>	154
<i>coeleste</i> Faust, 1886, <i>Pseudoprotapion</i>	176
<i>coerulans</i> Voss, 1929, <i>Aspidobyctiscus</i>	112
<i>coeruleatus</i> Faust, 1895, <i>Cycnotrachelodes</i>	130
<i>coeruleipennis</i> Schilsky, 1903, <i>Tomapoderus</i>	141
<i>coerulescens</i> Scopoli, 1763, <i>Aulacobaris</i>	253
<i>coerulescens</i> Voss, 1938, <i>Mecorhis</i>	124
<i>coeruleum</i> Herbst, 1797, <i>Podapion</i>	176
<i>coeruleus</i> Fabricius, 1798, <i>Temnocerus</i>	128
<i>cofeicola</i> Campos Novaes, 1922, <i>Hypothenemus</i>	223
<i>coffeae</i> Fabricius, 1801, <i>Araecerus</i>	105
<i>coffeae</i> Eggers, 1923, <i>Dryocoetiops</i>	231
<i>coffeae</i> Hagedorn, 1910, <i>Hypothenemus</i>	223
<i>coffeae</i> Wurth, 1908, <i>Xylosandrus</i>	250
<i>coffeivorus</i> Weele, 1910, <i>Hypothenemus</i>	223
<i>cognatum</i> Hochhuth, 1851, <i>Ischnopterapion</i>	170
<i>cognatus</i> Voss, 1958, <i>Cneminvolvulus</i>	120
<i>cognatus</i> Blandford, 1896, <i>Xyleborus</i>	247
<i>coiffaiti</i> A. Hoffmann, 1958, <i>Alaocephala</i>	198
<i>coimbatorensis</i> Stebbing, 1906, <i>Sphaerotrypes</i>	204
<i>colchicum</i> Semenov, 1903, <i>Liparthrum</i>	210
<i>collaris</i> Scopoli, 1763, <i>Apoderus</i>	129
<i>collaris</i> Voss, 1930, <i>Aspidobyctiscus</i>	112
<i>collaris</i> Voss, 1958, <i>Paracythopeus</i>	260
<i>collaris</i> Schilsky, 1906, <i>Pseudopiezotrachelus</i>	175
<i>colligendus</i> Bovie, 1906, <i>Dendropemon</i>	93
<i>colligendus</i> Walker, 1859, <i>Eucorynus</i>	94
<i>colligens</i> Walker, 1859, <i>Dendropemon</i>	93
<i>collis</i> Niisima, 1910, <i>Xyleborus</i>	247
<i>colocynthae</i> Voss, 1964, <i>Acythopeus</i>	260

<i>colombensis</i> Legalov, 2007, <i>Euops</i>	138
<i>colorata</i> Boheman, 1836, <i>Cosmobaris</i>	256
<i>coloratus</i> Faust, 1882, <i>Cycnotrachelodes</i>	131
<i>columbinum</i> Germar, 1817, <i>Cyanapion</i>	165
<i>comans</i> Sampson, 1919, <i>Hadrodemius</i>	245
<i>comatus</i> Gyllenhal, 1833, <i>Lasiorhynchites</i>	123
<i>combraliensis</i> Gozis, 1882, <i>Pseudeuparius</i>	93
<i>commendabilis</i> Kleine, 1925, <i>Anepsiotes</i>	142
<i>commodus</i> Sawada, 1987, <i>Caenorhinus</i>	115
<i>communis</i> C. F. C. Schaufuss, 1891, <i>Hypothenemus</i>	222
<i>communis</i> Jordan, 1912, <i>Litocerus</i>	100
<i>communis</i> Shibata, 1978, <i>Rhaphitropis</i>	103
<i>comoni</i> A. Hoffmann, 1958, <i>Exapion</i>	158
<i>comosellus</i> Voss, 1938, <i>Orrhynchites</i>	126
<i>compactum</i> Desbrochers des Loges, 1888, <i>Exapion</i>	158
<i>compactus</i> Sharp, 1891, <i>Choragus</i>	106
<i>compactus</i> Eichhoff, 1876, <i>Xylosandrus</i>	249
<i>compendarius</i> Kleine, 1925, <i>Eterodiurus</i>	147
<i>complanatum</i> Frieser, 1980, <i>Phaenotheriosoma</i>	95
<i>complanatus</i> Voss, 1933, <i>Aspidobyctiscus</i>	112
<i>compressirostris</i> Jordan, 1894, <i>Omotemnus</i>	188
<i>comptus</i> Pascoe, 1887, <i>Otidognathus</i>	188
<i>concinna</i> Boheman, 1844, <i>Aulacobaris</i>	253
<i>concinnum</i> Schilsky, 1906, <i>Omphalapion</i>	157
<i>concinnum</i> Marsham, 1802, <i>Taeniapion</i>	162
<i>concinnum</i> Blandford, 1894, <i>Crossotarsus</i>	201
<i>concisus</i> Kleine, 1925, <i>Cerobates</i>	146
<i>concisus</i> Blandford, 1894, <i>Leptoxyleborus</i>	245
<i>concitata</i> Schedl, 1969, <i>Amasa</i>	241
<i>concolor</i> Desbrochers des Loges, 1869, <i>Aletinus</i>	110
<i>concolor</i> Fåhraeus, 1839, <i>Bruchela</i>	107
<i>concolor</i> Wollaston, 1864, <i>Crypturgus</i>	227
<i>concolor</i> Morimoto, 1978, <i>Euparius</i>	92
<i>concolor</i> Sharp, 1891, <i>Rhaphitropis</i>	103
<i>concoloripes</i> Desbrochers des Loges, 1908, <i>Protapion</i>	174
<i>concretus</i> R.-Z. Zhang, 1993, <i>Baryrhynchus</i>	142
<i>conditus</i> Schedl, 1971, <i>Xyleborus</i>	247
<i>confertulus</i> Kleine, 1925, <i>Cyphagogus</i>	145
<i>confinis</i> LeConte, 1869, <i>Baris</i>	254
<i>confinis</i> Eggers, 1923, <i>Euwallacea</i>	245
<i>confinis</i> Stephens, 1831, <i>Involvulus</i>	122
<i>confinis</i> Sharp, 1891, <i>Phaulimia</i>	96
<i>confluens</i> Kirby, 1808, <i>Diplapion</i>	156
<i>confluens</i> Frieser, 2001, <i>Nessiiodocus</i>	100
<i>conforme</i> Desbrochers des Loges, 1875, <i>Ceratapion</i>	155
<i>conformis</i> Gyllenhal, 1833, <i>Bruchela</i>	107
<i>confragosicollis</i> Voss, 1933, <i>Rhynchites</i>	127
<i>confucii</i> Boheman, 1837, <i>Desmidophorus</i>	185
<i>confusa</i> Faust, 1887, <i>Bagoopsis</i>	193
<i>confusum</i> Desbrochers des Loges, 1891, <i>Exapion</i>	158

<i>confusus</i> Desbrochers des Loges, 1869, <i>Neocoenorrhinus</i>	125
<i>confusus</i> Eggers, 1922, <i>Scolytus</i>	238
<i>confusus</i> Gyllenhal, 1838, <i>Sphenophorus</i>	191
<i>confusus</i> Eichhoff, 1868, <i>Xyleborus</i>	247
<i>congener</i> Jekel, 1860, <i>Byctiscus</i>	113
<i>congestus</i> Voss, 1941, <i>Eugnampitobius</i>	118
<i>congonus</i> Hagedorn, 1912, <i>Hypothenemus</i>	224
<i>congruus</i> Walker, 1866, <i>Auletobius</i>	110
<i>congruus</i> Wagner, 1908, <i>Piezotrachelus</i>	173
<i>coniceps</i> Voss, 1926, <i>Agomadaranus</i>	140
<i>coniceps</i> Normand, 1914, <i>Alaocyba</i>	199
<i>coniceps</i> Desbrochers des Loges, 1897, <i>Cyanapion</i>	165
<i>conicicollis</i> Schilsky, 1902, <i>Pseudopiezotrachelus</i>	175
<i>conicotylosa</i> Morimoto & Yoshihara, 1996, <i>Formosobaris</i>	257
<i>conicus</i> Illiger, 1807, <i>Involvulus</i>	122
<i>coniferae</i> Stebbing, 1906, <i>Crossotarsus</i>	201
<i>coniferae</i> Stebbing, 1909, <i>Pityogenes</i>	236
<i>conjunctulus</i> Voss, 1959, <i>Cneminvolvulus</i>	121
<i>conjunctus</i> Reitter, 1887, <i>Pityogenes</i>	235
<i>connexum</i> Schilsky, 1902, <i>Perapion</i>	151
<i>conocephalum</i> Desbrochers des Loges, 1875, <i>Mesotrichapion</i>	169
<i>consanguineum</i> Desbrochers des Loges, 1870, <i>Oxystoma</i>	169
<i>consequens</i> Kleine, 1926, <i>Symmorphocerus</i>	144
<i>consimilis</i> Voss, 1938, <i>Orrhynchites</i>	126
<i>consimilis</i> Voss, 1929, <i>Paracynotrachelus</i>	133
<i>consimilis</i> Voss, 1930, <i>Pseudomesauletes</i>	111
<i>consobrinus</i> Blandford, 1894, <i>Cosmoderes</i>	217
<i>consonus</i> Kleine, 1923, <i>Agriorrhynchus</i>	142
<i>consors</i> Desbrochers des Loges, 1875, <i>Squamapion</i>	161
<i>conspersa</i> Jordan, 1928, <i>Autotropis</i>	93
<i>conspersus</i> Leonhard, 1912, <i>Hypoglyptus</i>	194
<i>conspiciens</i> Schedl, 1936, <i>Coccotrypes</i>	229
<i>conspicuum</i> Desbrochers des Loges, 1867, <i>Oxystoma</i>	170
<i>constans</i> Faust, 1883, <i>Hamiltonius</i>	131
<i>constrictum</i> Hartmann, 1897, <i>Conapium</i>	172
<i>constrictus</i> Reitter, 1891, <i>Aletinus</i>	110
<i>constrictus</i> Stierlin, 1867, <i>Anthribus</i>	91
<i>constrictus</i> Gyllenhal, 1839, <i>Caenorhinus</i>	115
<i>constrictus</i> Schedl, 1942, <i>Hypocryphalus</i>	221
<i>constrictus</i> Schedl, 1942, <i>Hypocryphalus</i>	221
<i>consulta</i> Faust, 1886, <i>Baris</i>	254
<i>contaminatus</i> Frieser, 1999, <i>Epiplaterus</i>	102
<i>contaminatus</i> Blandford, 1894, <i>Platypus</i>	202
<i>contiguus</i> Senna, 1893, <i>Microtrachelizus</i>	147
<i>continentalis</i> Legalov, 2007, <i>Compsapoderus</i>	130
<i>continentalis</i> Voss, 1958, <i>Mecorhis</i>	125
<i>continentalis</i> Jordan, 1923, <i>Phloeopemon</i>	98
<i>continua</i> Wolfrum, 1948, <i>Xylinada</i>	102
<i>contractus</i> Geoffroy, 1785, <i>Sitophilus</i>	186
<i>controversae</i> Murayama, 1950, <i>Sueus</i>	210

<i>convexicollis</i> Boheman, 1836, <i>Baris</i>	255
<i>convexifrons</i> Wollaston, 1864, <i>Auletobius</i>	110
<i>convexipennis</i> Pic, 1925, <i>Corimalia</i>	177
<i>convexus</i> R.-Z. Zhang, 1993, <i>Baryrhynchus</i>	142
<i>cooki</i> Hopkins, 1915, <i>Hypothenemus</i>	223
<i>coomani</i> Kleine, 1944, <i>Eterozemus</i>	145
<i>copiosa</i> Voss, 1938, <i>Mecorhis</i>	124
<i>copiosepunctata</i> Zaslavskij, 1956, <i>Baris</i>	255
<i>coracinum</i> Gyllenhal, 1833, <i>Pseudoprotapion</i>	176
<i>corallinoides</i> Legalov, 2007, <i>Compsapoderus</i>	130
<i>corallinus</i> Legalov, 2007, <i>Leptapoderus</i>	132
<i>corallipes</i> Pascoe, 1883, <i>Lamprolabus</i>	136
<i>corcyraeum</i> Schilsky, 1906, <i>Omphalapion</i>	157
<i>cordatus</i> Motschulsky, 1863, <i>Treptoplatypus</i>	203
<i>cordatus</i> Hagedorn, 1910, <i>Xyleborus</i>	247
<i>coreana</i> Kolbe, 1886, <i>Anthinobaris</i>	252
<i>coriaceus</i> Eichhoff, 1878, <i>Coriacephilus</i>	217
<i>coriaceus</i> Schedl, 1959, <i>Cosmoderes</i>	217
<i>corinthia</i> Desbrochers des Loges, 1892, <i>Aulacobaris</i>	253
<i>corni</i> Kurentsov, 1941, <i>Ernoporicus</i>	220
<i>corniculatum</i> Germar, 1817, <i>Exapion</i>	158
<i>cornifrons</i> Desbrochers des Loges, 1871, <i>Brachycerus</i>	184
<i>cornivorus</i> Murayama, 1950, <i>Dryocoetes</i>	231
<i>cornix</i> Sawada, 1993, <i>Cneminvolvulus</i>	120
<i>cornutus</i> Aksentev, 1987, <i>Cynanchophagus</i>	230
<i>coronata</i> Germar, 1817, <i>Amorphocephala</i>	143
<i>coronatus</i> Frieser, 1989, <i>Derisemias</i>	98
<i>coronatus</i> Eggers, 1944, <i>Taphrorychus</i>	232
<i>corporaali</i> Kleine, 1918, <i>Cyphagogus</i>	145
<i>corporaali</i> Eggers, 1923, <i>Microperus</i>	245
<i>corpulentus</i> Eggers, 1930, <i>Diuncus</i>	243
<i>corpulentus</i> Sampson, 1919, <i>Ernocladius</i>	220
<i>corrosus</i> Gyllenhal, 1833, <i>Brachycerus</i>	184
<i>corsica</i> T. A. Marshall, 1902, <i>Sphinctotropis</i>	100
<i>corsicana</i> Schultze, 1904, <i>Aulacobaris</i>	253
<i>corsicum</i> Desbrochers des Loges, 1888, <i>Catapion</i>	164
<i>corsicum</i> Eichhoff, 1878, <i>Liparthrum</i>	210
<i>corsicus</i> Eggers, 1923, <i>Crypturgus</i>	227
<i>corsicus</i> Guillebeau, 1893, <i>Phloeotribus</i>	213
<i>corsicus</i> Eggers, 1911, <i>Tomicus</i>	209
<i>corsicus</i> Eggers, 1912, <i>Trypophloeus</i>	226
<i>corthyloides</i> Eichhoff, 1869, <i>Gnathotrichus</i>	215
<i>corticalis</i> Paykull, 1792, <i>Dryophthorus</i>	185
<i>corticiperda</i> Erichson, 1836, <i>Hylastes</i>	205
<i>corticis</i> Beeson, 1939, <i>Coccotrypes</i>	229
<i>corvina</i> Voss, 1934, <i>Baris</i>	255
<i>corvinum</i> Faust, 1889, <i>Synapion</i>	172
<i>coryli</i> Linnaeus, 1758, <i>Apoderus</i>	129
<i>coryli</i> Stark, 1936, <i>Cryphalus</i>	218
<i>coryli</i> Perris, 1855, <i>Lymantor</i>	231

<i>cosmia</i> Jordan, 1937, <i>Rhaphitropis</i>	103
<i>cosmoderoides</i> Murayama, 1961, <i>Hypothenemus</i>	224
<i>costalimai</i> Nunberg, 1958, <i>Hypothenemus</i>	223
<i>costatus</i> Blandford, 1894, <i>Alniphagus</i>	206
<i>costatus</i> Wichmann, 1915, <i>Carphoborus</i>	213
<i>costipenne</i> Fauvel, 1867, <i>Holotrichapion</i>	168
<i>costirostris</i> Clairville, 1798, <i>Platyrhinus</i>	96
<i>cottyi</i> Perris, 1864, <i>Procas</i>	196
<i>coxale</i> Desbrochers des Loges, 1895, <i>Protapion</i>	174
<i>craccae</i> Linnaeus, 1767, <i>Oxystoma</i>	169
<i>crambephaga</i> Korotyaev & Gültekin, 1999, <i>Baris</i>	255
<i>crassicornis</i> Fabricius, 1801, <i>Eucorynus</i>	94
<i>crassicornis</i> Sharp, 1891, <i>Gonotropis</i>	99
<i>crassicornis</i> Gmelin, 1790, <i>Mecorhis</i>	124
<i>crassifemoralis</i> Kleine, 1917, <i>Miolispa</i>	148
<i>crassiforme</i> Bajtenov, 1977, <i>Eutrichapion</i>	166
<i>crassinassus</i> Desbrochers des Loges, 1896, <i>Protopirapion</i>	171
<i>crassipes</i> Faust, 1884, <i>Labiaticola</i>	257
<i>crassirostre</i> Motschulsky, 1860, <i>Alocentron</i>	153
<i>crassitarsus</i> Schedl, 1936, <i>Coptodryas</i>	243
<i>crassiusculum</i> Desbrochers des Loges, 1894, <i>Exapion</i>	158
<i>crassiusculus</i> Voss, 1938, <i>Cartorhynchites</i>	120
<i>crassiusculus</i> Motschulsky, 1866, <i>Xylosandrus</i>	249
<i>crassus</i> Hagedorn, 1910, <i>Ambrosiodmus</i>	241
<i>crassus</i> Hubenthal, 1917, <i>Desmidophorus</i>	185
<i>crassus</i> Beeson, 1929, <i>Ficicis</i>	206
<i>crassus</i> Senna, 1894, <i>Pseudorychodes</i>	143
<i>cratus</i> R.-Z. Zhang, 1993, <i>Baryrhynchus</i>	142
<i>crematus</i> Lacordaire, 1865, <i>Cerobates</i>	146
<i>cremieri</i> Voss, 1922, <i>Eomesauletes</i>	111
<i>crenatulus</i> Duftschmid, 1825, <i>Hylastinus</i>	206
<i>crenatus</i> Gyllenhal, 1838, <i>Cactophagus</i>	189
<i>crenatus</i> Jekel, 1860, <i>Heterapoderus</i>	131
<i>crenatus</i> Olivier, 1795, <i>Hylastinus</i>	206
<i>crenatus</i> Fabricius, 1787, <i>Hylesinus</i>	207
<i>crenatus</i> Gravenhorst, 1807, <i>Hylesinus</i>	207
<i>crenatus</i> Guillebeau, 1893, <i>Phloeotribus</i>	213
<i>crenulatum</i> Desbrochers des Loges, 1894, <i>Diplapion</i>	157
<i>cretacea</i> K. Daniel & J. Daniel, 1903, <i>Bruchela</i>	107
<i>cretacea</i> Reitter, 1895, <i>Elasmobaris</i>	257
<i>cretaceum</i> Rosenhauer, 1856, <i>Lepidapion</i>	159
<i>cretensis</i> Hertel, 1964, <i>Symmorphocerus</i>	144
<i>creticus</i> Voss, 1955, <i>Tatianaerhynchites</i>	128
<i>cribellata</i> Kiesenwetter, 1864, <i>Aulacobaris</i>	253
<i>cribrarius</i> Olivier, 1807, <i>Brachycerus</i>	183
<i>cribratus</i> Blandford, 1896, <i>Hyledius</i>	211
<i>cribratus</i> Pfeffer, 1940, <i>Pityophthorus</i>	217
<i>cribrellus</i> Reitter, 1895, <i>Crypturgus</i>	227
<i>cribricolle</i> Perris, 1858, <i>Pirapion</i>	170
<i>cribricollis</i> Walker, 1859, <i>Cosmopolites</i>	189

cribripennis Desbrochers des Loges, 1869, <i>Rhodocyrtus</i>	126
<i>cribripennis</i> Eggers, 1944, <i>Taphrorychus</i>	232
cribrum Desbrochers des Loges, 1875, <i>Neocoenorrhinus</i>	125
<i>crinipes</i> H. Brisout de Barneville, 1870, <i>Ulobaris</i>	259
crinitus Chapuis, 1865, <i>Doliopygus</i>	202
crioceroides Roelofs, 1874, <i>Aderorhinus</i>	118
crispatus Fabricius, 1792, <i>Brachycerus</i>	183
<i>cristatuloides</i> Schedl, 1971, <i>Ambrosiodmus</i>	241
cristatulus Schedl, 1953, <i>Ambrosiodmus</i>	241
<i>cristatus</i> Hagedorn, 1908, <i>Anisandrus</i>	242
cristatus Inouye & Nobuchi, 1959, <i>Dryocoetes</i>	231
cristatus Fauvel, 1889, <i>Phloeotribus</i>	212
<i>criticus</i> Schedl, 1950, <i>Xyleborus</i>	248
croceifemoratus Gyllenhal, 1839, <i>Oryxolaemus</i>	169
crocopelma Gyllenhal, 1836, <i>Limnobaris</i>	251
cruciata Senna, 1898, <i>Miolispa</i>	148
crucifer Heller, 1922, <i>Physapoderus</i>	134
<i>crucigera</i> Motschulsky, 1858, <i>Diocalandra</i>	186
crudiae Panzer, 1791, <i>Hypothenemus</i>	222
cruentatum Walton, 1844, <i>Apion</i>	149
cruralis Schedl, 1975, <i>Coptodryas</i>	243
crux Olliff, 1883, <i>Higonius</i>	147
cryphaloides Sharp, 1891, <i>Choragus</i>	106
cryptocephalus Sharp, 1891, <i>Choragus</i>	106
cryptographus Ratzeburg, 1837, <i>Xyleborus</i>	247
<i>cryptolepis</i> Schedl, 1951, <i>Scolytogenes</i>	225
cryptomeriae Niisima, 1908, <i>Cryphalus</i>	218
<i>csikii</i> Endrödi, 1957, <i>Thamnurgus</i>	233
<i>cubanus</i> Eggers, 1934, <i>Coccotrypes</i>	228
<i>cubensis</i> Hopkins, 1915, <i>Hypothenemus</i>	222
<i>cucullatus</i> Blandford, 1894, <i>Xylosandrus</i>	249
<i>cucumidis</i> Voss, 1969, <i>Acythopeus</i>	260
cumulatus Voss, 1930, <i>Cyllorhynchites</i>	121
<i>cuneatum</i> Hochhuth, 1847, <i>Trichoptera pion</i>	160
<i>cuneatus</i> Kiesenwetter, 1852, <i>Nanodiscus</i>	179
cuneiformis Schedl, 1958, <i>Xyleborus</i>	247
cunicularius Erichson, 1836, <i>Hylastes</i>	205
cupido Pascoe, 1875, <i>Auletomorphus</i>	120
<i>cupidus</i> Kleine, 1925, <i>Leptamorphocephalus</i>	144
<i>cupreatus</i> Voss, 1929, <i>Rhynchites</i>	127
<i>cupreomicans</i> Wagner, 1912, <i>Aplemonus</i>	149
cupreum Bhateja & Pajni, 1989, <i>Conapium</i>	172
cupreus Roelofs, 1874, <i>Calolabus</i>	139
cupreus Linnaeus, 1758, <i>Involvulus</i>	122
cuprifulgens Voss, 1942, <i>Euops</i>	138
cuprifulgens Schilsky, 1906, <i>Taphrotopium</i>	157
cuprinus Chevrolat, 1860, <i>Neocoenorrhinus</i>	125
cuprirostris Fabricius, 1787, <i>Aulacobaris</i>	253
cupulatus Chapuis, 1865, <i>Dinoplatypus</i>	202
<i>cupulifer</i> Wichmann, 1914, <i>Dinoplatypus</i>	202

<i>curculioniformis</i> Schrank, 1798, <i>Attelabus</i>	134
<i>curculionoides</i> Linnaeus, 1767, <i>Attelabus</i>	134
<i>curtatus</i> Sampson, 1923, <i>Platypus</i>	202
<i>curtii</i> Wagner, 1920, <i>Ceratapion</i>	156
<i>curtii</i> Meregalli, 2006, <i>Raymondionymus</i>	200
<i>curtipenne</i> Desbrochers des Loges, 1870, <i>Diplapion</i>	157
<i>curtirostre</i> Germar, 1817, <i>Perapion</i>	151
<i>curtirostris</i> Mulsant & Rey, 1861, <i>Noxius</i>	103
<i>curtisii</i> Stephens, 1831, <i>Catapion</i>	164
<i>curtisii</i> Curtis, 1840, <i>Podapion</i>	176
<i>curtulum</i> Desbrochers des Loges, 1870, <i>Catapion</i>	164
<i>curtulus</i> Desbrochers des Loges, 1871, <i>Brachycerus</i>	182
<i>curtulus</i> Sokanovskiy, 1954, <i>Pityophthorus</i>	217
<i>curtum</i> Wollaston, 1854, <i>Liparthrum</i>	210
<i>curtus</i> Chapuis, 1865, <i>Platypus</i>	202
<i>curvidens</i> Germar, 1824, <i>Pityokteines</i>	236
<i>curvifer</i> Walker, 1859, <i>Diamerus</i>	204
<i>curvinasus</i> Abeille de Perrin, 1872, <i>Ferreria</i>	199
<i>curvipes</i> Desbrochers des Loges, 1895, <i>Protapion</i>	173
<i>curvipilosum</i> Wagner, 1908, <i>Lepidapion</i>	159
<i>curvirostre</i> Gyllenhal, 1833, <i>Alocentron</i>	153
<i>curvirostre</i> Herbst, 1784, <i>Exapion</i>	158
<i>curvirostris</i> Boheman, 1844, <i>Acythopeus</i>	260
<i>curvirostris</i> Korotyaev, 1987, <i>Piezotrachelus</i>	173
<i>curvirostris</i> Legalov, 2007, <i>Rubrrhynchites</i>	128
<i>curviscelis</i> Desbrochers des Loges, 1908, <i>Protapion</i>	174
<i>curviventralis</i> Niisima, 1905, <i>Scolytus</i>	237
<i>cyanellum</i> Desbrochers des Loges, 1896, <i>Catapion</i>	164
<i>cyanellus</i> Voss, 1925, <i>Attelabus</i>	134
<i>cyaneomicans</i> Desbrochers des Loges, 1875, <i>Eutrichapion</i>	166
<i>cyaneopennis</i> Stephens, 1831, <i>Caenorhinus</i>	115
<i>cyaneotergum</i> Oda, 1979, <i>Tropideres</i>	101
<i>cyanescens</i> Gyllenhal, 1833, <i>Cistapion</i>	149
<i>cyanescens</i> Voss, 1939, <i>Mecorhis</i>	124
<i>cyaneus</i> Boheman, 1845, <i>Attelabus</i>	134
<i>cyaneus</i> DeGeer, 1775, <i>Ceratapion</i>	155
<i>cyaneus</i> Formánek, 1911, <i>Neocoenorrhinus</i>	125
<i>cyaneus</i> Legalov, 2007, <i>Neoeugnampus</i>	119
<i>cyaneus</i> Hope, 1831, <i>Strigapoderus</i>	134
<i>cyanicolor</i> Gyllenhal, 1833, <i>Lasiiorhynchites</i>	123
<i>cyanicolor</i> Voss, 1938, <i>Mecorhis</i>	124
<i>cyanipenne</i> Gyllenhal, 1833, <i>Holotrichapion</i>	168
<i>cyanocephalus</i> Herbst, 1783, <i>Lasiiorhynchites</i>	124
<i>cyanocpreus</i> Legalov & Liu, 2005, <i>Aspidobyctiscus</i>	112
<i>cyanopterus</i> Motschulsky, 1861, <i>Cycnotrachelodes</i>	131
<i>cyclops</i> Voss, 1960, <i>Rhynchitallus</i>	126
<i>cyclops</i> Faust, 1895, <i>Tomapoderus</i>	141
<i>cygneus</i> Fabricius, 1801, <i>Paracycnotrachelus</i>	133
<i>cyindrata</i> Frieser, 1981, <i>Stenorhis</i>	107
<i>cylindrica</i> Formánek, 1913, <i>Absoloniella</i>	193

<i>cylindrica</i> Jordan, 1904, <i>Mecotropis</i>	97
<i>cylindrica</i> Shibata, 1978, <i>Rhaphitropis</i>	103
<i>cylindricolle</i> Gyllenhal, 1839, <i>Ceratapion</i>	155
<i>cylindricollis</i> Wollaston, 1864, <i>Auletobius</i>	110
<i>cylindricollis</i> Frieser, 1999, <i>Botriessa</i>	95
<i>cylindricollis</i> Eggers, 1940, <i>Crypturgus</i>	227
<i>cylindricollis</i> Schilsky, 1906, <i>Involvulus</i>	122
<i>cylindricornis</i> Power, 1880, <i>Microtrachelizus</i>	147
<i>cylindricum</i> Desbrochers des Loges, 1896, <i>Squamapion</i>	161
<i>cylindricus</i> Hochhuth, 1847, <i>Brachygyius</i>	198
<i>cylindricus</i> Sharp, 1891, <i>Habrissus</i>	92
<i>cylindricus</i> Schedl, 1939, <i>Hypothenemus</i>	222
<i>cylindricus</i> Stephens, 1831, <i>Temnocerus</i>	129
<i>cylindricus</i> Eggers, 1927, <i>Xyleborus</i>	248
<i>cylindriformis</i> Reitter, 1895, <i>Platypus</i>	202
<i>cylindripennis</i> Schedl, 1957, <i>Hypothenemus</i>	222
<i>cylindripes</i> Bedel, 1874, <i>Brachycerus</i>	183
<i>cylindronotum</i> Ter-Minasian, 1972, <i>Metapion</i>	163
<i>cylindrus</i> Fabricius, 1792, <i>Platypus</i>	202
<i>cylindrus</i> Schedl, 1951, <i>Xyleborus</i>	248
<i>cynicus</i> Damoiseau, 1966, <i>Agriorrhynchus</i>	142
<i>cyperi</i> Beeson, 1929, <i>Coccotrypes</i>	229
<i>cyprium</i> Balfour-Browne, 1944, <i>Protapion</i>	173
<i>cyrenaicum</i> Solari, 1940, <i>Ischnopterapion</i>	170
<i>cyrtion</i> Alonso-Zarazaga, 1986, <i>Pseudopiezotrachelus</i>	175
<i>cyrtotrachelus</i> J. Thomson, 1857, <i>Cyphagogus</i>	145
<i>cystocephalum</i> Bajtenov & Lodos, 1978, <i>Ceratapion</i>	155
<i>cytisi</i> Eggers, 1927, <i>Liparthrum</i>	211
<i>czerskyi</i> Zaslavskij, 1956, <i>Psilarthroides</i>	259
<i>dactyliperda</i> Fabricius, 1801, <i>Coccotrypes</i>	229
<i>dahuricus</i> Chapuis, 1869, <i>Scolytus</i>	237
<i>daimio</i> Sharp, 1891, <i>Platystomos</i>	97
<i>daimio</i> Blandford, 1893, <i>Scolytoplatypus</i>	240
<i>dainichiensis</i> Murayama, 1954, <i>Indocryphalus</i>	250
<i>dalbergiae</i> Eggers, 1930, <i>Euwallacea</i>	244
<i>daliangensis</i> Legalov, 2009, <i>Temnocerus</i>	128
<i>daliensis</i> Legalov, 2007, <i>Deporaus</i>	117
<i>daliensis</i> Legalov, 2003, <i>Paratrachelophorus</i>	133
<i>dalmatina</i> Stierlin, 1892, <i>Bagoopsis</i>	193
<i>dalmatina</i> H. Brisout de Barneville, 1870, <i>Melanobaris</i>	258
<i>dalmatinum</i> Györfy, 1923, <i>Ceratapion</i>	155
<i>dalmatinum</i> Eggers, 1944, <i>Liparthrum</i>	211
<i>dalmatinus</i> Pic, 1919, <i>Dieckmanniellus</i>	179
<i>damascenum</i> Desbrochers des Loges, 1875, <i>Holotrichapion</i>	168
<i>damonlunsis</i> Legalov, 2003, <i>Neoeugnampus</i>	119
<i>damryi</i> Desbrochers des Loges, 1894, <i>Ceratapion</i>	155
<i>damryi</i> Perris, 1874, <i>Derosasius</i>	199
<i>danicus</i> Eggers, 1932, <i>Crypturgus</i>	228
<i>darjeelingensis</i> Schedl, 1969, <i>Platypus</i>	202
<i>darjeelingensis</i> Schedl, 1971, <i>Xylechinus</i>	209

darjeelingi Stebbing, 1914, <i>Scolytoplatypus</i>	240
<i>darwinensis</i> Schedl, 1942, <i>Hypothenemus</i>	224
darwini Eichhoff, 1878, <i>Scolytogenes</i>	225
<i>darwinii</i> Eichhoff, 1878, <i>Scolytogenes</i>	225
dasycauda Browne, 1980, <i>Platypus</i>	202
daurica Faust, 1882, <i>Notaris</i>	195
dauricum Faust, 1888, <i>Mesotrichapion</i>	169
<i>dauricus</i> Laxmann, 1770, <i>Apoderus</i>	129
dauricus Motschulsky, 1860, <i>Strigapoderus</i>	134
dauidiani Legalov, 2003, <i>Byctiscus</i>	113
dauidiani Legalov, 2007, <i>Caenorhinus</i>	115
dauidiani Legalov, 2003, <i>Euops</i>	137
dauidis Fairmaire, 1878, <i>Anthinobaris</i>	252
dauidis Fairmaire, 1878, <i>Byctiscus</i>	113
dauidis Fairmaire, 1878, <i>Cyrtotrachelus</i>	187
dauidis Fairmaire, 1889, <i>Merarius</i>	100
dauidis Fairmaire, 1878, <i>Otidognathus</i>	188
dealbatum Bajtenov, 1980, <i>Perapion</i>	151
debilis Sharp, 1891, <i>Aphaulimia</i>	96
<i>decemstriatus</i> Chevrolat, 1883, <i>Otidognathus</i>	188
decens Sampson, 1922, <i>Dinoplatypus</i>	202
decipiens Voss, 1938, <i>Cneminvolvulus</i>	121
<i>decipiens</i> Browne, 1972, <i>Coccotrypes</i>	229
<i>declivigranulatus</i> Schedl, 1936, <i>Xylosandrus</i>	249
<i>declivis</i> Reitter, 1897, <i>Thamnurgus</i>	233
decolor Desbrochers des Loges, 1875, <i>Ceratapion</i>	155
<i>decolor</i> Boieldieu, 1859, <i>Xyleborinus</i>	246
decorata Shibata, 1963, <i>Phaulimia</i>	96
<i>decorum</i> Wencker, 1864, <i>Hemitrichapion</i>	167
<i>decumanus</i> Erichson, 1836, <i>Hylurgops</i>	205
<i>decurtatus</i> Gmelin, 1790, <i>Sphenophorus</i>	191
defensum Faust, 1887, <i>Perapion</i>	152
defensus Blandford, 1894, <i>Xyleborus</i>	247
deflexa Desbrochers des Loges, 1900, <i>Aulacobaris</i>	253
<i>degener</i> Lindberg, 1953, <i>Liparthrum</i>	211
<i>dehanii</i> Gyllenhal, 1833, <i>Hormocerus</i>	148
dehiscens Gyllenhal, 1833, <i>Baryrhynchus</i>	142
<i>dejevi</i> Eggers, 1942, <i>Trypophloeus</i>	226
<i>dejevi</i> Stark, 1936, <i>Trypophloeus</i>	226
delagrangei Desbrochers des Loges, 1895, <i>Squamapion</i>	161
delarouzei C. N. F. Brisout de Barneville, 1862, <i>Alaocephala</i>	199
deletum Schilsky, 1906, <i>Protoceratapion</i>	157
deletus Frieser, 1995, <i>Ozotomerus</i>	94
delicata Kleine, 1925, <i>Amorphocephala</i>	143
delicatulum Wollaston, 1857, <i>Taeniapion</i>	162
dellabeffae Schatzmayr, 1922, <i>Apion</i>	149
delphinense Hustache, 1913, <i>Phrissotrichum</i>	152
<i>delphinense</i> Schubert, 1954, <i>Protapion</i>	173
delphini Rosenhauer, 1856, <i>Thamnurgus</i>	233
demaisoni Peyerimhoff, 1926, <i>Bruchela</i>	107

<i>demaisoni</i> Desbrochers des Loges, 1892, <i>Elasmobaris</i>	257
<i>demaisoni</i> Eggers, 1912, <i>Scolytus</i>	238
demoflysi Normand, 1940, <i>Cercomorphus</i>	108
<i>denigratus</i> Gmelin, 1790, <i>Apoderus</i>	129
<i>denominandum</i> Jacquelin du Val, 1855, <i>Melanapion</i>	160
<i>denominatus</i> Chevrolat, 1885, <i>Sphenophorus</i>	191
<i>densata</i> Reitter, 1897, <i>Bruchela</i>	107
<i>densatus</i> Voss, 1938, <i>Cneminvolvulus</i>	121
<i>denseseriatum</i> Eggers, 1941, <i>Xyleborus</i>	247
<i>densesquamatum</i> Pic, 1908, <i>Metapion</i>	163
<i>dentatus</i> Voss, 1953, <i>Proelautobius</i>	126
<i>denticulatus</i> X.-C. Zhang, 1995, <i>Euscelophilus</i>	139
<i>denticulosus</i> Sokanovskiy, 1956, <i>Hylesinus</i>	207
<i>denticulus</i> Eggers, 1923, <i>Acanthotomicus</i>	233
<i>denticulus</i> Motschulsky, 1863, <i>Xyleborus</i>	248
<i>dentipes</i> Faust, 1883, <i>Allapoderus</i>	136
<i>dentipes</i> Frieser, 1981, <i>Choragus</i>	106
<i>dentipes</i> Gerstaecker, 1854, <i>Protapion</i>	174
<i>dentirostre</i> Gerstaecker, 1854, <i>Ceratapion</i>	156
<i>dentirostre</i> Ter-Minasian, 1972, <i>Ceratapion</i>	156
<i>deodara</i> Stebbing, 1903, <i>Pityophthorus</i>	216
<i>deodara</i> Stebbing, 1903, <i>Scolytus</i>	238
<i>deplanata</i> Roelofs, 1875, <i>Moreobaris</i>	258
<i>depressipennis</i> Tournier, 1874, <i>Echinocnemus</i>	194
<i>depressum</i> Bhateja & Pajni, 1989, <i>Hoplopodapion</i>	150
<i>depressus</i> Eichhoff, 1878, <i>Hypothenemus</i>	221
<i>depressus</i> Faust, 1882, <i>Paradeporaus</i>	118
<i>derelictum</i> Desbrochers des Loges, 1907, <i>Hemitrichapion</i>	167
<i>derelictum</i> Desbrochers des Loges, 1907, <i>Ischnopterapion</i>	170
<i>deropygoides</i> Senoh, 1984, <i>Valenfriesia</i>	105
<i>desbrochersi</i> Legalov, 2007, <i>Cneminvolvulus</i>	120
<i>desbrochersi</i> Legalov, 2007, <i>Eugnampitobius</i>	118
<i>desbrochersi</i> Kirsch, 1880, <i>Eutrichapion</i>	165
<i>descampsi</i> A. Hoffmann, 1968, <i>Neoicaris</i>	195
<i>deserti</i> Bajtenov, 1974, <i>Aralkumia</i>	193
<i>deserticola</i> Kleine, 1944, <i>Amorphocephala</i>	143
<i>desertus</i> A. Hoffmann, 1950, <i>Brachycerus</i>	183
<i>desertus</i> Schilsky, 1907, <i>Platystomos</i>	97
<i>desideratum</i> Sharp, 1918, <i>Apion</i>	149
<i>despicatus</i> Faust, 1889, <i>Labiaticola</i>	257
<i>destefanii</i> Vitale, 1890, <i>Pseudapion</i>	163
<i>destitutus</i> Voss, 1930, <i>Byctiscus</i>	113
<i>destructor</i> Olivier, 1795, <i>Scolytus</i>	240
<i>destruens</i> Blandford, 1896, <i>Euwallacea</i>	244
<i>destruens</i> Wollaston, 1865, <i>Tomicus</i>	209
<i>detritum</i> Mulsant & Rey, 1858, <i>Diplapion</i>	156
<i>deubeli</i> Wagner, 1912, <i>Exapion</i>	158
<i>devillei</i> F. Solari, 1952, <i>Aulacobaris</i>	253
<i>devillei</i> Hustache, 1934, <i>Siraton</i>	197
<i>diaphanus</i> Schedl, 1939, <i>Genyocerus</i>	204

<i>dibaphus</i> Voss, 1942, <i>Eugnampthus</i>	119
<i>dichroum</i> Bedel, 1886, <i>Protapion</i>	174
<i>didymus</i> Jordan, 1924, <i>Xanthoderopygus</i>	105
<i>dietrichi</i> Dietrich, 1857, <i>Oxystoma</i>	169
<i>differens</i> Desbrochers des Loges, 1875, <i>Hemitrichapion</i>	167
<i>differens</i> Hopkins, 1915, <i>Hypothenemus</i>	222
<i>difficile</i> Herbst, 1797, <i>Exapion</i>	158
<i>difficilis</i> Tournier, 1868, <i>Dieckmanniellus</i>	179
<i>difficilis</i> Wood, 1988, <i>Polygraphus</i>	214
<i>difficilis</i> Sharp, 1891, <i>Uncifer</i>	104
<i>difficilis</i> Eggers, 1923, <i>Xylosandrus</i>	250
<i>difforme</i> Germar, 1818, <i>Protapion</i>	174
<i>difformis</i> Faldermann, 1837, <i>Brachycerus</i>	183
<i>dihingensis</i> Eggers, 1930, <i>Ambrosiodmus</i>	241
<i>dilatatus</i> Schedl, 1953, <i>Xyleborus</i>	249
<i>dilatatus</i> Eichhoff, 1878, <i>Xyleborus</i>	249
<i>dilatipes</i> Desbrochers des Loges, 1896, <i>Squamapion</i>	162
<i>dilutus</i> Eichhoff, 1878, <i>Hypocryphalus</i>	221
<i>dilutus</i> Blandford, 1895, <i>Scolytomimus</i>	250
<i>dimidiata</i> Reitter, 1897, <i>Baris</i>	255
<i>dimidiatum</i> Desbrochers des Loges, 1897, <i>Oxystoma</i>	169
<i>dimidiatus</i> Faust, 1890, <i>Compsapoderus</i>	130
<i>dimidiatus</i> Voss, 1956, <i>Euscelophilus</i>	139
<i>dimidiatus</i> Faust, 1895, <i>Rhynchophorus</i>	189
<i>dimorphus</i> Morimoto, 1964, <i>Nanophyes</i>	180
<i>dinoderoides</i> Blandford, 1894, <i>Dryocoetiops</i>	231
<i>dipteroearpi</i> Beeson, 1939, <i>Coccotrypes</i>	228
<i>dipteroearpi</i> Browne, 1977, <i>Genyocerus</i>	204
<i>discedens</i> Schedl, 1950, <i>Hypothenemus</i>	222
<i>discifer</i> Schrank, 1798, <i>Cercomorphus</i>	109
<i>discoidalis</i> Wolfrum, 1922, <i>Exechesops</i>	102
<i>discoideus</i> Pic, 1919, <i>Nanophyes</i>	181
<i>discolor</i> Boheman, 1836, <i>Cosmobaris</i>	256
<i>discolor</i> Blandford, 1898, <i>Xylosandrus</i>	250
<i>discors</i> Senna, 1895, <i>Miolispa</i>	148
<i>discrepans</i> Shibata, 1981, <i>Uncifer</i>	104
<i>discreta</i> Faust, 1882, <i>Notaris</i>	195
<i>discretus</i> Eichhoff, 1878, <i>Hypocryphalus</i>	221
<i>discus</i> Jordan, 1936, <i>Rhaphitropis</i>	103
<i>disjunctus</i> Voss, 1938, <i>Caenorhinus</i>	116
<i>dispar</i> Fabricius, 1792, <i>Anisandrus</i>	242
<i>dispar</i> Sharp, 1891, <i>Basitropis</i>	92
<i>dispar</i> Voss, 1928, <i>Compsapoderus</i>	130
<i>dispar</i> Germar, 1817, <i>Omphalapion</i>	157
<i>dispersenotatus</i> Pic, 1916, <i>Nanophyes</i>	181
<i>dispilota</i> Solsky, 1870, <i>Anthinobaris</i>	252
<i>dissimile</i> Germar, 1817, <i>Protapion</i>	174
<i>dissimilis</i> Nobuchi, 1975, <i>Cryphalus</i>	218
<i>dissimilis</i> Hagedorn, 1909, <i>Diamerus</i>	204
<i>distans</i> Desbrochers des Loges, 1889, <i>Ceratapion</i>	156

<i>distans</i> Faust, 1890, <i>Notaris</i>	195
<i>distendens</i> Frieser, 1981, <i>Choragus</i>	106
<i>distincticolle</i> Desbrochers des Loges, 1870, <i>Apion</i>	149
<i>distinctipennis</i> Pic, 1901, <i>Picia</i>	196
<i>distinctirostre</i> Desbrochers des Loges, 1869, <i>Ischnopterapion</i>	171
<i>distinctirostre</i> Desbrochers des Loges, 1888, <i>Taeniapion</i>	162
<i>distinctus</i> Faust, 1890, <i>Cercidocerus</i>	189
<i>distinctus</i> Kôno, 1930, <i>Eugnamptobius</i>	118
<i>distinctus</i> Roelofs, 1874, <i>Phialodes</i>	136
<i>distinguenda</i> Sharp, 1891, <i>Autotropis</i>	93
<i>distinguendum</i> Eggers, 1930, <i>Cyclorhipidion</i>	243
<i>diversa</i> Shibata, 1979, <i>Plintheria</i>	91
<i>diversenotatus</i> Pic, 1928, <i>Cycnotrachelus</i>	131
<i>diversenotatus</i> Pic, 1919, <i>Dieckmanniellus</i>	179
<i>diversepilosus</i> Eggers, 1941, <i>Xyleborus</i>	247
<i>diversepilosus</i> Eggers, 1941, <i>Xylosandrus</i>	250
<i>diverserostratum</i> Uyttenboogaart, 1935, <i>Taeniapion</i>	162
<i>diversicolor</i> Kolbe, 1886, <i>Byctiscus</i>	114
<i>diversum</i> Desbrochers des Loges, 1870, <i>Phrissotrichum</i>	152
<i>diversus</i> Jordan, 1911, <i>Cedus</i>	99
<i>diversus</i> Voss, 1949, <i>Eugnamptobius</i>	118
<i>dives</i> Jordan, 1923, <i>Xenocerus</i>	101
<i>dividuus</i> Kleine, 1925, <i>Trachelizus</i>	148
<i>divisus</i> Frieser, 2002, <i>Tropideres</i>	101
<i>doderoi</i> Ganglbauer, 1906, <i>Raymondiellus</i>	199
<i>doderoi</i> Schatzmayr, 1922, <i>Squamapion</i>	162
<i>dohrnii</i> Wollaston, 1854, <i>Xyleborinus</i>	246
<i>dolgovi</i> Korotyaev, 1977, <i>Trigonorhinus</i>	99
<i>dolichocola</i> Hopkins, 1915, <i>Hypothenemus</i>	222
<i>dolorosa</i> Gmelin, 1790, <i>Limnobaris</i>	251
<i>dolorosa</i> Goeze, 1777, <i>Limnobaris</i>	251
<i>domesticum</i> Linnaeus, 1758, <i>Trypodendron</i>	250
<i>donckieri</i> Pic, 1929, <i>Leptapoderus</i>	133
<i>donckieri</i> Pic, 1907, <i>Nanophyes</i>	180
<i>dongollanum</i> Wagner, 1910, <i>Harpapion</i>	154
<i>donisthorpei</i> Formánek, 1908, <i>Coccotrypes</i>	228
<i>donisthorpi</i> Schedl, 1951, <i>Xyleborus</i>	247
<i>doriae</i> Desbrochers des Loges, 1893, <i>Catapion</i>	164
<i>doriae</i> H. Brisout de Barneville, 1873, <i>Hypophyes</i>	178
<i>doriai</i> Osella, 1977, <i>Ferreria</i>	199
<i>dorjitenzingi</i> Schmutzenhofer, 1988, <i>Trypodendron</i>	250
<i>dorsale</i> Schilsky, 1902, <i>Microconapion</i>	173
<i>dorsalis</i> Motschulsky, 1866, <i>Cryphalus</i>	218
<i>dorsalis</i> Chevrolat, 1879, <i>Echinocnemus</i>	194
<i>dorsalis</i> Gyllenhal, 1813, <i>Gonotropis</i>	99
<i>dorsalis</i> Sharp, 1891, <i>Sintor</i>	98
<i>draconis</i> Enderlein, 1929, <i>Dactylotrypes</i>	230
<i>drescheri</i> Eggers, 1936, <i>Hyorrhynchus</i>	210
<i>drurei</i> Pic, 1917, <i>Picia</i>	196
<i>dryographus</i> Ratzeburg, 1837, <i>Xyleborus</i>	247

dubatulovi Legalov, 2003, <i>Leptapoderus</i>	132
<i>dubiosus</i> Schedl, 1940, <i>Hypothenemus</i>	222
<i>dubium</i> Desbrochers des Loges, 1896, <i>Stenopteropion</i>	171
<i>dubius</i> Eichhoff, 1872, <i>Crypturgus</i>	227
<i>dubius</i> Ponza, 1805, <i>Dissoleucas</i>	102
<i>dubius</i> Voss, 1949, <i>Eugnampitobius</i>	118
<i>dubius</i> Blandford, 1894, <i>Phloeosinus</i>	212
<i>dudichi</i> Györfly, 1924, <i>Catapion</i>	164
<i>dudorum</i> Legalov, 1997, <i>Mesotrichapion</i>	169
<i>dumeei</i> A. Hoffmann, 1957, <i>Pseudoprotapion</i>	176
<i>dumonti</i> Peyerimhoff, 1929, <i>Hoplopodapion</i>	150
<i>dumonti</i> Peyerimhoff, 1929, <i>Melitobaris</i>	258
<i>dundai</i> Legalov, 2007, <i>Caenorhinus</i>	115
<i>dundai</i> Legalov, 2007, <i>Involvulus</i>	122
<i>dundai</i> Legalov, 2007, <i>Neoeugnampitobius</i>	119
<i>dundai</i> Legalov, 2007, <i>Pseudomesauletes</i>	111
<i>dundai</i> Legalov, 2008, <i>Svetlanaebyctiscus</i>	114
<i>dundai</i> Legalov, 2006, <i>Temnocerus</i>	128
<i>duodecimpunctatus</i> Scopoli, 1763, <i>Attelabus</i>	135
<i>duongi</i> Villiers, 1946, <i>Aphanarthrum</i>	227
<i>duplicata</i> Schoenherr, 1832, <i>Neobaris</i>	259
<i>duplicatus</i> C. R. Sahlberg, 1836, <i>Ips</i>	234
<i>duponti</i> Montrouzier, 1861, <i>Xyleborus</i>	248
<i>duprezi</i> A. Hoffmann, 1936, <i>Gnathotrichus</i>	215
<i>durieui</i> P. H. Lucas, 1849, <i>Pericartiellus</i>	181
<i>duvalii</i> Perris, 1864, <i>Cercomorphus</i>	108
<i>dux</i> Boheman, 1845, <i>Cyrtotrachelus</i>	187
<i>dybofskyi</i> Faust, 1882, <i>Involvulus</i>	122
<i>dysallus</i> Jordan, 1912, <i>Litocerus</i>	100
<i>dzhungarica</i> Korotyaev, 1988, <i>Baris</i>	255
<i>ealaensis</i> Eggers, 1944, <i>Hypothenemus</i>	222
<i>ebeninum</i> Gyllenhal, 1813, <i>Synapion</i>	172
<i>ebeninum</i> Kirby, 1808, <i>Synapion</i>	172
<i>ebianensis</i> Huang & Yin, 1983, <i>Hyorrhynchus</i>	210
<i>ebriosus</i> Niisima, 1909, <i>Xylosandrus</i>	249
<i>ebrium</i> Giusto, 2002, <i>Pseudapion</i>	163
<i>eburifer</i> Pascoe, 1887, <i>Orchidophilus</i>	261
<i>eccoptopterus</i> Schedl, 1951, <i>Eccoptopterus</i>	244
<i>echinatoides</i> Legalov, 2003, <i>Hoplapoderus</i>	140
<i>echinatus</i> Gyllenhal, 1833, <i>Hoplapoderus</i>	140
<i>ecksteini</i> Butovitsch, 1929, <i>Scolytus</i>	237
<i>edentatum</i> Desbrochers des Loges, 1891, <i>Ceratapion</i>	156
<i>edgreni</i> Schoenherr, 1839, <i>Allandrus</i>	91
<i>edmundi</i> Korotyaev, 1988, <i>Baris</i>	255
<i>edmundi</i> Györfly, 1923, <i>Hoplopodapion</i>	150
<i>edoughensis</i> Desbrochers des Loges, 1892, <i>Aulacobaris</i>	253
<i>eduardi</i> Legalov, 2007, <i>Caenorhinus</i>	115
<i>eduardi</i> Legalov, 2002, <i>Mecorhis</i>	124
<i>efferans</i> Townson, 1797, <i>Attelabus</i>	135
<i>efferus</i> Faust, 1887, <i>Icaris</i>	194

<i>efratense</i> Bajtenov & Lodos, 1978, <i>Ceratapion</i>	155
<i>egenus</i> Voss, 1933, <i>Involvulus</i>	122
<i>eggersi</i> Schedl, 1952, <i>Coccotrypes</i>	229
<i>eggersi</i> Beeson, 1930, <i>Cyclorhipidion</i>	243
<i>eggersi</i> Kurentsov, 1941, <i>Ernoporus</i>	220
<i>eggersii</i> Hagedorn, 1904, <i>Coccotrypes</i>	229
<i>egorovi</i> Legalov, 2006, <i>Auletobius</i>	109
<i>egregium</i> Wagner, 1906, <i>Protoceratapion</i>	157
<i>egypta</i> Kirsch, 1880, <i>Baris</i>	255
<i>ehlersi</i> Lindemann, 1876, <i>Hypothenemus</i>	222
<i>ehreti</i> Legalov, 2000, <i>Perapion</i>	151
<i>eichhoffi</i> Ferrari, 1867, <i>Dryocoetes</i>	231
<i>eichhoffi</i> Reitter, 1895, <i>Scolytus</i>	237
<i>elaeagni</i> Korotyaev & Legalov, 2006, <i>Temnocerus</i>	128
<i>elaeocarpi</i> Beeson, 1939, <i>Coccotrypes</i>	229
<i>elatus</i> Niisima, 1913, <i>Longulus</i>	208
<i>elegans</i> Voss, 1933, <i>Catalabus</i>	135
<i>elegans</i> Krivolutskaya, 1958, <i>Eidophelus</i>	220
<i>elegans</i> Brullé, 1832, <i>Hypoglyptus</i>	194
<i>elegans</i> Wichmann, 1913, <i>Pseudothamnurgus</i>	232
<i>elegans</i> Geoffroy, 1785, <i>Sphenophorus</i>	191
<i>elegans</i> Geoffroy, 1785, <i>Sphenophorus</i>	191
<i>elegantulum</i> Germar, 1818, <i>Pseudoprotapion</i>	176
<i>elenae</i> Egorov, 1996, <i>Exechesops</i>	102
<i>elevata</i> Reitter, 1899, <i>Melanobaris</i>	258
<i>eliconensis</i> Vitale, 1906, <i>Sphenophorus</i>	191
<i>elipsoidalis</i> Osella & Nonveiller, 1982, <i>Ubychia</i>	200
<i>elisa</i> Shibata, 1980, <i>Illis</i>	103
<i>ellipticus</i> Murayama, 1958, <i>Scolytus</i>	238
<i>elongata</i> Eggers, 1927, <i>Deropria</i>	228
<i>elongata</i> Roelofs, 1875, <i>Diocalandra</i>	186
<i>elongaticeps</i> Voss, 1924, <i>Isolabus</i>	136
<i>elongatipes</i> Voss, 1926, <i>Phymatapoderus</i>	141
<i>elongatissimum</i> Desbrochers des Loges, 1870, <i>Exapion</i>	158
<i>elongatula</i> Normand, 1914, <i>Alaocyba</i>	199
<i>elongatulum</i> Desbrochers des Loges, 1891, <i>Exapion</i>	158
<i>elongatum</i> Germar, 1817, <i>Squamapion</i>	161
<i>elongatus</i> Nobuchi, 1975, <i>Ernoporicus</i>	220
<i>elongatus</i> Herbst, 1794, <i>Hylurgus</i>	208
<i>elongatus</i> Hopkins, 1915, <i>Hypothenemus</i>	222
<i>elongatus</i> Senoh, 1984, <i>Melanopsacus</i>	106
<i>elongatus</i> Løvendal, 1889, <i>Pityogenes</i>	236
<i>elusa</i> Jordan, 1928, <i>Rhaphitropis</i>	103
<i>elytralis</i> Senna, 1897, <i>Cerobates</i>	146
<i>emancipatus</i> Murayama, 1934, <i>Crossotarsus</i>	201
<i>emarginatus</i> Wichmann, 1915, <i>Scolytus</i>	240
<i>emarginatus</i> Eichhoff, 1878, <i>Xyleborus</i>	247
<i>emeishanicus</i> Legalov, 2007, <i>Auletobius</i>	109
<i>emeljanovi</i> Korotyaev, 1984, <i>Perapion</i>	151
<i>emendatum</i> Wagner, 1930, <i>Squamapion</i>	161

<i>emgei</i> Stierlin, 1888, <i>Eomesauletes</i>	111
<i>emgei</i> Stierlin, 1890, <i>Rhynchites</i>	127
<i>emmrichi</i> Bajtenov, 1981, <i>Metapion</i>	163
<i>encaustum</i> Wencker, 1864, <i>Protapion</i>	173
<i>engadinensis</i> Fuchs, 1913, <i>Ips</i>	234
<i>engelhardi</i> Pic, 1894, <i>Ocladius</i>	184
<i>eniseiense</i> Bajtenov, 1977, <i>Cyanapion</i>	165
<i>ennediensis</i> A. Hoffmann, 1964, <i>Aplemonus</i>	149
<i>ensifer</i> Eichhoff, 1881, <i>Scolytus</i>	238
<i>eos</i> Spessivtsev, 1919, <i>Hylesinus</i>	207
<i>ephimeropoides</i> Tournier, 1889, <i>Picia</i>	196
<i>ephippiata</i> Fairmaire, 1871, <i>Jekelia</i>	195
<i>ephippiger</i> Gistel, 1831, <i>Cercomorphus</i>	109
<i>ephippium</i> Boheman, 1833, <i>Pseudeuparius</i>	93
<i>epidendri</i> Murray, 1869, <i>Orchidophilus</i>	261
<i>eppelsheimi</i> Faust, 1887, <i>Betulapion</i>	172
<i>eppelsheimi</i> Desbrochers des Loges, 1897, <i>Exapion</i>	159
<i>equiseti</i> Fabricius, 1775, <i>Grypus</i>	194
<i>erectus</i> LeConte, 1876, <i>Hypothenemus</i>	222
<i>eremita</i> Peyerimhoff, 1920, <i>Hoplopodapion</i>	150
<i>eremorum</i> Merregalli & Colonnelli, 2006, <i>Ocladius</i>	184
<i>erezisrael</i> Friedman & Freidberg, 2007, <i>Perapion</i>	151
<i>ergenense</i> Becker, 1864, <i>Pseudoprotapion</i>	176
<i>ericetorum</i> Dufour, 1843, <i>Ctenomeropsis</i>	179
<i>erinacellus</i> Wichmann, 1916, <i>Kissophagus</i>	208
<i>ermischi</i> Voss, 1969, <i>Metapion</i>	163
<i>erosus</i> Wollaston, 1857, <i>Orthotomicus</i>	234
<i>errabundum</i> Schilsky, 1906, <i>Squamapion</i>	161
<i>errans</i> Sampson, 1922, <i>Platypus</i>	203
<i>errans</i> Kolbe, 1883, <i>Rhinopteryx</i>	148
<i>erubescens</i> Heller, 1931, <i>Cercidocerus</i>	189
<i>eruditus</i> Westwood, 1834, <i>Hypothenemus</i>	222
<i>eruditus</i> Schedl, 1942, <i>Platypus</i>	203
<i>ervi</i> Kirby, 1808, <i>Eutrichapion</i>	166
<i>erysimi</i> Chobaut, 1917, <i>Melanobaris</i>	258
<i>erysimioides</i> A. Hoffmann, 1942, <i>Melanobaris</i>	258
<i>erythrinae</i> Eggers, 1936, <i>Hypothenemus</i>	222
<i>erythrogaster</i> Snellen van Vollenhoven, 1865, <i>Compsapoderus</i>	130
<i>erythropterus</i> Gmelin, 1790, <i>Compsapoderus</i>	130
<i>erythropterus</i> Voss, 1922, <i>Proelautobius</i>	126
<i>esau</i> Gredler, 1863, <i>Hylesinus</i>	207
<i>espagnoli</i> González, 1969, <i>Phaenotheriolum</i>	95
<i>esuriens</i> Blandford, 1894, <i>Scolytus</i>	238
<i>eucnemis</i> Heller, 1899, <i>Rhabdoscelus</i>	190
<i>eulavimanus</i> Legalov, 2003, <i>Phymatapoderus</i>	141
<i>eugeniae</i> Eggers, 1930, <i>Amasa</i>	241
<i>eugeniae</i> Schedl, 1971, <i>Platypus</i>	203
<i>eumegacephalus</i> Sawada, 1993, <i>Caenorhinus</i>	115
<i>eumicteroides</i> A. Hoffmann, 1962, <i>Baris</i>	255
<i>euonymi</i> Kurentsov, 1941, <i>Allernoporus</i>	217

euphorbiae Wollaston, 1854, <i>Aphanarthrum</i>	226
euphorbiae Küster, 1845, <i>Thamnurgus</i>	233
<i>eupolyphagus</i> Beeson, 1940, <i>Hypothenemus</i>	221
<i>europaeus</i> Thunberg, 1799, <i>Brachycerus</i>	184
<i>eurygraphus</i> Ratzeburg, 1837, <i>Xyleborus</i>	247
<i>eusulcatus</i> Tsai & Hwang, 1964, <i>Hylurgops</i>	205
<i>eversmanni</i> Faust, 1882, <i>Notaris</i>	195
<i>evonymi</i> Hopkins, 1915, <i>Hypothenemus</i>	222
<i>exarata</i> Boheman, 1838, <i>Myocalandra</i>	186
<i>exasperatus</i> Schedl, 1975, <i>Coccotrypes</i>	228
<i>excantator</i> Damoiseau, 1964, <i>Amorphocephala</i>	143
<i>excellens</i> Wagner, 1906, <i>Podapion</i>	176
<i>excelsus</i> Tournier, 1873, <i>Arthrostenus</i>	193
<i>excoriatoniger</i> DeGeer, 1775, <i>Deporaus</i>	117
<i>excoriatoruber</i> DeGeer, 1775, <i>Apoderus</i>	129
<i>exemptus</i> Rey, 1894, <i>Brachycerus</i>	183
<i>exesus</i> Blandford, 1894, <i>Xyleborus</i>	247
<i>exigua</i> Motschulsky, 1875, <i>Bruchela</i>	107
<i>exiguus</i> Blandford, 1894, <i>Cryphalus</i>	218
<i>exiguus</i> Faust, 1890, <i>Hypophyes</i>	178
<i>exiguus</i> Walker, 1859, <i>Xyleborinus</i>	246
<i>exilis</i> Yin, 2001, <i>Scolytogenes</i>	225
<i>exilis</i> Chapuis, 1865, <i>Treptoplatypus</i>	203
<i>eximius</i> Meregalli & Osella, 2006, <i>Raymondionymus</i>	200
<i>exophthalmus</i> Lea, 1899, <i>Trachelizus</i>	148
<i>expers</i> Blandford, 1894, <i>Scolytogenes</i>	225
<i>exquisita</i> Walker, 1859, <i>Myocalandra</i>	186
<i>exsanguis</i> Voss, 1960, <i>Corimalia</i>	177
<i>exsculptus</i> Voss, 1958, <i>Phrissoderes</i>	259
<i>exsculptus</i> Ratzeburg, 1837, <i>Pityophthorus</i>	216
<i>extensus</i> Voss, 1927, <i>Apoderus</i>	129
<i>externedentatus</i> Fairmaire, 1850, <i>Crossotarsus</i>	201
<i>externenotatus</i> Pic, 1935, <i>Hypophyes</i>	178
<i>externepunctatus</i> Desbrochers des Loges, 1875, <i>Pseudaplemonus</i>	152
<i>externestriatum</i> Desbrochers des Loges, 1896, <i>Pseudoprotapion</i>	176
<i>extinctum</i> Kraatz, 1888, <i>Omphalapion</i>	157
<i>extraordinarius</i> Günther, 1938, <i>Otidognathus</i>	188
<i>exul</i> Reitter, 1891, <i>Taphronurgus</i>	232
<i>ezoana</i> Kôno, 1940, <i>Baris</i>	255
<i>fabricii</i> Schedl, 1964, <i>Anisandrus</i>	242
<i>facetum</i> Gyllenhal, 1839, <i>Eutrichapion</i>	166
<i>fagi</i> Nobuchi, 1959, <i>Coccotrypes</i>	229
<i>fagi</i> Fabricius, 1798, <i>Ernoporicus</i>	220
<i>fagi</i> Nördlinger, 1848, <i>Trypodendron</i>	251
<i>fairmairei</i> Chapuis, 1865, <i>Crossotarsus</i>	201
<i>fairmairei</i> Wencker, 1864, <i>Ischnoptera pion</i>	170
<i>falcatus</i> Strohmeyer, 1908, <i>Dinoplatypus</i>	202
<i>faldermanni</i> Schoenherr, 1839, <i>Rhynchites</i>	127
<i>fallaciosa</i> A. Hoffmann, 1960, <i>Aulacobaris</i>	253
<i>fallaciosum</i> Desbrochers des Loges, 1892, <i>Ceratapion</i>	156

<i>fallax</i> H. Brisout de Barneville, 1870, <i>Aulacobaris</i>	253
<i>fallax</i> Wichmann, 1911, <i>Hylastes</i>	205
<i>fallax</i> Costa Lima, 1924, <i>Hypothenemus</i>	222
<i>fallax</i> Starck, 1889, <i>Involvulus</i>	123
<i>fallax</i> Eggers, 1915, <i>Ips</i>	234
<i>fallax</i> Wencker, 1864, <i>Ischnopterapion</i>	170
<i>fallax</i> Rey, 1893, <i>Nanophyes</i>	180
<i>fallax</i> Perris, 1874, <i>Opanthribus</i>	98
<i>fallax</i> Gyllenhal, 1839, <i>Paroplapoderus</i>	141
<i>fallax</i> Wollaston, 1864, <i>Perapion</i>	151
<i>fallax</i> Boheman, 1845, <i>Sphenophorus</i>	191
<i>fallax</i> Eichhoff, 1878, <i>Xyleborus</i>	247
<i>fallax</i> Stebbing, 1914, <i>Xyleborus</i>	247
<i>fallens</i> Marseul, 1888, <i>Ischnopterapion</i>	170
<i>falzonii</i> Schatzmayr, 1922, <i>Synapion</i>	171
<i>famulus</i> Kleine, 1925, <i>Opisthenoxys</i>	146
<i>fankhauseri</i> Reitter, 1895, <i>Hylastinus</i>	206
<i>farinosus</i> Blandford, 1896, <i>Hypothenemus</i>	221
<i>farsetiae</i> Peyerimhoff, 1931, <i>Bruchela</i>	107
<i>fasciata</i> Voss, 1958, <i>Batobaris</i>	256
<i>fasciatum</i> Desbrochers des Loges, 1891, <i>Taeniapion</i>	162
<i>fasciatum</i> Olivier, 1789, <i>Taeniapion</i>	162
<i>fasciatus</i> Voss, 1929, <i>Agomadaranus</i>	140
<i>fasciatus</i> Forster, 1770, <i>Anthribus</i>	91
<i>fasciatus</i> X.-C. Zhang, 1993, <i>Euscelophilus</i>	139
<i>fasciatus</i> Legalov, 2007, <i>Pseudomesauletes</i>	111
<i>fasciatus</i> Reitter, 1890, <i>Scolytus</i>	238
<i>fasciatus</i> Jordan, 1903, <i>Sintor</i>	98
<i>fascicollis</i> Reitter, 1916, <i>Attelabus</i>	134
<i>fasciculatum</i> Reitter, 1891, <i>Phaenotherion</i>	95
<i>fasciculatus</i> DeGeer, 1775, <i>Araecerus</i>	104
<i>fasciculosum</i> Motschulsky, 1851, <i>Onychapion</i>	150
<i>fasciculosus</i> Voss, 1942, <i>Ecnomonychus</i>	121
<i>fascinatus</i> Kleine, 1922, <i>Schizotrachelus</i>	148
<i>fasciolatum</i> Wagner, 1912, <i>Exapion</i>	158
<i>fascirostris</i> Clairville, 1798, <i>Pseudeuparius</i>	93
<i>fastidiosus</i> Pic, 1904, <i>Theanellus</i>	197
<i>fastigatus</i> Jordan, 1924, <i>Oxyderes</i>	96
<i>fastigatus</i> Schedl, 1935, <i>Xyleborus</i>	247
<i>fausti</i> Reitter, 1895, <i>Bariscelis</i>	256
<i>fausti</i> Sharp, 1889, <i>Byctiscus</i>	113
<i>fausti</i> Reitter, 1890, <i>Corimalia</i>	177
<i>fausti</i> Voss, 1925, <i>Humerilabus</i>	136
<i>fausti</i> Desbrochers des Loges, 1889, <i>Oxystoma</i>	169
<i>fauveli</i> Reitter, 1895, <i>Scolytus</i>	239
<i>fayoumensis</i> Pic, 1935, <i>Hypophyes</i>	178
<i>feae</i> Senna, 1892, <i>Callipareius</i>	144
<i>fejferi</i> Keler, 1925, <i>Orthotomicus</i>	235
<i>felis</i> Wood, 1989, <i>Cryphalus</i>	218
<i>felschei</i> Kolbe, 1892, <i>Carcinopisthius</i>	146

femoralis Kôno, 1928, <i>Deporaus</i>	117
femorata Morimoto & Yoshihara, 1996, <i>Taiwanobaris</i>	259
femoratus Voss, 1942, <i>Caenorhinus</i>	115
<i>femoratus</i> Olivier, 1789, <i>Deporaus</i>	117
<i>femoratus</i> L. W. Schaufuss, 1885, <i>Orychodes</i>	143
<i>fenestrata</i> Reitter, 1888, <i>Picia</i>	196
fenestratus Frieser, 2001, <i>Uncifer</i>	104
fengshuensis Legalov, 2009, <i>Eusproda</i>	117
<i>fennicus</i> Eggers, 1914, <i>Pityophthorus</i>	217
<i>ferdinandi</i> Schatzmayr, 1925, <i>Ceratapion</i>	155
ferganicum Bajtenov, 1977, <i>Melanapion</i>	160
<i>ferghanensis</i> Nevskij, 1929, <i>Rhynchites</i>	127
ferox Faust, 1898, <i>Involvulus</i>	122
ferrantei Reitter, 1908, <i>Bruchela</i>	107
ferreri Alonso-Zarazaga, 1983, <i>Hoplopodapion</i>	150
<i>ferrugineus</i> Hopkins, 1915, <i>Hypothenemus</i>	222
<i>ferrugineus</i> Olivier, 1791, <i>Rhynchophorus</i>	189
<i>ferrugineus</i> Boheman, 1858, <i>Xyleborus</i>	249
<i>ferrugineus</i> Fabricius, 1801, <i>Xyleborus</i>	247
<i>ferruginipes</i> Wencker, 1864, <i>Aspidapion</i>	153
ferulae Pfeffer, 1983, <i>Cisurgus</i>	227
fervidus Pascoe, 1871, <i>Protocerius</i>	188
<i>fesense</i> Hustache, 1946, <i>Catapion</i>	164
festivus Eichhoff, 1876, <i>Xyleborus</i>	247
festucae Herbst, 1795, <i>Thryogenes</i>	197
fici Blandford, 1898, <i>Diameterus</i>	204
ficivorus Murayama, 1958, <i>Cryphalus</i>	218
ficus Erichson, 1836, <i>Hypoborus</i>	210
<i>ficus</i> Hopkins, 1915, <i>Hypothenemus</i>	224
fidus Faust, 1890, <i>Apoderus</i>	129
<i>fiebrigi</i> Hopkins, 1915, <i>Hypothenemus</i>	224
filicorne Wencker, 1864, <i>Hemitrichapion</i>	167
<i>filiformis</i> Schedl, 1975, <i>Euwallacea</i>	244
filirostre Kirby, 1808, <i>Protapion</i>	174
filum Reitter, 1889, <i>Cisurgus</i>	227
fimbriata Faust, 1885, <i>Baris</i>	255
<i>fimbriatus</i> Desbrochers des Loges, 1871, <i>Brachycerus</i>	183
<i>fimbriatus</i> Gmelin, 1790, <i>Sphenophorus</i>	191
fiorii Zumpt, 1928, <i>Thryogenes</i>	197
fissicaudus Chevrolat, 1885, <i>Rhabdoscelus</i>	190
fissile Faust, 1888, <i>Squamapion</i>	161
flabelllicorne Sharp, 1891, <i>Androceras</i>	99
flachi Wagner, 1906, <i>Exapion</i>	158
flagellifer Egorov & Zherikhin, 1991, <i>Himasthlophallus</i>	198
<i>flaveola</i> Reitter, 1888, <i>Picia</i>	196
flaveolus Formánek & Melichar, 1916, <i>Nanophyes</i>	180
flavescens Küster, 1850, <i>Bruchela</i>	107
<i>flavescens</i> A. Villa & G. B. Villa, 1835, <i>Malvapion</i>	163
<i>flavescens</i> Nakane, 1963, <i>Rawasia</i>	98
flaviceps Desbrochers des Loges, 1890, <i>Tomapoderus</i>	141

<i>flaviclavus</i> Legalov, 2007, <i>Deporaus</i>	116
<i>flavicollis</i> Enderlein, 1929, <i>Coleobothrus</i>	227
<i>flavicollis</i> Hopkins, 1915, <i>Hypothenemus</i>	222
<i>flavicollis</i> Morimoto, 1978, <i>Xanthoderopygus</i>	105
<i>flavicornis</i> Lindberg, 1950, <i>Hylastes</i>	205
<i>flavicornis</i> Kugelann, 1792, <i>Platypus</i>	202
<i>flavicornis</i> Chevrolat, 1835, <i>Scolytus</i>	239
<i>flavicrus</i> Desbrochers des Loges, 1901, <i>Exapion</i>	159
<i>flavidus</i> Aubé, 1850, <i>Pericartiellus</i>	182
<i>flavifemoratus</i> Herbst, 1797, <i>Oryxolaemus</i>	169
<i>flavifrons</i> Fuessly, 1775, <i>Platyrhinus</i>	96
<i>flavimaculatum</i> Voss, 1922, <i>Eumetopon</i>	111
<i>flavimaculatus</i> Murayama, 1963, <i>Pityophthorus</i>	216
<i>flavimanum</i> Motschulsky, 1858, <i>Flavopodapion</i>	153
<i>flavimanum</i> Gyllenhal, 1833, <i>Squamapion</i>	161
<i>flavimanus</i> Motschulsky, 1860, <i>Phymatapoderus</i>	141
<i>flavinasus</i> Desbrochers des Loges, 1907, <i>Exapion</i>	158
<i>flavipes</i> Schilsky, 1906, <i>Caenorhinus</i>	115
<i>flavipes</i> Sharp, 1889, <i>Eugnampitobius</i>	118
<i>flavipes</i> Panzer, 1799, <i>Hylurgus</i>	208
<i>flavipes</i> Hopkins, 1915, <i>Hypothenemus</i>	222
<i>flavipes</i> Fabricius, 1775, <i>Protapion</i>	175
<i>flavipes</i> Morimoto, 1981, <i>Rhaphitropis</i>	103
<i>flavirostris</i> Voss, 1926, <i>Tomapoderus</i>	141
<i>flaviventris</i> Voss, 1924, <i>Caenorhinus</i>	116
<i>flaviventris</i> Voss, 1938, <i>Caenorhinus</i>	116
<i>flaviventroides</i> Legalov, 2007, <i>Caenorhinus</i>	116
<i>flavoguttatus</i> Voss, 1929, <i>Cycnotrachelus</i>	131
<i>flavomaculatus</i> Strohmeyer, 1912, <i>Crossotarsus</i>	201
<i>flavonotata</i> Voss, 1941, <i>Anthinobaris</i>	252
<i>flavonotatus</i> Voss, 1935, <i>Cycnotrachelus</i>	131
<i>flavopannus</i> Huang & Yin, 1983, <i>Pseudohyorrhynchus</i>	210
<i>flavosignata</i> Roelofs, 1879, <i>Dendrobaris</i>	260
<i>flavosquamosus</i> Hopkins, 1915, <i>Hypothenemus</i>	222
<i>flavotuberosus</i> Jekel, 1860, <i>Cycnotrachelus</i>	131
<i>flavus</i> Legalov, 2007, <i>Auletobius</i>	109
<i>flavus</i> Sawada, 1993, <i>Cartorhynchites</i>	120
<i>flavus</i> Stephens, 1830, <i>Xyleborus</i>	247
<i>flectirostris</i> Pic, 1926, <i>Involvulus</i>	123
<i>flectus</i> Niisima & Murayama, 1931, <i>Dinoplatypus</i>	202
<i>fleutiauxi</i> Faust, 1891, <i>Omotemnus</i>	188
<i>floridensis</i> Hopkins, 1915, <i>Hypothenemus</i>	224
<i>floridensis</i> Hopkins, 1915, <i>Scolytogenes</i>	225
<i>floridensis</i> Hopkins, 1915, <i>Xyleborinus</i>	246
<i>floridus</i> Jordan, 1931, <i>Sintor</i>	98
<i>floridus</i> X.-C. Zhang, 1993, <i>Trachelolabus</i>	140
<i>fluctiger</i> Gyllenhal, 1840, <i>Brachycerus</i>	182
<i>fochaensis</i> Legalov, 2003, <i>Auletobius</i>	109
<i>fochaensis</i> Legalov, 2003, <i>Lamprolabus</i>	136
<i>fochaiensis</i> Legalov, 2003, <i>Euops</i>	137

<i>foliatus</i> Frieser, 1995, <i>Exechesops</i>	102
<i>fontinalis</i> Kurentsov, 1941, <i>Polygraphus</i>	215
<i>foochowensis</i> Voss, 1960, <i>Cneminvolvulus</i>	120
<i>foraminosum</i> Gyllenhal, 1833, <i>Melanapion</i>	160
<i>formaneki</i> Wagner, 1929, <i>Exapion</i>	158
<i>formicarius</i> Fabricius, 1798, <i>Cylas</i>	142
<i>formicarius</i> Fabricius, 1798, <i>Cylas</i>	142
<i>formosae</i> Wood, 1992, <i>Cyclorhipidion</i>	243
<i>formosana</i> Heller, 1926, <i>Laogenia</i>	186
<i>formosanum</i> Wagner, 1914, <i>Conapium</i>	172
<i>formosanum</i> Browne, 1981, <i>Cyclorhipidion</i>	243
<i>formosanus</i> Legalov, 2007, <i>Aderorhinus</i>	118
<i>formosanus</i> Voss, 1922, <i>Byctiscus</i>	113
<i>formosanus</i> Kleine, 1916, <i>Callipareius</i>	145
<i>formosanus</i> Bolkay, 1911, <i>Carcinopisthius</i>	146
<i>formosanus</i> Schönfeldt, 1911, <i>Cerobates</i>	146
<i>formosanus</i> Strohmeier, 1912, <i>Crossotarsus</i>	201
<i>formosanus</i> Schedl, 1942, <i>Cryphalus</i>	218
<i>formosanus</i> Voss, 1924, <i>Cycnotrachelodes</i>	131
<i>formosanus</i> Schedl, 1952, <i>Cyrtogenius</i>	230
<i>formosanus</i> Niisima & Murayama, 1925, <i>Dinoplatypus</i>	202
<i>formosanus</i> Nobuchi, 1967, <i>Dryocoetes</i>	231
<i>formosanus</i> Browne, 1981, <i>Ernoporus</i>	220
<i>formosanus</i> Jordan, 1912, <i>Euparius</i>	93
<i>formosanus</i> Jordan, 1912, <i>Habrissus</i>	92
<i>formosanus</i> Schedl, 1952, <i>Hypocryphalus</i>	220
<i>formosanus</i> Heller, 1931, <i>Metaprodiocetes</i>	189
<i>formosanus</i> Schedl, 1935, <i>Phloeosinopsioides</i>	211
<i>formosanus</i> Niisima & Murayama, 1925, <i>Platypus</i>	202
<i>formosanus</i> Niisima & Murayama, 1925, <i>Platypus</i>	203
<i>formosanus</i> Nobuchi, 1967, <i>Polygraphus</i>	214
<i>formosanus</i> Voss, 1922, <i>Pseudomesauletes</i>	111
<i>formosanus</i> Eggers, 1939, <i>Scolytus</i>	238
<i>formosanus</i> Kôno, 1934, <i>Sipalinus</i>	186
<i>formosanus</i> Eggers, 1930, <i>Xylosandrus</i>	250
<i>formosense</i> Kôno, 1934, <i>Cryptoderma</i>	185
<i>formosensis</i> Kôno, 1930, <i>Zherikhinia</i>	182
<i>formosicola</i> Wagner, 1914, <i>Microconapion</i>	173
<i>fornicator</i> Eggers, 1923, <i>Euwallacea</i>	244
<i>fornicatus</i> Eichhoff, 1868, <i>Euwallacea</i>	244
<i>fornicatus</i> Frieser, 1995, <i>Exechesops</i>	102
<i>fortipubens</i> Reitter, 1901, <i>Pseudapion</i>	163
<i>fortirostris</i> Korotyaev, 1988, <i>Bruchela</i>	107
<i>fortunatum</i> Roudier, 1963, <i>Kalcapion</i>	160
<i>fortunei</i> G. R. Waterhouse, 1853, <i>Cryptoderma</i>	185
<i>fossicolle</i> Desbrochers des Loges, 1889, <i>Omphalapion</i>	157
<i>fossor</i> Aubé, 1861, <i>Raymondionymus</i>	200
<i>fossularum</i> Buysson, 1915, <i>Nanophyes</i>	181
<i>fossulatum</i> Desbrochers des Loges, 1897, <i>Omphalapion</i>	157
<i>fossulifrons</i> Desbrochers des Loges, 1896, <i>Mesotrichapion</i>	169

<i>foveatoscutellatum</i> Wagner, 1906, <i>Aspidapion</i>	153
<i>foveatum</i> Desbrochers des Loges, 1904, <i>Hemitrichapion</i>	167
<i>foveatus</i> Frieser, 1999, <i>Baseocolpus</i>	96
<i>foveatus</i> Senna, 1894, <i>Callipareius</i>	145
<i>foveatus</i> Voss, 1953, <i>Orthosinus</i>	192
<i>foveicollis</i> Gyllenhal, 1833, <i>Brachycerus</i>	183
<i>foveifrons</i> Bedel, 1874, <i>Brachycerus</i>	183
<i>foveipennis</i> Jekel, 1860, <i>Attelabus</i>	134
<i>foveipennis</i> Suffrian, 1870, <i>Compsapoderus</i>	130
<i>foveipennis</i> J. Thomson, 1858, <i>Rhinopteryx</i>	148
<i>foveipennis</i> Fairmaire, 1888, <i>Rhynchites</i>	127
<i>foveolatopunctata</i> Motschulsky, 1849, <i>Baris</i>	255
<i>foveolatum</i> Kirby, 1808, <i>Cyanapion</i>	165
<i>foveolatus</i> Wolfrum, 1948, <i>Mycteis</i>	94
<i>foveolatus</i> Eggers, 1926, <i>Pityogenes</i>	235
<i>foveostriatus</i> Voss, 1930, <i>Paratrachelophorus</i>	133
<i>fragariae</i> Gyllenhal, 1833, <i>Neocoenorrhinus</i>	126
<i>fragilis</i> Sharp, 1889, <i>Neoeugnamptus</i>	119
<i>fragmentus</i> Sampson, 1912, <i>Crossotarsus</i>	201
<i>fragosus</i> Kleine, 1925, <i>Cyphagogus</i>	145
<i>frankei</i> Wichmann, 1915, <i>Scolytus</i>	240
<i>franzi</i> Voss, 1974, <i>Heterapoderus</i>	131
<i>frater</i> Desbrochers des Loges, 1870, <i>Ceratapion</i>	154
<i>frater</i> Voss, 1927, <i>Leptapoderus</i>	132
<i>fraudator</i> Sharp, 1918, <i>Apion</i>	149
<i>fraxini</i> Panzer, 1799, <i>Hylesinus</i>	207
<i>fraxini</i> Eggers, 1913, <i>Phloeotribus</i>	212
<i>fraxini</i> Berger, 1917, <i>Procryphalus</i>	225
<i>fraxinoides</i> Schedl, 1959, <i>Hylesinus</i>	207
<i>freidbergi</i> Legalov & Friedman, 2007, <i>Lasiorrhynchites</i>	123
<i>fremuthi</i> Wanat, 1995, <i>Ceratapion</i>	155
<i>freyi</i> Zumpt, 1937, <i>Anthinobaris</i>	252
<i>freyi</i> Uyttenboogaart, 1940, <i>Auletobius</i>	110
<i>freyi</i> Zumpt, 1937, <i>Brachycerus</i>	183
<i>friedmani</i> Legalov, 2007, <i>Rhynchites</i>	127
<i>friedrichi</i> Voss, 1956, <i>Leptapoderus</i>	132
<i>frieseri</i> Alonso-Zarazaga, 1989, <i>Pseudopiezotrachelus</i>	175
<i>frigidus</i> Blackburn, 1885, <i>Xyleborinus</i>	246
<i>frivaldszkyi</i> Tournier, 1874, <i>Tournotaris</i>	197
<i>froggatti</i> Nunberg, 1961, <i>Hypocryphalus</i>	221
<i>frontale</i> Desbrochers des Loges, 1895, <i>Catapion</i>	164
<i>frontale</i> Desbrochers des Loges, 1901, <i>Catapion</i>	164
<i>frontalis</i> Faust, 1882, <i>Compsapoderus</i>	130
<i>frontalis</i> Wolfrum, 1922, <i>Exechesops</i>	102
<i>frontalis</i> Blandford, 1894, <i>Scolytus</i>	238
<i>frugilegus</i> DeGeer, 1775, <i>Sitophilus</i>	187
<i>frumentarium</i> Linnaeus, 1758, <i>Apion</i>	149
<i>frumenti</i> Fabricius, 1801, <i>Diocalandra</i>	186
<i>fuchsi</i> Reitter, 1913, <i>Scolytus</i>	240
<i>fugongensis</i> Wang & Liang, 2008, <i>Euops</i>	138

fujianicus Legalov, 2007, <i>Proelautobius</i>	126
fujisanus Nobuchi, 1975, <i>Scolytogenes</i>	225
fukienense Voss, 1958, <i>Squamapion</i>	161
fukienensis Voss, 1956, <i>Adapanetus</i>	189
fukienensis Voss, 1956, <i>Anthinobaris</i>	252
fukienensis Voss, 1941, <i>Auletobius</i>	109
fukienensis Voss, 1949, <i>Byctiscus</i>	113
fukienensis Voss, 1941, <i>Caenorhinus</i>	115
fukienensis Voss, 1942, <i>Eugnamptobius</i>	118
fukienensis Voss, 1941, <i>Metarhynchites</i>	125
fukienensis Voss, 1949, <i>Paratrachelophorus</i>	133
fukiense Eggers, 1941, <i>Cyclorhipidion</i>	243
fukiensis Wolfrum, 1948, <i>Sintor</i>	98
fulgidus Faldermann, 1835, <i>Rhynchites</i>	127
fulgidus Geoffroy, 1785, <i>Temnocerus</i>	129
<i>fuliginosus</i> Gmelin, 1790, <i>Deporaus</i>	117
fuliginosus Wagner, 1908, <i>Piezotrachelus</i>	173
fullo Boheman, 1836, <i>Arthrostenus</i>	193
fulminans Voss, 1930, <i>Byctiscus</i>	113
fulmineus Wood, 1989, <i>Cryphalus</i>	218
fulvescens Shibata, 1984, <i>Autotropis</i>	93
fulvihirtus Voss, 1938, <i>Involvulus</i>	122
fulvipennis Niisima, 1941, <i>Polygraphus</i>	214
fulvipennis Nobuchi, 1975, <i>Scolytogenes</i>	225
fulvipes Reitter, 1897, <i>Bruchela</i>	107
fulvipes Geoffroy, 1785, <i>Protapion</i>	174
fulvirostre Gyllenhal, 1833, <i>Pseudapion</i>	163
<i>fulvulus</i> Schedl, 1942, <i>Microperus</i>	245
fulvum Desbrochers des Loges, 1895, <i>Exapion</i>	158
fulvus Niisima, 1908, <i>Cryphalus</i>	218
fulvus Murayama, 1936, <i>Euwallacea</i>	244
<i>fulvus</i> Schedl, 1939, <i>Microperus</i>	245
fulvus Roelofs, 1874, <i>Paratrachelophorus</i>	133
fumigatus Roelofs, 1874, <i>Auletobius</i>	109
fumosus Morimoto, 1976, <i>Paramorphocephalus</i>	144
funebri Sharp, 1889, <i>Involvulus</i>	123
<i>funebri</i> Kôno, 1930, <i>Notaris</i>	195
funebri Voss, 1930, <i>Pseudallapoderus</i>	137
<i>funebri</i> Rey, 1895, <i>Sitophilus</i>	187
funebri Sharp, 1891, <i>Ulorhinus</i>	97
<i>funerea</i> Geoffroy, 1785, <i>Limnobaris</i>	251
<i>funerea</i> Herbst, 1795, <i>Limnobaris</i>	251
funereus Lea, 1910, <i>Euwallacea</i>	244
<i>fungicola</i> Eggers, 1908, <i>Hypothenemus</i>	221
<i>funiculare</i> Mulsant & Rey, 1858, <i>Exapion</i>	158
fur Faust, 1885, <i>Arthrostenus</i>	193
<i>furcatus</i> Marsham, 1802, <i>Pteleobius</i>	208
<i>furtivus</i> Sampson, 1913, <i>Genyocerus</i>	204
furukawai Murayama, 1934, <i>Hypothenemus</i>	223
<i>furvum</i> C. R. Sahlberg, 1834, <i>Cyanapion</i>	165

<i>fuscatus</i> Friese, 1996, <i>Tropideres</i>	101
<i>fuscatus</i> Eichhoff, 1868, <i>Xyleborus</i>	247
<i>fuscescens</i> Stephens, 1830, <i>Hylastinus</i>	206
<i>fuscicollis</i> Eichhoff, 1878, <i>Hypothenemus</i>	223
<i>fuscicorne</i> Marsham, 1802, <i>Eutrichapion</i>	166
<i>fuscipennis</i> Guillebeau, 1891, <i>Allandrus</i>	91
<i>fuscipennis</i> Sharp, 1889, <i>Caenorhinus</i>	115
<i>fuscipes</i> Desbrochers des Loges, 1891, <i>Protapion</i>	173
<i>fuscirostre</i> Fabricius, 1775, <i>Exapion</i>	158
<i>fuscobrunneus</i> Eichhoff, 1878, <i>Xyleborus</i>	246
<i>fuscomaculatus</i> Pajni & Bhateja, 1982, <i>Nanophyes</i>	180
<i>fuscus</i> Voss, 1929, <i>Physapoderus</i>	133
<i>fuscus</i> Eggers, 1923, <i>Hadrodemius</i>	245
<i>fuscus</i> Duftschmid, 1825, <i>Hylurgops</i>	206
<i>fuscus</i> Marsham, 1802, <i>Taphrorychus</i>	232
<i>fushunensis</i> Murayama, 1940, <i>Hylastes</i>	205
<i>gagates</i> Jordan, 1924, <i>Melanopsacus</i>	106
<i>gagatinum</i> Motschulsky, 1858, <i>Conapium</i>	172
<i>gaimaense</i> Murayama, 1937, <i>Trypodendron</i>	250
<i>galactidis</i> Wencker, 1858, <i>Ceratapion</i>	155
<i>galeatus</i> Blandford, 1894, <i>Euwallacea</i>	244
<i>galeazzii</i> A. Villa & G. B. Villa, 1833, <i>Choragus</i>	106
<i>galeritus</i> Eichhoff, 1868, <i>Cnemonyx</i>	237
<i>gallaecianum</i> Desbrochers des Loges, 1894, <i>Lepidapion</i>	159
<i>galliae</i> Tempère, 1961, <i>Melanobaris</i>	258
<i>gallica</i> Desbrochers des Loges, 1892, <i>Melanobaris</i>	258
<i>gallicola</i> Ter-Minasian, 1971, <i>Apion</i>	149
<i>gallicus</i> Bedel, 1887, <i>Nanophyes</i>	180
<i>ganglbaueri</i> Apfelbeck, 1918, <i>Phaenotherion</i>	95
<i>ganglbaueri</i> Reitter, 1912, <i>Ubychia</i>	200
<i>ganlanbebsis</i> Legalov, 2007, <i>Leptapoderus</i>	132
<i>ganshoensis</i> Murayama, 1952, <i>Xyleborus</i>	247
<i>gansuanus</i> Legalov, 2007, <i>Henicolabus</i>	135
<i>gaoligongensis</i> Xie & Liang, 2008, <i>Euscelophilus</i>	139
<i>gaoligongiensis</i> Legalov, 2007, <i>Deporaus</i>	117
<i>garciniae</i> Nobuchi, 1959, <i>Cryphalus</i>	218
<i>gardinii</i> Osella & Giusto, 1983, <i>Raymondionymus</i>	200
<i>gardneri</i> G. A. K. Marshall, 1931, <i>Euops</i>	138
<i>gardneri</i> Kleine, 1931, <i>Hypomiolispa</i>	148
<i>gardneri</i> Maiti & Saha, 2009, <i>Scolytoplatypus</i>	240
<i>gatlangensis</i> Legalov, 2007, <i>Montaninvolvulus</i>	125
<i>gattefossei</i> Hustache, 1937, <i>Exapion</i>	158
<i>gaudiale</i> Faust, 1885, <i>Metapion</i>	163
<i>gaunersdorferi</i> Reitter, 1885, <i>Crypturgus</i>	228
<i>gautardi</i> Tournier, 1868, <i>Onychapion</i>	150
<i>gavoyi</i> Chobaut, 1922, <i>Anthribus</i>	91
<i>gavoyi</i> Desbrochers des Loges, 1904, <i>Hemitrichapion</i>	167
<i>gebleri</i> Reitter, 1916, <i>Anthribus</i>	92
<i>gelidum</i> Faust, 1885, <i>Metapion</i>	163
<i>geminata</i> Hagedorn, 1904, <i>Amasa</i>	241

<i>geminatus</i> Zetterstedt, 1828, <i>Ips</i>	234
<i>geminus</i> Sharp, 1889, <i>Compsapoderus</i>	130
<i>gemma</i> Semenov & Ter-Minasian, 1937, <i>Involvulus</i>	122
<i>gemmaria</i> Faust, 1887, <i>Allomalialia</i>	177
<i>gemmatus</i> Thunberg, 1784, <i>Hoplapoderus</i>	140
<i>gemmosus</i> Jekel, 1860, <i>Hoplapoderus</i>	140
<i>gemulum</i> Faust, 1885, <i>Catapion</i>	164
<i>geniculatum</i> Germar, 1817, <i>Kalcapion</i>	160
<i>geniculatus</i> Aubé, 1864, <i>Dieckmanniellus</i>	179
<i>geniculatus</i> Kiesenwetter, 1864, <i>Dieckmanniellus</i>	179
<i>geniculatus</i> Jekel, 1860, <i>Heterapoderus</i>	131
<i>genistae</i> Kirby, 1811, <i>Exapion</i>	158
<i>genistae</i> Aubé, 1862, <i>Liparthrum</i>	211
<i>gensanensis</i> Voss, 1920, <i>Cneminvolvulus</i>	120
<i>gentilis</i> Voss, 1930, <i>Mecorhis</i>	124
<i>genuense</i> Osella, 1973, <i>Helianthemapion</i>	150
<i>genuinus</i> Pascoe, 1887, <i>Orchidophilus</i>	261
<i>geoffroi</i> Goeze, 1777, <i>Scolytus</i>	240
<i>georgeli</i> A. Hoffmann, 1929, <i>Osellaeus</i>	150
<i>georgi</i> Knotek, 1895, <i>Liparthrum</i>	211
<i>georgiae</i> Hopkins, 1915, <i>Hypothenemus</i>	224
<i>gergeri</i> Eggers, 1911, <i>Hylastes</i>	205
<i>gerhardti</i> Letzner, 1872, <i>Notaris</i>	195
<i>germanicum</i> Desbrochers des Loges, 1894, <i>Exapion</i>	158
<i>germanicus</i> Herbst, 1797, <i>Neocoenorrhinus</i>	126
<i>germanus</i> Sharp, 1891, <i>Tropideres</i>	101
<i>germanus</i> Blandford, 1894, <i>Xylosandrus</i>	250
<i>germari</i> Eichhoff, 1878, <i>Hypothenemus</i>	222
<i>germari</i> Walton, 1844, <i>Kalcapion</i>	160
<i>gerthus</i> Jordan, 1923, <i>Androceras</i>	99
<i>geschwindi</i> Seitner, 1920, <i>Phloeotribus</i>	212
<i>gestroi</i> Faust, 1895, <i>Enoplolabus</i>	135
<i>ghanaensis</i> Schedl, 1962, <i>Hypothenemus</i>	223
<i>ghumensis</i> Legalov, 2007, <i>Auletobius</i>	110
<i>ghumensis</i> Legalov, 2007, <i>Trachelolabus</i>	140
<i>gibbiceps</i> Desbrochers des Loges, 1894, <i>Ceratapion</i>	155
<i>gibbicollis</i> Faust, 1882, <i>Apoderus</i>	129
<i>gibbicollis</i> Schilsky, 1906, <i>Euscelophilus</i>	139
<i>gibbifrons</i> Hustache, 1932, <i>Ceratapion</i>	155
<i>gibbirostre</i> Gyllenhal, 1813, <i>Ceratapion</i>	155
<i>gibbirostris</i> Schilsky, 1906, <i>Byctiscus</i>	113
<i>gibbosa</i> LeConte, 1876, <i>Gonotropis</i>	99
<i>gibbosus</i> Haaf, 1957, <i>Brachycerus</i>	183
<i>gibbosus</i> Gmelin, 1790, <i>Grypus</i>	194
<i>gibbosus</i> Roelofs, 1879, <i>Phloeobius</i>	97
<i>gibbosus</i> Faust, 1887, <i>Pseudopiezotrachelus</i>	175
<i>gibbus</i> O. F. Müller, 1776, <i>Nemonyx</i>	90
<i>gibbus</i> L. Redtenbacher, 1868, <i>Pseudorobitis</i>	182
<i>gifensis</i> Murayama, 1954, <i>Phloeosinus</i>	212
<i>gifuensis</i> Murayama, 1954, <i>Phloeosinus</i>	212

<i>giganteus</i> Legalov, 2003, <i>Aspidobyctiscus</i>	112
<i>giganteus</i> Faust, 1882, <i>Henicolabus</i>	135
<i>giganteus</i> Gyllenhal, 1833, <i>Rhynchites</i>	127
<i>giganteus</i> Krynicki, 1832, <i>Rhynchites</i>	127
<i>giganteus</i> Schoenherr, 1832, <i>Rhynchites</i>	127
<i>gigantinus</i> Legalov & Liu, 2005, <i>Henicolabus</i>	135
<i>gigas</i> Legalov, 2003, <i>Paratrachelophorus</i>	133
<i>gigas</i> Fabricius, 1775, <i>Sipalinus</i>	186
<i>gillerforsi</i> Bright, 1987, <i>Phloeosinus</i>	212
<i>gilvipes</i> Gemminger, 1871, <i>Flavopodapion</i>	153
<i>gilviventris</i> Voss, 1938, <i>Caenorhinus</i>	115
<i>gilvonotatus</i> Barber, 1918, <i>Orchidophilus</i>	261
<i>gimmerthalii</i> Hochhuth, 1847, <i>Baris</i>	255
<i>glabellus</i> Schedl, 1952, <i>Hypothenemus</i>	223
<i>glaber</i> Kleine, 1937, <i>Synorychodes</i>	143
<i>glaberrimus</i> Senna, 1892, <i>Cerobates</i>	146
<i>glabra</i> Eggers, 1930, <i>Amasa</i>	241
<i>glabra</i> Herbst, 1784, <i>Melanobaris</i>	258
<i>glabratellus</i> Schedl, 1953, <i>Hypothenemus</i>	222
<i>glabratulus</i> Browne, 1983, <i>Euwallacea</i>	244
<i>glabratum</i> Germar, 1818, <i>Ischnopterapion</i>	170
<i>glabratum</i> Kiesenwetter, 1864, <i>Ischnopterapion</i>	170
<i>glabratus</i> Zetterstedt, 1828, <i>Hylurgops</i>	205
<i>glabratus</i> Schedl, 1942, <i>Hypothenemus</i>	222
<i>glabratus</i> Eichhoff, 1878, <i>Pityophthorus</i>	216
<i>glabratus</i> Yin, 2001, <i>Scolytogenes</i>	225
<i>glabratus</i> Eichhoff, 1877, <i>Xyleborus</i>	247
<i>glabriceps</i> Jordan, 1911, <i>Merarius</i>	100
<i>glabricollis</i> Gyllenhal, 1838, <i>Odoiporus</i>	190
<i>glabridiscus</i> Walker, 1859, <i>Odoiporus</i>	190
<i>glabripennis</i> Hopkins, 1915, <i>Hypothenemus</i>	223
<i>glabrirostris</i> Schaufuss, 1855, <i>Rhynchophorus</i>	189
<i>glabrum</i> Wollaston, 1860, <i>Aphanarthrum</i>	226
<i>glabrum</i> Gemminger, 1871, <i>Ischnopterapion</i>	170
<i>glabrum</i> Marsham, 1802, <i>Oxystoma</i>	170
<i>gladiator</i> Kleine, 1921, <i>Cyphagogus</i>	145
<i>gladiator</i> Bajtenov, 1977, <i>Metapion</i>	163
<i>glandis</i> Beeson, 1939, <i>Coccotrypes</i>	229
<i>glandium</i> G. A. K. Marshall, 1920, <i>Sitophilus</i>	186
<i>glaucinum</i> Gyllenhal, 1833, <i>Holotrichapion</i>	168
<i>glaucus</i> Jordan, 1923, <i>Cleorisintor</i>	94
<i>globicollis</i> Fairmaire, 1863, <i>Bagoopsis</i>	193
<i>globicollis</i> Reitter, 1912, <i>Baris</i>	255
<i>globiformis</i> Kiesenwetter, 1864, <i>Nanophyes</i>	180
<i>globosa</i> Korotyaev, 1992, <i>Tsherepanovia</i>	198
<i>globulicollis</i> Voss, 1969, <i>Acythopeus</i>	260
<i>globulus</i> Germar, 1821, <i>Nanophyes</i>	180
<i>globulus</i> Blandford, 1894, <i>Sphaerotrypes</i>	204
<i>globus</i> Blandford, 1896, <i>Hadrodemius</i>	245
<i>gloriae</i> Korotyaev & Gültekin, 2003, <i>Melanobaris</i>	258

gnarum Faust, 1890, <i>Cyanapion</i>	165
goekseli Korotyaev & Gültekin, 2003, <i>Baris</i>	255
gokani Morimoto, 1981, <i>Ulorhinus</i>	97
goliathoides Murayama, 1955, <i>Ficicis</i>	206
goliathus Hope, 1931, <i>Xerodermus</i>	192
golovjankoi Pyatnitskiy, 1930, <i>Orthotomicus</i>	234
goniomma Enderlein, 1929, <i>Aphanarthrum</i>	227
gotoi Shibata, 1969, <i>Enedreytes</i>	93
gotschi Hochhuth, 1847, <i>Sitophilus</i>	186
gracilicolle Gyllenhal, 1839, <i>Holotrichapion</i>	168
gracilicornis Schilsky, 1906, <i>Neoeugnamptus</i>	119
gracilicornis Voss, 1929, <i>Physapoderus</i>	133
gracilicornis Voss, 1938, <i>Proelautobius</i>	126
gracilior Browne, 1984, <i>Xyleborinus</i>	245
gracilipes Dietrich, 1857, <i>Protapion</i>	174
gracilis L. Redtenbacher, 1847, <i>Dieckmanniellus</i>	179
gracilis Voss, 1958, <i>Eumycterus</i>	261
gracilis Kiesenwetter, 1864, <i>Hypoglyptus</i>	194
gracilis Eggers, 1929, <i>Hypothenemus</i>	222
gracilis Voss, 1938, <i>Mecorhis</i>	124
gracilis Kleine, 1919, <i>Perisymmorphocerus</i>	144
gracilis Niisima, 1909, <i>Polygraphus</i>	214
gracilis Eichhoff, 1868, <i>Xyleborinus</i>	246
gracilitubus Desbrochers des Loges, 1896, <i>Squamapion</i>	161
gradli Voss, 1939, <i>Nanophyes</i>	180
graecoinsulare Wagner, 1926, <i>Protapion</i>	175
graecum Desbrochers des Loges, 1897, <i>Apion</i>	149
graecum Frieser, 1995, <i>Phaenotherion</i>	95
graecus Legalov, 2002, <i>Auletes</i>	109
graecus Zumpt, 1937, <i>Brachycerus</i>	183
graecus Pic, 1902, <i>Hypoglyptus</i>	194
graecus Voss, 1933, <i>Lasioryhynchites</i>	123
graecus Legalov, 2007, <i>Neocoenorrhinus</i>	126
graminea Gmelin, 1790, <i>Aulacobaris</i>	253
grammica Jordan, 1912, <i>Aphaulimia</i>	96
grammicus Senoh, 1985, <i>Deropygus</i>	105
granarius Linnaeus, 1758, <i>Sitophilus</i>	186
granarius Strøm, 1783, <i>Sitophilus</i>	187
grande Fairmaire, 1891, <i>Cryptoderma</i>	185
grande A. Hoffmann, 1962, <i>Hoplopodapion</i>	150
grandiclava C. G. Thomson, 1886, <i>Polygraphus</i>	214
grandicollis Schultze, 1905, <i>Baris</i>	255
grandii Osella & Meregalli, 1986, <i>Ocladius</i>	184
grandini Marseul, 1870, <i>Sphenophorus</i>	191
grandis Schedl, 1969, <i>Hypothenemus</i>	223
grandis Guérin-Ménéville, 1844, <i>Protocerus</i>	188
grandis Swaine, 1917, <i>Pseudohylesinus</i>	209
grandis Kurentsov, 1941, <i>Scolytus</i>	240
grandis Günther, 1936, <i>Sphenocorynes</i>	190
grandis Schedl, 1964, <i>Trypophloeus</i>	226

<i>grangeri</i> Peyerimhoff, 1919, <i>Triotemnus</i>	233
<i>graniceps</i> Eichhoff, 1877, <i>Coccotrypes</i>	229
<i>graniceps</i> Eichhoff, 1878, <i>Coccotrypes</i>	229
<i>granularis</i> Schedl, 1950, <i>Xyleborus</i>	249
<i>granulata</i> Schilsky, 1904, <i>Bruchela</i>	107
<i>granulatum</i> Eggers, 1933, <i>Trypodendron</i>	250
<i>granulatus</i> Eggers, 1936, <i>Hyorrhynchus</i>	210
<i>granulatus</i> Niisima, 1941, <i>Polygraphus</i>	214
<i>granulatus</i> Fabricius, 1801, <i>Sipalinus</i>	186
<i>granulatus</i> Ratzeburg, 1837, <i>Trypophloeus</i>	226
<i>granulicollis</i> Schedl, 1953, <i>Cosmoderes</i>	217
<i>granulicollis</i> Walton, 1848, <i>Procas</i>	196
<i>granulifer</i> Reitter, 1913, <i>Scolytus</i>	238
<i>granulipennis</i> Tournier, 1873, <i>Acythopeus</i>	260
<i>granulipennis</i> Eggers, 1930, <i>Euwallacea</i>	244
<i>granulipennis</i> Tournier, 1874, <i>Tournotaris</i>	197
<i>gravelyi</i> Wichmann, 1914, <i>Euwallacea</i>	245
<i>gravidum</i> Olivier, 1807, <i>Holotrichapion</i>	168
<i>gravidus</i> Blandford, 1898, <i>Cnestus</i>	242
<i>grenadensis</i> Hopkins, 1915, <i>Xyleborus</i>	249
<i>grenieri</i> C. N. F. Brisout de Barneville, 1867, <i>Melanopsacus</i>	106
<i>grenieri</i> Desbrochers des Loges, 1875, <i>Phrissotrichum</i>	152
<i>gressitti</i> Korotyayev, 1996, <i>Sergiola</i>	160
<i>gretschkini</i> Sokanovskiy, 1956, <i>Scolytus</i>	238
<i>gribodoi</i> Desbrochers des Loges, 1896, <i>Eutrichapion</i>	165
<i>gridellii</i> Solari, 1940, <i>Ceratapion</i>	155
<i>griesbachii</i> Stephens, 1831, <i>Eutrichapion</i>	166
<i>grimmii</i> Hochhuth, 1847, <i>Aspidapion</i>	153
<i>griseoides</i> Legalov, 2007, <i>Byctisculus</i>	113
<i>griseopilosum</i> Wagner, 1908, <i>Squamapion</i>	161
<i>griseopubescens</i> Roelofs, 1874, <i>Sergiola</i>	160
<i>griseosetulosum</i> Desbrochers des Loges, 1875, <i>Pseudoconapion</i>	175
<i>griseescens</i> Reitter, 1899, <i>Nemonyx</i>	90
<i>griseus</i> Stephens, 1831, <i>Araecerus</i>	105
<i>griseus</i> Voss, 1930, <i>Byctisculus</i>	113
<i>griseus</i> Marsham, 1802, <i>Hylesinus</i>	207
<i>griseus</i> Blackburn, 1885, <i>Hypocryphalus</i>	220
<i>griseus</i> Eggers, 1923, <i>Polygraphus</i>	214
<i>griseus</i> Ter-Minasian, 1977, <i>Theanellus</i>	197
<i>grisseopuberulus</i> Schedl, 1972, <i>Coccotrypes</i>	228
<i>grothii</i> Hagedorn, 1904, <i>Trypophloeus</i>	226
<i>guanajuatensis</i> Dugès, 1887, <i>Xyleborus</i>	249
<i>guatemalensis</i> Hopkins, 1915, <i>Hypothenemus</i>	222
<i>gudenusi</i> Schultze, 1901, <i>Aulacobaris</i>	253
<i>guillebeaudi</i> Reitter, 1913, <i>Phloeotribus</i>	213
<i>guizhouensis</i> Liang, 2005, <i>Euops</i>	138
<i>gummensis</i> Murayama, 1958, <i>Xylechinus</i>	209
<i>gunlaishanensis</i> Legalov, 2007, <i>Deporaus</i>	116
<i>gurjevae</i> Zherikhin, 1972, <i>Corimalia</i>	177
<i>guttata</i> Kleine, 1928, <i>Blysmia</i>	142

<i>guttifer</i> Sharp, 1891, <i>Rhaphitropis</i>	103
<i>gyllenhalii</i> Kirby, 1808, <i>Cyanapion</i>	165
<i>gyotokui</i> Nakane, 1963, <i>Cobalocephalus</i>	144
<i>gyrata</i> Peyerimhoff, 1929, <i>Corimalia</i>	177
<i>habashanensis</i> Legalov, 2007, <i>Auletobius</i>	110
<i>habashanensis</i> Legalov, 2007, <i>Neoeugnampius</i>	119
<i>haberkorni</i> Eggers, 1920, <i>Diuncus</i>	243
<i>hadrops</i> C. G. Thomson, 1865, <i>Eutrichapion</i>	166
<i>haematideus</i> Voss, 1930, <i>Henicolabus</i>	135
<i>haematodes</i> Kirby, 1808, <i>Apion</i>	149
<i>haemorrhoidalis</i> Marsham, 1802, <i>Hylesinus</i>	207
<i>haemorrhous</i> Schmidberger, 1837, <i>Scolytus</i>	239
<i>hajastanicus</i> Ter-Minasian, 1965, <i>Rhynchites</i>	127
<i>halperini</i> Friedman & Freidberg, 2007, <i>Catapion</i>	164
<i>hamamelidis</i> Hopkins, 1915, <i>Hypothenemus</i>	222
<i>hamatum</i> Wagner, 1906, <i>Diplapion</i>	157
<i>hamatus</i> Blandford, 1894, <i>Dinoplatypus</i>	202
<i>hamatus</i> Hagedorn, 1904, <i>Scolytoplatypus</i>	240
<i>hampei</i> Ferrari, 1867, <i>Hypothenemus</i>	223
<i>haradai</i> Kôno, 1940, <i>Cneminvolvulus</i>	120
<i>harcyniae</i> Hubenthal, 1911, <i>Perapion</i>	151
<i>haroldi</i> Roelofs, 1879, <i>Byctiscus</i>	114
<i>hartmanni</i> Voss, 1929, <i>Deporaus</i>	117
<i>hartmanni</i> Desbrochers des Loges, 1897, <i>Metapion</i>	163
<i>hartmannianum</i> Wagner, 1910, <i>Perapion</i>	151
<i>harwoodi</i> Joy, 1911, <i>Temnocerus</i>	128
<i>hattorii</i> Kôno, 1938, <i>Cryphalus</i>	219
<i>hauseri</i> Voss, 1930, <i>Agomadaranus</i>	140
<i>hauseri</i> Wagner, 1907, <i>Involvulus</i>	122
<i>hauseri</i> Reitter, 1895, <i>Ips</i>	234
<i>hauseri</i> Wagner, 1906, <i>Melanapion</i>	160
<i>hawaiiensis</i> Schedl, 1941, <i>Hypothenemus</i>	224
<i>heathi</i> Hopkins, 1915, <i>Hypothenemus</i>	222
<i>hebes</i> Fabricius, 1781, <i>Desmidophorus</i>	185
<i>hectographus</i> Reitter, 1913, <i>Dryocoetes</i>	231
<i>hederae</i> Schmitt, 1843, <i>Kissophagus</i>	208
<i>hefengensis</i> Liang, 2005, <i>Euops</i>	138
<i>heikertingeri</i> Wagner, 1918, <i>Exapion</i>	158
<i>heikertingeri</i> Kleine, 1916, <i>Prophthalmus</i>	143
<i>heishuensis</i> Legalov, 2007, <i>Yunnanuletes</i>	112
<i>helenae</i> Korotyaev & Zherikhin, 1996, <i>Corimalia</i>	177
<i>helenae</i> Schatzmayr, 1933, <i>Ischnopterapion</i>	170
<i>helenae</i> Alonso-Zarazaga, 2011, <i>Nanophyes</i>	180
<i>helferi</i> A. Villa & G. B. Villa, 1835, <i>Hylurgops</i>	206
<i>helianthemi</i> Bedel, 1887, <i>Helianthemapion</i>	150
<i>hellenicus</i> Osella, 1973, <i>Ruffodytes</i>	196
<i>helleri</i> Hubenthal, 1917, <i>Desmidophorus</i>	185
<i>helveticum</i> Desbrochers des Loges, 1907, <i>Ischnopterapion</i>	170
<i>helveticus</i> Tournier, 1868, <i>Dieckmanniellus</i>	179
<i>helveticus</i> Guillebeau, 1893, <i>Phloeotribus</i>	212

<i>helveticus</i> Stierlin, 1882, <i>Sphenophorus</i>	191
<i>hemipterus</i> Sulzer, 1776, <i>Rhynchophorus</i>	189
<i>hemisphaericus</i> Olivier, 1807, <i>Nanomimus</i>	180
<i>henoni</i> Abeille de Perrin, 1894, <i>Apion</i>	149
<i>henoni</i> Pic, 1897, <i>Corimalia</i>	177
<i>henscheli</i> Reitter, 1887, <i>Carphoborus</i>	213
<i>henscheli</i> Knotek, 1892, <i>Hylesinus</i>	207
<i>henscheli</i> Seitner, 1887, <i>Pityophthorus</i>	216
<i>henschi</i> Reitter, 1901, <i>Ceratapion</i>	156
<i>henschi</i> Reitter, 1901, <i>Phloeosinus</i>	212
<i>herbarum</i> Aubé, 1850, <i>Malvapion</i>	163
<i>herbellae</i> Strohmeyer, 1929, <i>Pityogenes</i>	235
<i>hercegovinensis</i> Eggers, 1922, <i>Phloeosinus</i>	211
<i>hercegovinensis</i> Seitner, 1920, <i>Phloeotribus</i>	213
<i>heritierae</i> Stebbing, 1906, <i>Crossotarsus</i>	201
<i>heros</i> Roelofs, 1874, <i>Rhynchites</i>	127
<i>hesperidis</i> Iablokoff-Khnzorian, 1957, <i>Bruchela</i>	107
<i>heterocerum</i> C. G. Thomson, 1865, <i>Protapion</i>	174
<i>heterodon</i> Wachtl, 1895, <i>Pityokteines</i>	236
<i>heterolepis</i> Costa Lima, 1928, <i>Hypothenemus</i>	221
<i>hewetti</i> Stebbing, 1908, <i>Taphrorychus</i>	232
<i>hexiensis</i> Yin & Huang, 1996, <i>Polygraphus</i>	214
<i>heydeni</i> Desbrochers des Loges, 1900, <i>Aulacobaris</i>	253
<i>heydeni</i> Faust, 1889, <i>Hypoglyptus</i>	194
<i>heydeni</i> Eichhoff, 1884, <i>Ips</i>	234
<i>heydeni</i> Desbrochers des Loges, 1869, <i>Stenopterapion</i>	171
<i>hidakai</i> Liang, 1994, <i>Euscelophilus</i>	139
<i>hiemale</i> Hampe, 1861, <i>Trichopterapion</i>	160
<i>hieroglyphica</i> Hope, 1831, <i>Mecotropis</i>	97
<i>hilaris</i> Fåhraeus, 1839, <i>Enedreytes</i>	93
<i>hilfi</i> Wagner, 1912, <i>Exapion</i>	158
<i>hilleri</i> Schilsky, 1902, <i>Sergiola</i>	160
<i>himachalensis</i> Legalov, 2007, <i>Exrhynchites</i>	118
<i>himalayaensis</i> Legalov, 2007, <i>Byctiscus</i>	113
<i>himalayanus</i> Heller, 1923, <i>Cyrtotrachelus</i>	187
<i>himalayanus</i> G. A. K. Marshall, 1931, <i>Xerodermus</i>	192
<i>himalayense</i> Bhateja & Pajni, 1989, <i>Perapion</i>	152
<i>himalayensis</i> Beeson, 1939, <i>Coccotrypes</i>	229
<i>himalayensis</i> Strohmeyer, 1908, <i>Dryocoetes</i>	231
<i>himalayensis</i> Pajni, 1989, <i>Indotrachelus</i>	136
<i>himalayensis</i> Legalov, 2007, <i>Leptapoderus</i>	132
<i>himalayensis</i> Stebbing, 1914, <i>Pityophthorus</i>	216
<i>himalayensis</i> Stebbing, 1908, <i>Polygraphus</i>	214
<i>himalayensis</i> Stebbing, 1914, <i>Scolytoplatypus</i>	241
<i>himalayensis</i> Legalov, 2007, <i>Tomapoderus</i>	141
<i>hime</i> Kôno, 1929, <i>Byctiscus</i>	114
<i>hingensis</i> Legalov, 2007, <i>Deporaus</i>	116
<i>hingstoni</i> Balfour-Browne, 1944, <i>Eutrichapion</i>	166
<i>hipponense</i> Desbrochers des Loges, 1894, <i>Ceratapion</i>	154
<i>hipponense</i> Desbrochers des Loges, 1895, <i>Protapion</i>	175

<i>hipponensis</i> Pic, 1915, <i>Nanomimus</i>	180
<i>hipponensis</i> Peyerimhoff, 1919, <i>Raymondiellus</i>	199
<i>hirashimai</i> Morimoto, 1978, <i>Stenorhis</i>	107
<i>hiratai</i> Uno, 1939, <i>Apoderus</i>	129
<i>hirsutum</i> A. Villa & G. B. Villa, 1835, <i>Phrissotrichum</i>	152
<i>hirsutus</i> Nobuchi, 1975, <i>Cryphalus</i>	218
<i>hirsutus</i> Senna, 1893, <i>Higonius</i>	147
<i>hirsutus</i> Blackman, 1943, <i>Scolytoplatypus</i>	240
<i>hirsutus</i> Lea, 1894, <i>Xyleborus</i>	248
<i>hirtellus</i> Voss, 1941, <i>Pseudomesauletes</i>	111
<i>hirtellus</i> Eichhoff, 1878, <i>Taphrorychus</i>	232
<i>hirticollis</i> Faust, 1882, <i>Involvulus</i>	123
<i>hirticorne</i> Desbrochers des Loges, 1895, <i>Protapion</i>	173
<i>hirticorne</i> Korotyaev, 1985, <i>Trichoconapion</i>	176
<i>hirtuosus</i> Beeson, 1930, <i>Anisandrus</i>	242
<i>hirtus</i> Hagedorn, 1904, <i>Anisandrus</i>	242
<i>hisamatsui</i> Kojima & Yoshihara, 2009, <i>Orchidophilus</i>	261
<i>hispalensis</i> Desbrochers des Loges, 1902, <i>Ferreria</i>	199
<i>hispanica</i> Osella, 1971, <i>Coiffaitiella</i>	199
<i>hispanicum</i> Wencker, 1864, <i>Cyanapion</i>	165
<i>hispanicus</i> Jekel, 1860, <i>Attelabus</i>	134
<i>hispidulus</i> C. G. Thomson, 1870, <i>Crypturgus</i>	227
<i>hispidulus</i> LeConte, 1868, <i>Hypothenemus</i>	222
<i>hispidum</i> Frieser, 1978, <i>Phaenotheriolum</i>	95
<i>hispidus</i> Desbrochers des Loges, 1871, <i>Brachycerus</i>	184
<i>hispidus</i> Eggers, 1925, <i>Hypothenemus</i>	221
<i>hispidus</i> Shibata, 1981, <i>Uncifer</i>	104
<i>histerinus</i> Dufour, 1843, <i>Dryocoetes</i>	231
<i>histrion</i> Sharp, 1891, <i>Deropygus</i>	105
<i>histrion</i> Gyllenhal, 1833, <i>Litocerus</i>	100
<i>hivaoea</i> Beeson, 1935, <i>Hypothenemus</i>	222
<i>hochhuthi</i> Faust, 1882, <i>Melanobaris</i>	258
<i>hoffmanni</i> Miller, 1857, <i>Cyanapion</i>	165
<i>hoffmanni</i> Hervé, 1949, <i>Raymondionymus</i>	200
<i>hoffmanni</i> Wagner, 1930, <i>Squamapion</i>	162
<i>holdereri</i> Hartmann, 1900, <i>Aulacobaris</i>	253
<i>holdhausi</i> Wagner, 1905, <i>Protapion</i>	173
<i>holdhausi</i> Wichmann, 1912, <i>Trypophloeus</i>	226
<i>holdhausi</i> Ganglbaueri, 1903, <i>Ubychia</i>	200
<i>holomelana</i> Herbst, 1795, <i>Notaris</i>	195
<i>holomelas</i> Fairmaire, 1877, <i>Ocladius</i>	184
<i>holosericeum</i> Gyllenhal, 1833, <i>Trichopterapion</i>	160
<i>holtzi</i> Strohmeier, 1907, <i>Thamnurgus</i>	233
<i>holzschuhi</i> Frieser, 1995, <i>Exechesops</i>	102
<i>holzschuhi</i> Frieser, 2001, <i>Merarius</i>	100
<i>homalinus</i> Voss, 1927, <i>Apoderus</i>	129
<i>homalinus</i> Voss, 1930, <i>Cyllorhynchites</i>	121
<i>hookerorum</i> Kirby, 1808, <i>Omphalapion</i>	157
<i>hopehi</i> Schedl, 1953, <i>Phloeosinus</i>	212
<i>hopkinsi</i> Beeson, 1929, <i>Xyleborus</i>	247

horishanus Kôno, 1930, <i>Calodromus</i>	145
horishensis Murayama, 1928, <i>Platypus</i>	203
horni Wolfrum, 1930, <i>Choragus</i>	106
horribilis Legalov, 2003, <i>Apoderus</i>	129
horticola Korotyaev, 1992, <i>Scapapion</i>	176
horvathi Schilsky, 1901, <i>Perapion</i>	151
horyurensis Murayama, 1937, <i>Polygraphus</i>	214
huangi Browne, 1983, <i>Microperus</i>	245
huangi Legalov, 2007, <i>Physapoderus</i>	133
<i>hubbardi</i> Hopkins, 1915, <i>Coccotrypes</i>	228
<i>hubbardi</i> Hopkins, 1915, <i>Xyleborus</i>	249
hubeiensis Legalov & Liu, 2005, <i>Euops</i>	137
hubeiensis Legalov, 2008, <i>Phialodes</i>	136
huitongensis Legalov, 2007, <i>Pseudomesauletes</i>	111
humeralis Motschulsky, 1875, <i>Bruchela</i>	107
humeralis Chevrolat, 1885, <i>Trochorhopalus</i>	192
<i>humerosum</i> Desbrochers des Loges, 1896, <i>Squamapion</i>	162
<i>humerosus</i> Faust, 1895, <i>Humerilabus</i>	136
<i>humerosus</i> Motschulsky, 1860, <i>Leptapoderus</i>	132
<i>humile</i> Germar, 1817, <i>Perapion</i>	151
<i>humuli</i> Morimoto & Miyakawa, 1985, <i>Psilarthroides</i>	259
hunanensis Browne, 1983, <i>Ambrosiophilus</i>	242
hunanicus Legalov, 2007, <i>Auletobius</i>	110
hunanicus Legalov, 2007, <i>Cyllorhynchites</i>	121
hunanicus Legalov, 2007, <i>Dicranognathus</i>	110
hunanicus Legalov, 2007, <i>Proelautobius</i>	126
<i>hungaricum</i> Desbrochers des Loges, 1894, <i>Exapion</i>	158
hustachei Zumpt, 1937, <i>Brachycerus</i>	183
hyalinus Zherikhin, 1972, <i>Hypophyes</i>	178
hybridus Schedl, 1935, <i>Platypus</i>	203
hydrolapathi Marsham, 1802, <i>Perapion</i>	151
hydropicum Wencker, 1864, <i>Eutrichapion</i>	166
<i>hypocrita</i> Bedel, 1874, <i>Brachycerus</i>	184
<i>hypocrita</i> Boheman, 1845, <i>Sipalinus</i>	186
<i>hypoleuca</i> Marsham, 1802, <i>Limnobaris</i>	252
hypomelas Fairmaire, 1878, <i>Henicolabus</i>	135
<i>hystrix</i> Abeille de Perrin, 1894, <i>Cisurgus</i>	227
icari Osella, 1980, <i>Ubychia</i>	200
icosandriae Scopoli, 1763, <i>Rhynchites</i>	128
icosandriae Scopoli, 1763, <i>Temnocerus</i>	129
ignifer Fuente, 1901, <i>Aulacobaris</i>	253
<i>ignitus</i> Voss, 1953, <i>Rhynchites</i>	127
ignoratus Faust, 1884, <i>Arthrostenus</i>	193
ihai Nakane, 1963, <i>Anthinobaris</i>	252
ilicis O. G. Costa, 1839, <i>Attelabus</i>	135
<i>ilicis</i> Gené, 1839, <i>Eomesauletes</i>	111
illibata Faust, 1882, <i>Notaris</i>	195
illibatus Voss, 1920, <i>Eusproda</i>	117
ilvense Wagner, 1905, <i>Perapion</i>	151
imitans Eichhoff, 1876, <i>Eidophelus</i>	219

<i>imitans</i> Eggers, 1927, <i>Euwallacea</i>	244
<i>imitans</i> Eggers, 1926, <i>Sphaerotrypes</i>	204
<i>imitator</i> Sokanovskiy, 1958, <i>Alniphagus</i>	206
<i>imitator</i> Reitter, 1900, <i>Hylurgops</i>	206
<i>imitatus</i> Voss, 1941, <i>Leptapoderus</i>	132
<i>immaturus</i> Blackburn, 1885, <i>Xyleborus</i>	248
<i>immixtus</i> Voss, 1969, <i>Involvulus</i>	122
<i>immune</i> Kirby, 1808, <i>Pirapion</i>	170
<i>immunis</i> Say, 1831, <i>Sphenophorus</i>	191
<i>impar</i> Voss, 1941, <i>Parallelodemas</i>	260
<i>impariformis</i> Voss, 1960, <i>Nanophyes</i>	180
<i>impariporus</i> Beeson, 1937, <i>Carchesiopygus</i>	201
<i>imperfecta</i> Sharp, 1891, <i>Rhaphitropis</i>	103
<i>impostica</i> Pic, 1919, <i>Corimalia</i>	178
<i>impressicollis</i> Voss, 1938, <i>Taiwanorhynchites</i>	128
<i>impressidorsum</i> Desbrochers des Loges, 1896, <i>Ischnopterapion</i>	170
<i>impressifrons</i> Hopkins, 1915, <i>Trischidias</i>	226
<i>impressus</i> Fairmaire, 1900, <i>Byctiscus</i>	113
<i>impressus</i> O. E. Janson, 1893, <i>Diapus</i>	203
<i>impressus</i> Olivier, 1795, <i>Phloeosinus</i>	212
<i>impressus</i> Jordan, 1895, <i>Stiboderes</i>	101
<i>improbum</i> Sampson, 1913, <i>Cyclorhipidion</i>	243
<i>imprudens</i> Faust, 1885, <i>Notaris</i>	195
<i>impunctata</i> Stephens, 1831, <i>Aulacobaris</i>	253
<i>impunctata</i> Rey, 1893, <i>Corimalia</i>	177
<i>inaequalis</i> Shibata, 1984, <i>Melanopsacus</i>	106
<i>inaequalis</i> Allard, 1870, <i>Sphenophorus</i>	191
<i>inapertum</i> Desbrochers des Loges, 1897, <i>Diplapion</i>	156
<i>inarmatum</i> Korotyaev, 1985, <i>Aspidapion</i>	153
<i>inarmatum</i> Eggers, 1923, <i>Cyclorhipidion</i>	243
<i>inarmatum</i> Wollaston, 1860, <i>Liparthrum</i>	211
<i>inbalteatus</i> Legalov, 2007, <i>Leptapoderus</i>	132
<i>incana</i> Jordan, 1932, <i>Rhaphitropis</i>	103
<i>incanum</i> Boheman, 1839, <i>Squamapion</i>	161
<i>incanus</i> Stebbing, 1903, <i>Compsapoderus</i>	130
<i>incerta</i> Kleine, 1937, <i>Hypomiolispa</i>	148
<i>incerta</i> Shibata, 1963, <i>Phaulimia</i>	96
<i>incertum</i> Desbrochers des Loges, 1895, <i>Protapion</i>	173
<i>incertus</i> Desbrochers des Loges, 1871, <i>Brachycerus</i>	182
<i>incertus</i> Voss, 1958, <i>Caenorhinus</i>	116
<i>incertus</i> Günther, 1938, <i>Otidognathus</i>	188
<i>incisum</i> Boheman, 1839, <i>Pseudoprotapion</i>	176
<i>incisus</i> Senna, 1903, <i>Cyphagogus</i>	145
<i>incisus</i> Sharp, 1891, <i>Gibber</i>	103
<i>inconspicua</i> H. Brisout de Barneville, 1869, <i>Corimalia</i>	177
<i>inconspicuus</i> Wolfrum, 1948, <i>Caenophloeobius</i>	97
<i>incrassatum</i> Germar, 1817, <i>Squamapion</i>	162
<i>incultus</i> Gyllenhal, 1833, <i>Brachycerus</i>	184
<i>incultus</i> Yin, 2001, <i>Scolytogenes</i>	225
<i>incurvus</i> Eggers, 1930, <i>Leptoxyleborus</i>	245

<i>indentatus</i> Pic, 1934, <i>Theanellus</i>	197
<i>indica</i> Jordan, 1925, <i>Rhaphitropis</i>	103
<i>indicus</i> Voss, 1924, <i>Caenorhinus</i>	116
<i>indicus</i> Eggers, 1936, <i>Coccotrypes</i>	229
<i>indicus</i> Eichhoff, 1878, <i>Cryphalus</i>	218
<i>indicus</i> Stebbing, 1906, <i>Cryphalus</i>	219
<i>indicus</i> Legalov, 2003, <i>Cyllorhynchites</i>	121
<i>indicus</i> Stebbing, 1914, <i>Dryocoetes</i>	231
<i>indicus</i> Eichhoff, 1878, <i>Euwallacea</i>	244
<i>indicus</i> Wood, 1985, <i>Hylurgus</i>	208
<i>indicus</i> Legalov, 2003, <i>Neoeugnampius</i>	119
<i>indicus</i> Strohmeyer, 1910, <i>Platypus</i>	203
<i>indicus</i> Legalov, 2007, <i>Pseudomesauletes</i>	111
<i>indicus</i> Wood, 1986, <i>Pseudoxylechinus</i>	209
<i>indicus</i> Wood, 1989, <i>Scolytogenes</i>	225
<i>indigena</i> Voss, 1924, <i>Euops</i>	138
<i>indigenus</i> Wollaston, 1864, <i>Chaetoptelius</i>	208
<i>indigoferae</i> Wanat, 1990, <i>Pseudoconapion</i>	175
<i>indistinctum</i> Motschulsky, 1849, <i>Holotrichapion</i>	168
<i>indistinctus</i> Motschulsky, 1845, <i>Tanysphyrus</i>	198
<i>indochinensis</i> Jordan, 1916, <i>Acanthothorax</i>	94
<i>indochinensis</i> Jordan, 1923, <i>Asemorhinus</i>	98
<i>indochinensis</i> Voss, 1939, <i>Proelautobius</i>	126
<i>indocorus</i> Schedl, 1979, <i>Euwallacea</i>	245
<i>indostanus</i> Chevrolat, 1883, <i>Rhynchophorus</i>	189
<i>indubia</i> Voss, 1930, <i>Mecorhis</i>	125
<i>indus</i> Kirsch, 1875, <i>Orychodes</i>	143
<i>inermis</i> O. F. Müller, 1776, <i>Byctiscus</i>	113
<i>inermis</i> Nunberg, 1948, <i>Phloeosinus</i>	212
<i>inermis</i> Marsham, 1802, <i>Trypodendron</i>	251
<i>inermis</i> Eichhoff, 1868, <i>Xyleborus</i>	249
<i>inexpertum</i> Wagner, 1906, <i>Exapion</i>	158
<i>infans</i> Jordan, 1912, <i>Apatenia</i>	96
<i>inflatiostris</i> Voss, 1941, <i>Acythopeus</i>	260
<i>infucatus</i> Eichhoff, 1877, <i>Ips</i>	234
<i>infucatus</i> Eichhoff, 1878, <i>Ips</i>	234
<i>infuscatus</i> Murayama, 1937, <i>Dryocoetes</i>	231
<i>ingens</i> Schedl, 1942, <i>Hypothenemus</i>	223
<i>innotatithorax</i> Pic, 1919, <i>Allomalina</i>	177
<i>innotatum</i> Pic, 1908, <i>Phaenotherion</i>	95
<i>inopinatus</i> Osella, 1977, <i>Raymondiellus</i>	199
<i>inops</i> Eichhoff, 1872, <i>Hypocryphalus</i>	220
<i>inornata</i> Voss, 1937, <i>Baris</i>	255
<i>inornatus</i> Bach, 1854, <i>Phaeochrotes</i>	91
<i>inouyei</i> Nobuchi, 1959, <i>Hylurgops</i>	205
<i>inquisitor</i> Herbst, 1797, <i>Thryogenes</i>	197
<i>insculpticolle</i> Desbrochers des Loges, 1902, <i>Ceratapion</i>	156
<i>insensibilis</i> Shibata, 1969, <i>Litocerus</i>	100
<i>insidiosum</i> Desbrochers des Loges, 1875, <i>Hemitrichapion</i>	167
<i>insigne</i> Wolfrum, 1934, <i>Streneoderma</i>	104

insignicolle Desbrochers des Loges, 1891, <i>Oxystoma</i>	169
<i>insignis</i> Miller, 1861, <i>Brachycerus</i>	183
<i>insignis</i> Shibata, 1980, <i>Cedus</i>	99
<i>insignis</i> Morimoto, 1980, <i>Gonotropis</i>	100
<i>insignis</i> Lewis, 1883, <i>Pseudorychodes</i>	143
<i>insolita</i> Voss, 1924, <i>Mecorhis</i>	124
<i>insolitum</i> Desbrochers des Loges, 1870, <i>Ceratapion</i>	156
<i>insolitus</i> Bright, 1972, <i>Xyleborinus</i>	245
<i>inspectatus</i> Herbst, 1795, <i>Tanysphyrus</i>	198
<i>insquamipennis</i> Delahon, 1914, <i>Grypus</i>	194
<i>instabilis</i> Voss, 1941, <i>Neoeugnamptus</i>	119
<i>instructus</i> Frieser, 1983, <i>Tropideres</i>	101
<i>insularis</i> Kleine, 1922, <i>Ananesiotes</i>	142
<i>insularis</i> Desbrochers des Loges, 1892, <i>Baris</i>	254
<i>insularis</i> Sawada, 1993, <i>Caenorhinus</i>	115
<i>insularis</i> Eggers, 1940, <i>Coccotrypes</i>	229
<i>insularis</i> Eggers, 1940, <i>Coccotrypes</i>	229
<i>insularis</i> Morimoto & Miyakawa, 1985, <i>Dendrobaris</i>	260
<i>insularis</i> Perkins, 1900, <i>Hypothenemus</i>	223
<i>insularis</i> Faust, 1882, <i>Notaris</i>	195
<i>insularis</i> Osella, 1977, <i>Raymondiellus</i>	199
<i>insularis</i> Boheman, 1859, <i>Rhabdoscelus</i>	190
<i>insularis</i> Nobuchi, 1975, <i>Scolytogenes</i>	225
<i>insularis</i> Shibata, 1963, <i>Tropideres</i>	101
<i>insularis</i> Sharp, 1885, <i>Xyleborus</i>	247
<i>insularum</i> Krivolutskaya, 1968, <i>Ernoporicus</i>	220
<i>insularum</i> Beeson, 1940, <i>Ficicis</i>	206
<i>integer</i> Eichhoff, 1878, <i>Coccotrypes</i>	228
<i>intercalaris</i> Faust, 1885, <i>Baris</i>	255
<i>interjectum</i> Desbrochers des Loges, 1895, <i>Protapion</i>	174
<i>interjectus</i> Blandford, 1894, <i>Euwallacea</i>	244
<i>intermedia</i> Hustache, 1930, <i>Aulacobaris</i>	253
<i>intermedium</i> Desbrochers des Loges, 1908, <i>Ceratapion</i>	156
<i>intermedium</i> Eppelsheim, 1875, <i>Stenopterapion</i>	171
<i>intermedius</i> Voss, 1930, <i>Byctiscus</i>	113
<i>intermedius</i> Illiger, 1794, <i>Compsapoderus</i>	130
<i>intermedius</i> Ferrari, 1867, <i>Cryphalus</i>	218
<i>intermedius</i> Sampson, 1913, <i>Indocryphalus</i>	250
<i>intermedius</i> Günther, 1938, <i>Otidognathus</i>	188
<i>intermedius</i> Kurentsov, 1941, <i>Scolytus</i>	237
<i>intermedius</i> Sokanovskiy, 1960, <i>Scolytus</i>	239
<i>intermedius</i> Shibata, 1969, <i>Sintor</i>	98
<i>intermedius</i> Kleine, 1917, <i>Suborychodes</i>	143
<i>interpunctatus</i> Stephens, 1831, <i>Neocoenorrhinus</i>	125
<i>interruptecostatus</i> L. W. Schaufuss, 1885, <i>Rhabdoscelus</i>	190
<i>interruptostriata</i> Desbrochers des Loges, 1870, <i>Fremuthiella</i>	172
<i>interruptus</i> Reitter, 1889, <i>Allandrus</i>	91
<i>interruptus</i> Rey, 1894, <i>Brachycerus</i>	182
<i>interruptus</i> Voss, 1920, <i>Neocoenorrhinus</i>	125
<i>interruptus</i> Pascoe, 1885, <i>Synommatius</i>	192

<i>intersetosus</i> Eggers, 1928, <i>Hypothenemus</i>	223
<i>interstitiale</i> Boheman, 1839, <i>Pseudoperapion</i>	152
<i>interstitiale</i> Desbrochers des Loges, 1891, <i>Stenopterapion</i>	171
<i>interstitialis</i> Chapuis, 1875, <i>Hylurgops</i>	205
<i>interstitialis</i> Gyllenhal, 1838, <i>Scyphophorus</i>	190
<i>interstitialis</i> Desbrochers des Loges, 1869, <i>Tatianaerhynchites</i>	128
<i>interstitialis</i> Eichhoff, 1878, <i>Xyleborus</i>	249
<i>intextus</i> Beeson, 1930, <i>Euwallacea</i>	244
<i>intricatus</i> Ratzeburg, 1837, <i>Scolytus</i>	238
<i>intrusum</i> Gyllenhal, 1827, <i>Cyanapion</i>	165
<i>intrusus</i> Voss, 1956, <i>Isolabus</i>	136
<i>invenustus</i> Frieser, 1991, <i>Gibber</i>	103
<i>ipidia</i> Schedl, 1972, <i>Xyleborus</i>	248
<i>iranensis</i> Legalov, 2004, <i>Involvulus</i>	122
<i>iranica</i> Bajtenov & Fremuth, 1981, <i>Fremuthiella</i>	172
<i>iranica</i> Osella, 1986, <i>Ubychia</i>	200
<i>iranicus</i> Eggers, 1941, <i>Scolytus</i>	238
<i>iriei</i> Morimoto, 1980, <i>Allandrus</i>	91
<i>iriei</i> Morimoto, 1981, <i>Rhaphitropis</i>	103
<i>irkutense</i> Faust, 1888, <i>Taphrotopium</i>	157
<i>irkutensis</i> Faust, 1893, <i>Auletobius</i>	110
<i>irkutensis</i> Eggers, 1910, <i>Pityogenes</i>	235
<i>irregularis</i> Browne, 1970, <i>Genyocerus</i>	204
<i>irregularis</i> Kodrič, 1939, <i>Tarattostichus</i>	200
<i>ishidai</i> Niisima, 1909, <i>Xyleborus</i>	247
<i>ishigakiensis</i> Morimoto, 1978, <i>Araecerus</i>	105
<i>italicum</i> Desbrochers des Loges, 1904, <i>Eutrichapion</i>	166
<i>italicus</i> Voss, 1929, <i>Neocoenorrhinus</i>	125
<i>italicus</i> Osella, 1976, <i>Ruffodytes</i>	196
<i>italus</i> Eggers, 1940, <i>Dryocoetes</i>	231
<i>ito</i> Heller, 1910, <i>Calodromus</i>	145
<i>iwatensis</i> Morimoto, 1976, <i>Cyphagogus</i>	145
<i>izuensis</i> Murayama, 1952, <i>Coptodryas</i>	243
<i>izuensis</i> Nobuchi, 1959, <i>Phloeosinus</i>	212
<i>jablokovkhnzoriani</i> Bajtenov, 1982, <i>Ceratapion</i>	154
<i>jacobsoni</i> Wagner, 1910, <i>Perapion</i>	151
<i>jacobsoni</i> Spessivtsev, 1919, <i>Scolytus</i>	238
<i>jacqueti</i> Pic, 1935, <i>Nanophyes</i>	180
<i>jaffense</i> Desbrochers des Loges, 1896, <i>Catapion</i>	164
<i>jaintianus</i> Schedl, 1967, <i>Xylosandrus</i>	250
<i>jalappae</i> Letzner, 1849, <i>Scolytogenes</i>	225
<i>jandiacus</i> Enderlein, 1929, <i>Coleobothrus</i>	227
<i>jansoni</i> Roelofs, 1875, <i>Otidognathus</i>	188
<i>jansoni</i> Chapuis, 1865, <i>Platypus</i>	203
<i>janthina</i> Boheman, 1836, <i>Aulacobaris</i>	253
<i>japonica</i> Yoshihara & Morimoto, 1994, <i>Limnobaris</i>	251
<i>japonica</i> Shibata, 1978, <i>Rhaphitropis</i>	103
<i>japonica</i> Morimoto, 1981, <i>Unciferina</i>	104
<i>japonica</i> Sharp, 1891, <i>Xylinada</i>	102
<i>japonicola</i> Nakane, 1963, <i>Exillis</i>	102

<i>japonicus</i> Thunberg, 1815, <i>Araecerus</i>	105
<i>japonicus</i> Voss, 1922, <i>Auletobius</i>	110
<i>japonicus</i> Nakane, 1963, <i>Callipareius</i>	144
<i>japonicus</i> Shibata, 1963, <i>Cedus</i>	99
<i>japonicus</i> Eggers, 1926, <i>Coccotrypes</i>	229
<i>japonicus</i> Morimoto, 1979, <i>Dendropemon</i>	93
<i>japonicus</i> Konishi, 1963, <i>Dryophthorus</i>	185
<i>japonicus</i> Nobuchi, 1966, <i>Ernoporus</i>	220
<i>japonicus</i> Niisima, 1910, <i>Hypothenemus</i>	223
<i>japonicus</i> Niisima, 1909, <i>Ips</i>	234
<i>japonicus</i> Roelofs, 1879, <i>Nanophyes</i>	180
<i>japonicus</i> Morimoto, 1981, <i>Noxius</i>	103
<i>japonicus</i> Morimoto & Miyakawa, 1985, <i>Orthosinus</i>	192
<i>japonicus</i> Sharp, 1891, <i>Ozotomerus</i>	94
<i>japonicus</i> Voss, 1926, <i>Paroplapoderus</i>	141
<i>japonicus</i> Roelofs, 1874, <i>Piezotrachelus</i>	173
<i>japonicus</i> Nobuchi, 1974, <i>Pityogenes</i>	236
<i>japonicus</i> Nunberg, 1956, <i>Polygraphus</i>	214
<i>japonicus</i> Chapuis, 1876, <i>Scolytus</i>	238
<i>japonicus</i> Morimoto, 1958, <i>Temnocerus</i>	128
<i>japonicus</i> Morimoto, 1976, <i>Trachelizus</i>	148
<i>japonicus</i> Morimoto, 1999, <i>Trigonorhinus</i>	99
<i>japonicus</i> Roelofs, 1879, <i>Tropideres</i>	101
<i>japonicus</i> Nobuchi, 1981, <i>Xyleborus</i>	247
<i>jaroschewskii</i> Schevyrew, 1893, <i>Scolytus</i>	238
<i>javanus</i> Eggers, 1936, <i>Dryocoetiops</i>	231
<i>javanus</i> Eggers, 1923, <i>Ficicis</i>	206
<i>javanus</i> Kolbe, 1892, <i>Hoplopisthius</i>	146
<i>javanus</i> Eggers, 1908, <i>Hypothenemus</i>	224
<i>javanus</i> Chapuis, 1869, <i>Scolytus</i>	239
<i>jeholensis</i> Murayama, 1939, <i>Cryphalus</i>	218
<i>jekeli</i> Legalov, 2007, <i>Agomadaranus</i>	140
<i>jekeli</i> Legalov, 2007, <i>Hoplapoderus</i>	140
<i>jekeli</i> Legalov, 2002, <i>Isolabus</i>	136
<i>jekeli</i> Desbrochers des Loges, 1869, <i>Rhynchites</i>	127
<i>jekelii</i> Roelofs, 1874, <i>Apoderus</i>	129
<i>jelineki</i> Bajtenov & Fremuth, 1981, <i>Perapion</i>	151
<i>jemeniae</i> Schedl, 1975, <i>Thamnurgus</i>	233
<i>jezoensis</i> Inouye & Nobuchi, 1957, <i>Cryphalus</i>	218
<i>jezoensis</i> Niisima, 1909, <i>Polygraphus</i>	214
<i>jianxiensis</i> Legalov, 2007, <i>Proelautobius</i>	126
<i>jickelii</i> L. W. Schaufuss, 1876, <i>Amorphocephala</i>	144
<i>jingguensis</i> Liang & Sakurai, 2005, <i>Euops</i>	139
<i>jingpingensis</i> Liang, 1994, <i>Euscelophilus</i>	139
<i>jiriensis</i> Legalov, 2007, <i>Deporaus</i>	117
<i>jiuzhaiensis</i> Liang, 2005, <i>Euops</i>	139
<i>joannium</i> Ehret, 1997, <i>Phrissotrichum</i>	152
<i>jocosus</i> Sharp, 1891, <i>Xanthoderopygus</i>	105
<i>joffrei</i> Hustache, 1926, <i>Labiaticola</i>	257
<i>johanni</i> Korotyaev, 1988, <i>Aulacobaris</i>	253

<i>jonicus</i> Miller, 1862, <i>Labiaticola</i>	257
<i>jordanianum</i> Voss, 1965, <i>Squamapion</i>	162
<i>jubae</i> Wollaston, 1860, <i>Aphanarthrum</i>	227
<i>jubatus</i> Sampson, 1919, <i>Phloeosinus</i>	212
<i>jucunda</i> Reitter, 1910, <i>Limnobaris</i>	251
<i>jucundus</i> Blandford, 1894, <i>Pityophthorus</i>	216
<i>judaicum</i> Schilsky, 1906, <i>Exapion</i>	158
<i>judeichii</i> Kirsch, 1871, <i>Ips</i>	234
<i>juglandis</i> Blackman, 1922, <i>Hypothenemus</i>	223
<i>juglansis</i> Krivolutskaya, 1970, <i>Sphaerotrypes</i>	204
<i>jugransi</i> Niisima, 1913, <i>Cryphalus</i>	218
<i>jugransi</i> Tsai & Yin, 1966, <i>Sphaerotrypes</i>	204
<i>julonxueshanicus</i> Legalov, 2007, <i>Neoeugnampius</i>	119
<i>juncta</i> Pic, 1919, <i>Allomalina</i>	177
<i>juniperi</i> Boheman, 1839, <i>Hemitrichapion</i>	167
<i>juniperi</i> Chevrolat, 1860, <i>Nanodiscus</i>	179
<i>juniperi</i> Döbner, 1860, <i>Phloeosinus</i>	212
<i>junix</i> Lichtenstein, 1796, <i>Brachycerus</i>	183
<i>junnanicus</i> Sokanovskiy, 1959, <i>Hylurgops</i>	205
<i>junnanicus</i> Sokanovskiy, 1959, <i>Ips</i>	234
<i>junnanicus</i> Sokanovskiy, 1959, <i>Polygraphus</i>	214
<i>juraensis</i> Voss, 1969, <i>Mecorhis</i>	124
<i>jurinskii</i> Eggers, 1910, <i>Carphoborus</i>	213
<i>kabakovi</i> Aksentev, 1992, <i>Scolytoplatypus</i>	241
<i>kabei</i> Murayama, 1955, <i>Cyrtogenius</i>	230
<i>kabulense</i> Voss, 1969, <i>Catapion</i>	164
<i>kabylianus</i> Desbrochers des Loges, 1871, <i>Brachycerus</i>	183
<i>kabylianus</i> Pic, 1896, <i>Raymondiellus</i>	199
<i>kadoyamaensis</i> Murayama, 1934, <i>Microperus</i>	245
<i>kagoshimensis</i> Nobuchi, 1975, <i>Cryphalus</i>	218
<i>kaimochii</i> Nobuchi, 1981, <i>Polygraphus</i>	214
<i>kaimochii</i> Nobuchi, 1981, <i>Xyleborus</i>	248
<i>kalimpongensis</i> Maiti & Saha, 1989, <i>Hyorrhynchus</i>	210
<i>kalopanacis</i> Kurentsov, 1941, <i>Xyleborus</i>	249
<i>kalshoveni</i> Schedl, 1939, <i>Hypothenemus</i>	224
<i>kaltenbachii</i> Bach, 1849, <i>Thamnurgus</i>	233
<i>kamdeschense</i> Voss, 1959, <i>Holotrichapion</i>	168
<i>kamiyai</i> Morimoto, 1978, <i>Diocalandra</i>	186
<i>kamtschaticus</i> Motschulsky, 1845, <i>Apoderus</i>	129
<i>kandarensis</i> Hustache, 1946, <i>Squamapion</i>	161
<i>kangdingensis</i> Legalov, 2007, <i>Deporaus</i>	116
<i>kangdingensis</i> Legalov, 2007, <i>Involvulus</i>	123
<i>kansuensis</i> Legalov, 2007, <i>Leptapoderus</i>	132
<i>karamani</i> Reitter, 1913, <i>Cisurgus</i>	227
<i>karamani</i> Stierlin, 1886, <i>Doydirhynchus</i>	90
<i>karamatsu</i> Sawamoto, 1940, <i>Dryocoetes</i>	231
<i>karatavicum</i> Bajtenov, 1973, <i>Taphrotopium</i>	157
<i>kasaharai</i> Senoh & Matoba, 2002, <i>Xanthoderopygus</i>	105
<i>kasbekianum</i> Gerstaecker, 1854, <i>Ceratapion</i>	155
<i>kaschmirensis</i> Voss, 1960, <i>Grypus</i>	194

kashmirensis Schedl, 1958, <i>Scolytus</i>	238
<i>kasparyani</i> Korotyaev, 1988, <i>Apion</i>	149
<i>kasparyani</i> Korotyaev, 1988, <i>Bruchela</i>	108
kastecum Bajtenov, 1977, <i>Hemitrichapion</i>	167
kaszabi Korotyaev, 1994, <i>Aulacobaris</i>	253
kaszabi Strejček, 1973, <i>Bruchela</i>	108
kaszabi Zherikhin, 1976, <i>Corimalia</i>	177
<i>kaszabi</i> Ter-Minasian, 1971, <i>Eurostauletes</i>	111
<i>kaszabi</i> Voss, 1967, <i>Eutrichapion</i>	166
kathmanduensis Legalov, 2007, <i>Deporaus</i>	117
kathmanduensis Legalov, 2007, <i>Heterapoderus</i>	131
<i>katonis</i> Kôno, 1930, <i>Paratrachelophorus</i>	133
kaufmanni Reitter, 1897, <i>Aulacobaris</i>	253
<i>kaufmanni</i> Bokor, 1923, <i>Perapion</i>	151
kaulbacki Balfour-Browne, 1944, <i>Synapion</i>	172
kazakhstanicum Ter-Minasian, 1970, <i>Ceratapion</i>	155
kazantsevi Legalov, 2003, <i>Aspidobyctiscus</i>	112
kazantsevi Legalov, 2003, <i>Catalabus</i>	135
kazantsevi Legalov, 2003, <i>Eugnampius</i>	119
<i>keelungensis</i> Browne, 1985, <i>Platypus</i>	202
kefense Normand, 1921, <i>Helianthemapion</i>	150
kejvali Frieser, 1995, <i>Habrissus</i>	92
<i>kenedii</i> Bokor, 1923, <i>Ceratapion</i>	155
kepongi Schedl, 1953, <i>Dryocoetes</i>	231
kepongi Schedl, 1953, <i>Dryocoetiops</i>	231
kerzhneri Ter-Minasian, 1971, <i>Synapion</i>	172
khancaensis Egorov, 1996, <i>Tanysphyrus</i>	198
kharsu Voss, 1933, <i>Euops</i>	138
<i>khasianus</i> Murayama, 1959, <i>Tomicus</i>	209
<i>khinganensis</i> Murayama, 1943, <i>Anisandrus</i>	242
khuenburgii Kolenati, 1858, <i>Glaridorhinus</i>	198
kiboshi Nakane, 1963, <i>Anthinobaris</i>	252
kiesenwetteri Faust, 1890, <i>Aulacobaris</i>	253
<i>kiesenwetteri</i> Desbrochers des Loges, 1870, <i>Exapion</i>	158
<i>kihige</i> Nakane, 1963, <i>Eutrichapion</i>	166
kimurai Shibata, 1969, <i>Litocerus</i>	100
<i>kindermanni</i> Desbrochers des Loges, 1869, <i>Lasiorrhynchites</i>	124
kinke Morimoto, 1978, <i>Melanopsacus</i>	106
<i>kirbii</i> Stephens, 1831, <i>Stenopterapion</i>	171
<i>kirbyi</i> Germar, 1818, <i>Stenopterapion</i>	171
kirgisicus Pyatnitskiy, 1931, <i>Pityophthorus</i>	216
kirishimanus Murayama, 1955, <i>Microperus</i>	245
<i>kiritschenkoi</i> Ter-Minasian, 1944, <i>Mecorhis</i>	125
kiritschenkoi Zaslavskij, 1956, <i>Baris</i>	255
<i>kirschi</i> Desbrochers des Loges, 1892, <i>Baris</i>	255
<i>kirschi</i> Faust, 1882, <i>Baris</i>	255
<i>kirschi</i> Desbrochers des Loges, 1870, <i>Hoplopodapion</i>	150
<i>kirschii</i> Skalitzky, 1876, <i>Scolytus</i>	238
kisilkumia Bajtenov, 1974, <i>Baris</i>	255
kisoensis Niisima, 1941, <i>Polygraphus</i>	214

kiushuensis Murayama, 1955, <i>Phloeosinus</i>	212
kiushuensis Murayama, 1936, <i>Platypus</i>	203
klapperichi Kleine, 1950, <i>Agriorrhynchus</i>	142
klapperichi Voss, 1941, <i>Caenorhinus</i>	115
klapperichi Wanat, 1995, <i>Ceratapion</i>	155
klapperichi Schedl, 1955, <i>Cnestus</i>	242
klapperichi Schedl, 1953, <i>Coccotrypes</i>	229
klapperichi Voss, 1956, <i>Nassophasis</i>	190
klapperichi Wolfrum, 1948, <i>Peribathys</i>	101
klapperichi Schedl, 1941, <i>Platypus</i>	203
klapperichi Voss, 1941, <i>Pseudomesauletes</i>	111
klimeschi Eggers, 1915, <i>Trypophloeus</i>	226
<i>knabi</i> Hopkins, 1915, <i>Scolytogenes</i>	225
knirschi Breit, 1912, <i>Phaenotherion</i>	95
knoteki Reitter, 1898, <i>Pityophthorus</i>	216
kobdense Bajtenov, 1977, <i>Pseudoprotapion</i>	176
kocheri A. Hoffmann, 1953, <i>Theanellus</i>	197
<i>koebelei</i> Lea, 1910, <i>Ficicis</i>	206
<i>koebelei</i> Hopkins, 1915, <i>Hypothenemus</i>	223
<i>koenigi</i> Desbrochers des Loges, 1897, <i>Catapion</i>	164
<i>koenigi</i> Schevyrew, 1890, <i>Scolytus</i>	238
koestlini Dieckmann, 1989, <i>Catapion</i>	164
koestlini Schoen, 1993, <i>Hoplopodapion</i>	150
kojimai Morimoto, 1982, <i>Callipareius</i>	145
kojimai Murayama, 1936, <i>Xyleborus</i>	248
<i>kolenatii</i> Schoenherr, 1858, <i>Metapion</i>	163
koltzei Reitter, 1895, <i>Euparius</i>	92
<i>koltzei</i> Faust, 1892, <i>Limnobaris</i>	251
<i>koltzei</i> Reitter, 1894, <i>Scolytus</i>	238
komaroffi Faust, 1877, <i>Titanomalia</i>	178
konishii Shibata, 1987, <i>Choragus</i>	106
konishii Morimoto, 1985, <i>Dryophthorus</i>	185
konoj Legalov & Liu, 2005, <i>Aspidobyctiscus</i>	112
konoj Sawada & Morimoto, 1985, <i>Euops</i>	138
<i>kononovi</i> Kurentsov, 1941, <i>Scolytus</i>	240
konstantinovi Legalov, 2007, <i>Neoeugnamptus</i>	119
korbi Schilsky, 1904, <i>Bruchela</i>	108
korbi Schultze, 1900, <i>Labiaticola</i>	257
<i>korbi</i> Schilsky, 1901, <i>Metapion</i>	163
koreanum Korotyaev, 1987, <i>Pseudoconapion</i>	175
koreanus Voss, 1929, <i>Caenorhinus</i>	116
koreanus Sawada & Morimoto, 1985, <i>Euops</i>	138
koreanus Park & Morimoto, 1999, <i>Euparius</i>	92
<i>koreanus</i> Kôno, 1926, <i>Rhynchites</i>	127
korotyaevi Legalov, 2001, <i>Hemitrichapion</i>	167
<i>korotyaevi</i> Schoen, 1988, <i>Metapion</i>	163
koryoensis Murayama, 1930, <i>Platypus</i>	203
kosempoensis Janczyk, 1964, <i>Sphenocorynes</i>	190
<i>kostini</i> Sokanovskiy, 1954, <i>Scolytus</i>	238
kozikowskii Michalski, 1964, <i>Scolytus</i>	238

kozlovi Legalov, 2007, <i>Involvulus</i>	123
<i>kozlovi</i> Suvorov, 1915, <i>Rhynchites</i>	127
kozlovi Korotyaev, 1988, <i>Synapion</i>	172
kozuensis Morimoto & Miyakawa, 1985, <i>Moreobaris</i>	258
kraatzii Wencker, 1859, <i>Protopirapion</i>	171
kraatzii Eichhoff, 1864, <i>Pteleobius</i>	208
<i>kraatzii</i> Eichhoff, 1868, <i>Xyleborus</i>	248
kraunhiaie Murayama, 1950, <i>Hypothenemus</i>	224
kraunhiaie Niisima, 1910, <i>Xyleborus</i>	248
krausei Korotyaev, 1988, <i>Baris</i>	255
<i>kraussei</i> Wichmann, 1911, <i>Hypothenemus</i>	224
kresli Legalov, 2004, <i>Agomadaranus</i>	140
kresli Legalov, 2003, <i>Apoderus</i>	129
kresli Legalov, 2003, <i>Byctiscus</i>	113
kresli Legalov, 2004, <i>Henicolabus</i>	135
kresli Legalov, 2003, <i>Paratrachelophorus</i>	133
<i>krimaeus</i> Eggers, 1937, <i>Phloeosinus</i>	212
<i>krivolutskayae</i> Wood, 1992, <i>Ernoporicus</i>	220
krivolutzkajae Mandelshtam, 2001, <i>Dryocoetes</i>	231
<i>krivolutzkianus</i> Stark, 1956, <i>Polygraphus</i>	214
kroaticus Fuchs, 1912, <i>Hylastinus</i>	206
kruegeri Voss, 1927, <i>Pseudallapoderus</i>	137
kryzhanovskii Korotyaev, 1987, <i>Pseudaspidapion</i>	154
kryzhanovskii Zaslavskij, 1956, <i>Turkmenobaris</i>	259
kryzhanovskyi Legalov, 2003, <i>Agomadaranus</i>	140
kryzhanovskyi Legalov, 2009, <i>Pseudomesauletes</i>	111
kuanchenensis Legalov, 2007, <i>Paroplapoderus</i>	141
<i>kuatunanus</i> Voss, 1949, <i>Apoderus</i>	130
kuatunensis Voss, 1949, <i>Eugnampitobius</i>	118
kuatunensis Voss, 1958, <i>Piezotrachelus</i>	173
kuatunensis Voss, 1958, <i>Sphenophorus</i>	191
kubani Legalov, 2007, <i>Eugnampitobius</i>	119
kubanicus Arzanov, 2005, <i>Brachycerus</i>	183
kuchenbeisseri Hartmann, 1899, <i>Ulobaris</i>	259
kuchtae Frieser, 1955, <i>Phaenotherion</i>	95
kueenburgorum Reitter, 1898, <i>Euprotapion</i>	172
kumamotoensis Niisima, 1917, <i>Cyrtogenius</i>	230
kumamotoensis Murayama, 1955, <i>Phloeosinus</i>	212
kumamotoensis Murayama, 1934, <i>Xyleborus</i>	248
kumanoensis Nobuchi, 1985, <i>Xyleborus</i>	248
kumei Yoshihara & Morimoto, 1997, <i>Calyptopygus</i>	256
<i>kunala</i> Strohmeyer, 1908, <i>Scolytoplatypus</i>	240
kundensis Legalov, 2007, <i>Mecorhis</i>	125
kuniyoshii Morimoto, 1978, <i>Cryptoderma</i>	185
kuniyoshii Nobuchi, 1959, <i>Orthotomicus</i>	234
kunmingensis Liang, 1994, <i>Euscelophilus</i>	139
<i>kunzei</i> Boheman, 1839, <i>Synapion</i>	172
kuraense Bajtenov, 1982, <i>Perapion</i>	151
kurdaica Bajtenov, 1981, <i>Fremuthiella</i>	172
kurentzovi Egorov, 1976, <i>Dendrobaris</i>	260

<i>kurentzovi</i> Krivolutskaya, 1996, <i>Pityophthorus</i>	216
<i>kurenzovi</i> Stark, 1936, <i>Cryphalus</i>	218
<i>kurenzovi</i> Nunberg, 1956, <i>Trypophloeus</i>	226
<i>kurenzovi</i> Schedl, 1959, <i>Trypophloeus</i>	226
<i>kurilensis</i> Krivolutskaya, 1968, <i>Cryphalus</i>	219
<i>kurilensis</i> Krivolutskaya, 1996, <i>Pseudohyorrhynchus</i>	210
<i>kurosawai</i> Senoh, 1986, <i>Phaulimia</i>	96
<i>kushkensis</i> Sokanovskiy, 1954, <i>Carphoborus</i>	213
<i>küsteri</i> Reitter, 1916, <i>Anthribus</i>	91
<i>kusuii</i> Morimoto, 1985, <i>Dryophthorus</i>	185
<i>kusuii</i> Shibata, 1978, <i>Jordanthribus</i>	94
<i>kusukusensis</i> Murayama, 1956, <i>Dinoplatypus</i>	202
<i>kuwanai</i> Yuasa, 1931, <i>Anthribus</i>	91
<i>kuznetzovi</i> Egorov, 1979, <i>Sphenophorus</i>	191
<i>kwangtseensis</i> Voss, 1958, <i>Nanophyes</i>	180
<i>kyotoensis</i> Nobuchi, 1966, <i>Cryphalus</i>	218
<i>kysilkumicum</i> Bajtenov, 1979, <i>Metapion</i>	163
<i>kyushuensis</i> Nakane, 1963, <i>Mecotropis</i>	97
<i>laborator</i> Kleine, 1918, <i>Leptamorphocephalus</i>	144
<i>laboulbenei</i> Decaux, 1890, <i>Coccotrypes</i>	229
<i>lacertense</i> Tottenham, 1941, <i>Ceratapion</i>	155
<i>lacteocaudatus</i> Fairmaire, 1889, <i>Eurymycter</i>	99
<i>lacunatus</i> Latreille, 1806, <i>Brachycerus</i>	184
<i>lacunipennis</i> Jekel, 1860, <i>Aspidobyctiscus</i>	112
<i>lacunosus</i> Voss, 1949, <i>Eugnampitobius</i>	119
<i>laenatus</i> Jordan, 1938, <i>Tropideres</i>	101
<i>laetus</i> Jordan, 1923, <i>Phloeobius</i>	97
<i>laetus</i> Germar, 1824, <i>Rhynchites</i>	127
<i>laetus</i> Niisima, 1909, <i>Xyleborus</i>	248
<i>laeve</i> Eggers, 1939, <i>Trypodendron</i>	250
<i>laevicolle</i> Kirby, 1811, <i>Protapion</i>	174
<i>laevicollis</i> Stephens, 1831, <i>Caenorhinus</i>	115
<i>laevicollis</i> Frieser, 1996, <i>Tropideres</i>	101
<i>laevicosta</i> R. A. Philippi & F. Philippi, 1864, <i>Sitophilus</i>	186
<i>laevigatum</i> Kirby, 1808, <i>Acentrotypus</i>	154
<i>laevigatum</i> Paykull, 1792, <i>Omphalapion</i>	157
<i>laevior</i> Faust, 1882, <i>Involvulus</i>	122
<i>laevipennis</i> Senna, 1896, <i>Cerobates</i>	146
<i>laevis</i> Eggers, 1923, <i>Euwallacea</i>	244
<i>laevis</i> Power, 1879, <i>Leptamorphocephalus</i>	144
<i>laevis</i> Chapuis, 1869, <i>Scolytus</i>	238
<i>laevithorax</i> Gyllenhal, 1833, <i>Perapion</i>	151
<i>laevithorax</i> Perris, 1876, <i>Raymondionymus</i>	200
<i>laeviusculum</i> Desbrochers des Loges, 1904, <i>Oxystoma</i>	169
<i>laferi</i> Egorov, 1986, <i>Ozotomerus</i>	94
<i>laferi</i> Egorov, 1978, <i>Psilarthroides</i>	259
<i>lagrecai</i> Osella, 1977, <i>Raymondiellus</i>	199
<i>lajievorus</i> Chao, 1976, <i>Anthribus</i>	91
<i>lampedusae</i> Doderö, 1916, <i>Alaocyba</i>	199
<i>lanciferum</i> Desbrochers des Loges, 1897, <i>Ceratapion</i>	155

<i>lancirostre</i> Chevrolat, 1859, <i>Ceratapion</i>	155
<i>landgrebei</i> Hochhuth, 1847, <i>Labiaticola</i>	257
<i>landgrebii</i> Hochhuth, 1847, <i>Labiaticola</i>	257
<i>laneyriei</i> Hervé, 1949, <i>Raymondionymus</i>	200
<i>languanus</i> Pic, 1929, <i>Physapoderus</i>	134
<i>languida</i> Boheman, 1845, <i>Corimalia</i>	178
<i>languidum</i> Gyllenhal, 1833, <i>Ischnopterapion</i>	171
<i>lanhsuanus</i> Shibata, 1982, <i>Acorynus</i>	99
<i>lanigerum</i> Gemminger, 1871, <i>Hemitrichapion</i>	167
<i>lantanae</i> Eggers, 1930, <i>Ambrosiodmus</i>	241
<i>lanuginosum</i> Wencker, 1864, <i>Hemitrichapion</i>	167
<i>laodioides</i> Nakane, 1963, <i>Eumycterus</i>	261
<i>lapathorum</i> Kirby, 1808, <i>Perapion</i>	151
<i>laportei</i> A. Hoffmann, 1960, <i>Pseudoperapion</i>	152
<i>lapponica</i> Faust, 1882, <i>Notaris</i>	195
<i>lapponicus</i> Kurentsov, 1941, <i>Pityophthorus</i>	216
<i>lapponicus</i> Stark, 1952, <i>Pityophthorus</i>	216
<i>largipennis</i> Toleda Piza, 1924, <i>Hypothenemus</i>	222
<i>laricis</i> Niisima, 1909, <i>Cryphalus</i>	218
<i>laricis</i> Fabricius, 1792, <i>Orthotomicus</i>	234
<i>larnacana</i> Pic, 1925, <i>Allomalialia</i>	177
<i>lasureum</i> Schilsky, 1901, <i>Helianthemapion</i>	150
<i>latecostatus</i> Kleine, 1916, <i>Mesoderes</i>	146
<i>latefasciata</i> Voss, 1958, <i>Athesapeuta</i>	260
<i>latefasciatus</i> Nakane, 1963, <i>Nessiiodocus</i>	100
<i>latemaculatus</i> Pic, 1900, <i>Nanomimus</i>	179
<i>latepallidus</i> Pic, 1919, <i>Nanophyes</i>	181
<i>laterale</i> Rosenhauer, 1847, <i>Microon</i>	179
<i>lateralis</i> Gyllenhal, 1833, <i>Brachycerus</i>	182
<i>lateralis</i> Fåhraeus, 1845, <i>Cercidocerus</i>	189
<i>lateralis</i> Motschulsky, 1875, <i>Tropideres</i>	101
<i>latesquamatum</i> Wanat, 1997, <i>Squamapion</i>	161
<i>lathyri</i> Kirby, 1808, <i>Eutrichapion</i>	166
<i>latialis</i> Osella, 1977, <i>Raymondiellus</i>	199
<i>laticeps</i> Desbrochers des Loges, 1870, <i>Tatyanapion</i>	170
<i>laticolle</i> Perris, 1858, <i>Pseudoprotapion</i>	176
<i>laticollis</i> Wollaston, 1865, <i>Aphanarthrum</i>	227
<i>laticollis</i> Blandford, 1894, <i>Hylesinus</i>	207
<i>laticollis</i> Marsham, 1802, <i>Melanobaris</i>	258
<i>laticollis</i> Eggers, 1926, <i>Polygraphus</i>	214
<i>laticollis</i> Blandford, 1896, <i>Xyleborinus</i>	245
<i>laticorne</i> Jordan, 1928, <i>Androceras</i>	99
<i>laticostatis</i> Kleine, 1920, <i>Cerobates</i>	146
<i>latifolium</i> Frieser, 1980, <i>Phaenotheriosoma</i>	95
<i>latifrons</i> Pic, 1897, <i>Corimalia</i>	177
<i>latipennis</i> Jekel, 1860, <i>Phymatapoderus</i>	141
<i>latirostris</i> Sharp, 1891, <i>Acorynus</i>	99
<i>latirostris</i> Gyllenhal, 1833, <i>Baryrhynchus</i>	142
<i>latirostris</i> Power, 1879, <i>Perisymphocerus</i>	144
<i>latirostris</i> Fabricius, 1775, <i>Platyrhinus</i>	96

<i>latirostris</i> Iablokoff-Khnzorian, 1964, <i>Xeronoma</i>	197
<i>latispinosus</i> Voss, 1929, <i>Lamprolabus</i>	136
<i>latithorax</i> Desbrochers des Loges, 1895, <i>Squamapion</i>	161
<i>latro</i> Gyllenhal, 1833, <i>Brachycerus</i>	182
<i>latus</i> Eggers, 1929, <i>Cryphalus</i>	218
<i>latus</i> Wichmann, 1916, <i>Phloeotribus</i>	212
<i>latus</i> Legalov, 2007, <i>Pseudomesauletes</i>	111
<i>laudabile</i> Faust, 1891, <i>Pseudaplemonus</i>	152
<i>laufferi</i> Schilsky, 1906, <i>Exapion</i>	159
<i>laurivorum</i> Schedl, 1968, <i>Liparthrum</i>	211
<i>lavagnei</i> Mayet, 1898, <i>Raymondionymus</i>	200
<i>laxa</i> Sharp, 1891, <i>Sphinctotropis</i>	100
<i>leachii</i> Stephens, 1831, <i>Protapion</i>	175
<i>lebedevi</i> Roubal, 1929, <i>Cosmobaris</i>	256
<i>lebronneci</i> Beeson, 1935, <i>Hypothenemus</i>	222
<i>lecontei</i> Hopkins, 1915, <i>Hypothenemus</i>	222
<i>lederi</i> Reitter, 1889, <i>Ernoporus</i>	220
<i>lederi</i> Faust, 1882, <i>Notaris</i>	195
<i>lederi</i> Kirsch, 1878, <i>Protapion</i>	174
<i>legalovi</i> Alonso-Zarazaga, 2011, <i>Involvulus</i>	122
<i>lemnae</i> Paykull, 1792, <i>Tanysphyrus</i>	198
<i>lemoroi</i> C. N. F. Brisout de Barneville, 1880, <i>Perapion</i>	150
<i>lemovicinum</i> A. Hoffmann, 1929, <i>Exapion</i>	159
<i>lenaefiformis</i> Ter-Minasian, 1966, <i>Rhynchites</i>	127
<i>lenaeus</i> Faust, 1891, <i>Rhynchites</i>	127
<i>lenense</i> Schilsky, 1906, <i>Hemitrichapion</i>	167
<i>lenkoranus</i> Eggers, 1942, <i>Scolytus</i>	238
<i>lenkoranus</i> Reitter, 1913, <i>Taphrorychus</i>	232
<i>leonhardi</i> Eggers, 1912, <i>Dryocoetes</i>	230
<i>leonhardi</i> Reitter, 1903, <i>Phrissotrichum</i>	152
<i>leonhardi</i> Reitter, 1914, <i>Ubychia</i>	200
<i>leonii</i> Eggers, 1908, <i>Scolytus</i>	240
<i>lepidii</i> Germar, 1824, <i>Aulacobaris</i>	253
<i>lepidopterum</i> Wagner, 1912, <i>Metapion</i>	163
<i>lepidulus</i> Voss, 1927, <i>Compsapoderus</i>	130
<i>lepidus</i> Voss, 1930, <i>Cneminvolvulus</i>	120
<i>lepidus</i> Voss, 1938, <i>Cneminvolvulus</i>	120
<i>lepidus</i> Chapuis, 1865, <i>Dinoplatypus</i>	202
<i>lepineyi</i> Balachowsky, 1949, <i>Triotemnus</i>	233
<i>lepocrinus</i> Tsai & Li, 1963, <i>Cryphalus</i>	218
<i>leprieuri</i> Wencker, 1864, <i>Ischnoptera</i>	170
<i>leprieuri</i> Pic, 1919, <i>Nanophyes</i>	181
<i>leprieurii</i> Perris, 1866, <i>Hypothenemus</i>	224
<i>lepticornis</i> Jordan, 1912, <i>Phloeobius</i>	97
<i>leptocephalum</i> Aubé, 1850, <i>Holotrichapion</i>	168
<i>lepturoides</i> Fabricius, 1801, <i>Nemonyx</i>	90
<i>lesinensis</i> Voss, 1933, <i>Lasiorhynchites</i>	123
<i>lesnei</i> Schilsky, 1906, <i>Protapion</i>	174
<i>lespedezae</i> Sharp, 1889, <i>Euops</i>	138
<i>lethierryi</i> Chevrolat, 1860, <i>Apachiscelus</i>	193

lethierryi Desbrochers des Loges, 1870, <i>Hemitrichapion</i>	167
<i>lethierryi</i> Desbrochers des Loges, 1892, <i>Melanobaris</i>	258
letourneuxi Pic, 1919, <i>Corimalia</i>	177
leucophaeatum Wencker, 1864, <i>Squamapion</i>	161
leucopis Jordan, 1928, <i>Exechesops</i>	102
leucoscutellata Voss, 1932, <i>Mecorhis</i>	125
<i>leucozonius</i> Gmelin, 1790, <i>Nanophyes</i>	181
<i>leukoranus</i> Pic, 1919, <i>Nanophyes</i>	181
levantinus Thompson, 2006, <i>Procas</i>	196
levipennis Jordan, 1924, <i>Araecerus</i>	105
<i>lewekianus</i> Eggers, 1923, <i>Ambrosiodmus</i>	241
lewisi Blandford, 1894, <i>Ambrosiodmus</i>	241
lewisi Sharp, 1891, <i>Apolecta</i>	104
lewisi Legalov, 2007, <i>Deporaus</i>	117
lewisi Blandford, 1894, <i>Hyorrhynchus</i>	210
lewisi Chapuis, 1876, <i>Phloeosinus</i>	212
lewisi Blandford, 1894, <i>Platypus</i>	203
lewisii Sharp, 1889, <i>Henicolabus</i>	135
<i>lezhavai</i> Pyatnitskiy, 1929, <i>Hypothenemus</i>	223
<i>libani</i> Balachowsky, 1969, <i>Phloeosinus</i>	211
libanicola Pic, 1900, <i>Baris</i>	255
libanicum Desbrochers des Loges, 1895, <i>Protapion</i>	174
<i>liberiensis</i> Hopkins, 1915, <i>Coccotrypes</i>	228
<i>libertinus</i> Fåhraeus, 1840, <i>Brachycerus</i>	182
libicum Wanat, 1995, <i>Ceratapion</i>	155
<i>librocedri</i> Swaine, 1934, <i>Xyleborinus</i>	246
licens Reitter, 1895, <i>Aulacobaris</i>	253
lichtensteinii Ratzeburg, 1837, <i>Pityophthorus</i>	217
liebmanni Schubert, 1958, <i>Pseudoperapion</i>	152
liesenfeldti Voss, 1956, <i>Cneminvolvulus</i>	121
ligniperda Fabricius, 1787, <i>Hylurgus</i>	208
lignographus Schedl, 1953, <i>Xyleborus</i>	248
liguricum Solari & Solari, 1905, <i>Exapion</i>	159
lijiangensis Legalov, 2007, <i>Neoeugnamptus</i>	119
<i>likiangensis</i> Tsai & Hwang, 1964, <i>Hylurgops</i>	206
<i>likiangensis</i> Tsai & Yin, 1965, <i>Polygraphus</i>	215
<i>liliputanus</i> H. Brisout de Barneville, 1869, <i>Hypophyes</i>	178
limbata H. Brisout de Barneville, 1870, <i>Baris</i>	255
<i>limbatum</i> Fabricius, 1787, <i>Trypodendron</i>	250
liminaris Harris, 1852, <i>Phloeotribus</i>	213
<i>limoniastri</i> Flach, 1908, <i>Pseudaplemonus</i>	152
limonii Kirby, 1808, <i>Pseudaplemonus</i>	152
linanensis Legalov, 2003, <i>Neoeugnamptus</i>	119
<i>lindbergi</i> Wagner, 1943, <i>Tatyanapion</i>	170
<i>lindbergi</i> A. Hoffmann, 1963, <i>Trigonorhinus</i>	99
lindemannae Voss, 1960, <i>Piezotrachelus</i>	173
<i>linderi</i> Wencker, 1858, <i>Protapion</i>	175
<i>linearis</i> Eggers, 1941, <i>Coccotrypes</i>	229
<i>linearis</i> Erichson, 1836, <i>Hylastes</i>	205
<i>linearis</i> Herbst, 1795, <i>Sitophilus</i>	187

<i>linearis</i> Schedl, 1949, <i>Xyleborus</i>	247
<i>lineaticollis</i> Heller, 1912, <i>Rhabdoscelus</i>	190
<i>lineatifrons</i> Hopkins, 1915, <i>Hypothenemus</i>	223
<i>lineatithorax</i> Pic, 1901, <i>Nanomimus</i>	180
<i>lineatosignatus</i> Kleine, 1939, <i>Callipareius</i>	144
<i>lineatum</i> Eggers, 1930, <i>Cyclorhipidion</i>	243
<i>lineatum</i> Olivier, 1795, <i>Trypodendron</i>	250
<i>lineatus</i> Pic, 1940, <i>Arthrostenus</i>	193
<i>lineatus</i> Kurentsov, 1941, <i>Scolytus</i>	239
<i>lineigera</i> Guillebeau, 1893, <i>Phloeotribus</i>	213
<i>lipingensis</i> Tsai & Li, 1959, <i>Cryphalus</i>	218
<i>lipperti</i> Henschel, 1885, <i>Pityogenes</i>	235
<i>liquidambarae</i> Wood, 1954, <i>Hypothenemus</i>	224
<i>litigiosum</i> Wencker, 1864, <i>Podapion</i>	176
<i>litigiosus</i> Desbrochers des Loges, 1892, <i>Labiaticola</i>	257
<i>litseae</i> Browne, 1949, <i>Phloeocranus</i>	211
<i>livescens</i> Voss, 1929, <i>Neocoenorrhinus</i>	125
<i>livescerum</i> Gyllenhal, 1833, <i>Hemitrichapion</i>	167
<i>liveus</i> Voss, 1938, <i>Montaninvolvulus</i>	125
<i>lividus</i> Olivier, 1789, <i>Cercomorphus</i>	109
<i>lividus</i> Vitale, 1905, <i>Lasiorhynchites</i>	123
<i>lixoides</i> Gyllenhal, 1836, <i>Brachygyius</i>	198
<i>lixoides</i> Gyllenhal, 1835, <i>Brachygyius</i>	198
<i>lizipingensis</i> Legalov, 2007, <i>Deporaus</i>	116
<i>ljaodunensis</i> Zaslavskij, 1956, <i>Anthinobaris</i>	252
<i>lobacanthus</i> Schedl, 1969, <i>Carchesiopygus</i>	201
<i>lobirostre</i> Reitter, 1901, <i>Loborhynchapion</i>	169
<i>lodosi</i> A. Hoffmann, 1954, <i>Catapion</i>	164
<i>lodosi</i> Voss, 1973, <i>Perrhynchites</i>	126
<i>loebli</i> Frieser, 1978, <i>Phaenotheriosoma</i>	95
<i>loevendali</i> Eggers, 1912, <i>Scolytus</i>	238
<i>logunovi</i> Legalov, 1999, <i>Neobaris</i>	259
<i>longa</i> Allard, 1868, <i>Bruchela</i>	108
<i>longehirtus</i> Fairmaire, 1882, <i>Cneminvolvulus</i>	120
<i>longemaculatus</i> Pic, 1919, <i>Nanophyes</i>	181
<i>longiceps</i> Schilsky, 1906, <i>Ceratapion</i>	155
<i>longiceps</i> Motschulsky, 1860, <i>Paracynotrachelus</i>	133
<i>longiceps</i> C. G. Thomson, 1888, <i>Temnocerus</i>	128
<i>longiclava</i> Desbrochers des Loges, 1897, <i>Ceratapion</i>	155
<i>longiclavoides</i> Legalov, 2007, <i>Bicolorhynchus</i>	120
<i>longicollis</i> Faust, 1890, <i>Baris</i>	255
<i>longicollis</i> Wollaston, 1864, <i>Dactylotrypes</i>	230
<i>longicollis</i> Eggers, 1941, <i>Dryocoetes</i>	230
<i>longicollis</i> Fairmaire, 1894, <i>Isolabus</i>	136
<i>longicollis</i> Olivier, 1807, <i>Odoiporus</i>	190
<i>longicollis</i> Gyllenhal, 1827, <i>Orthotomicus</i>	235
<i>longicollis</i> Faust, 1898, <i>Pseudomesauletes</i>	111
<i>longicollis</i> Perris, 1869, <i>Raymondionymus</i>	200
<i>longicollis</i> Faust, 1895, <i>Tetratopos</i>	191
<i>longicollis</i> Pic, 1897, <i>Theryus</i>	259

<i>longicollis</i> Peyerimhoff, 1925, <i>Triotemnus</i>	233
<i>longicornis</i> Pascoe, 1860, <i>Exillis</i>	102
<i>longicornis</i> Pascoe, 1887, <i>Ischnomerus</i>	147
<i>longicornis</i> Roelofs, 1874, <i>Paratrachelophorus</i>	133
<i>longicus</i> Park, 2001, <i>Platystomos</i>	97
<i>longifolia</i> Stebbing, 1909, <i>Ips</i>	234
<i>longifolia</i> Stebbing, 1903, <i>Liparthrum</i>	211
<i>longifolia</i> Stebbing, 1903, <i>Polygraphus</i>	214
<i>longimanum</i> Mulsant & Rey, 1858, <i>Protapion</i>	173
<i>longimanus</i> Fabricius, 1775, <i>Cyrtotrachelus</i>	188
<i>longimanus</i> Gebler, 1830, <i>Eurostauletes</i>	111
<i>longior</i> Eggers, 1927, <i>Coccotrypes</i>	229
<i>longipes</i> Israelson, 1972, <i>Aphanarthrum</i>	226
<i>longipes</i> Fabricius, 1781, <i>Cyrtotrachelus</i>	188
<i>longipes</i> Gyllenhal, 1839, <i>Eurostauletes</i>	111
<i>longipes</i> Wollaston, 1864, <i>Eutrichapion</i>	166
<i>longipes</i> Sharp, 1891, <i>Habrissus</i>	92
<i>longipes</i> Drury, 1773, <i>Macrocheirus</i>	188
<i>longipilis</i> Pic, 1919, <i>Nanophyes</i>	180
<i>longipilis</i> Fairmaire, 1877, <i>Trichocaulus</i>	193
<i>longipillus</i> Reitter, 1895, <i>Hylurgops</i>	206
<i>longipilus</i> Eggers, 1926, <i>Xyleborus</i>	248
<i>longirostre</i> Gravenhorst, 1807, <i>Podapion</i>	176
<i>longirostre</i> Olivier, 1807, <i>Rhopalapion</i>	163
<i>longirostris</i> Legalov, 2007, <i>Auletobius</i>	110
<i>longirostris</i> Senna, 1898, <i>Cerobates</i>	146
<i>longirostris</i> Bach, 1854, <i>Neocoenorrhinus</i>	126
<i>longirostris</i> Stephens, 1831, <i>Neocoenorrhinus</i>	125
<i>longirostris</i> Gyllenhal, 1833, <i>Prophthalmus</i>	143
<i>longisetosus</i> Nobuchi, 1975, <i>Cryphalus</i>	218
<i>longispinus</i> Xie & Liang, 2008, <i>Euscelophilus</i>	139
<i>longispinus</i> X.-C. Zhang, 1993, <i>Trachelolabus</i>	140
<i>longithorax</i> Desbrochers des Loges, 1889, <i>Apion</i>	149
<i>longitubus</i> Desbrochers des Loges, 1889, <i>Squamapion</i>	161
<i>longulum</i> Desbrochers des Loges, 1875, <i>Exapion</i>	158
<i>longulum</i> Eichhoff, 1869, <i>Monarthrum</i>	215
<i>longulus</i> Senna, 1898, <i>Cyphagogus</i>	145
<i>longulus</i> Wollaston, 1864, <i>Dieckmanniellus</i>	179
<i>longulus</i> Legalov & Liu, 2005, <i>Humerilabus</i>	136
<i>longulus</i> Kolenati, 1846, <i>Hylurgus</i>	208
<i>longulus</i> Sokanovskiy, 1954, <i>Pityophthorus</i>	217
<i>longus</i> Eggers, 1926, <i>Cryphalus</i>	218
<i>lopatini</i> Ter-Minasian, 1963, <i>Hoplopodapion</i>	150
<i>lopatini</i> Ter-Minasian, 1968, <i>Rhynchites</i>	128
<i>lopchuensis</i> Schedl, 1969, <i>Platypus</i>	203
<i>lopchuensis</i> Maiti & Saha, 2009, <i>Scolytoplatypus</i>	240
<i>lopezi</i> A. Hoffmann, 1957, <i>Perapion</i>	151
<i>lorata</i> G. A. K. Marshall, 1911, <i>Aegyptobaris</i>	252
<i>loratus</i> Jordan, 1936, <i>Hucus</i>	100
<i>loricata</i> Boheman, 1836, <i>Ulobaris</i>	259

<i>loti</i> Gyllenhal, 1813, <i>Ischnopterapion</i>	171
<i>loti</i> Kirby, 1808, <i>Ischnopterapion</i>	170
<i>lowei</i> Paiva, 1861, <i>Hylastes</i>	205
<i>lowei</i> Wollaston, 1862, <i>Liparthrum</i>	211
<i>lubarskii</i> Stark, 1936, <i>Hylesinus</i>	207
<i>lucasi</i> Hopkins, 1915, <i>Hypothenemus</i>	224
<i>lucasi</i> Pic, 1900, <i>Pericartiellus</i>	181
<i>lucidithorax</i> Desbrochers des Loges, 1896, <i>Holotrichapion</i>	168
<i>lucidus</i> Voss, 1930, <i>Byctiscus</i>	113
<i>luctuosus</i> Voss, 1938, <i>Deporaus</i>	117
<i>luczotii</i> Boheman, 1844, <i>Aulacobaris</i>	253
<i>ludyi</i> Reitter, 1890, <i>Apoderus</i>	129
<i>lugubris</i> Faust, 1889, <i>Pseudopiezotrachelus</i>	175
<i>lukjanovitschi</i> Ter-Minasian, 1944, <i>Neocoenorrhinus</i>	125
<i>lukjanovitshi</i> Zherikhin, 1991, <i>Corimalia</i>	177
<i>lukjanovitshi</i> Korotyaev, 1988, <i>Squamapion</i>	161
<i>lumlensis</i> Legalov, 2003, <i>Auletobius</i>	110
<i>lunanfensis</i> Legalov, 2007, <i>Compsapoderus</i>	130
<i>lunatulus</i> Browne, 1980, <i>Platypus</i>	203
<i>luniger</i> Motschulsky, 1863, <i>Dinoplatypus</i>	202
<i>lunlinensis</i> Legalov, 2003, <i>Eugnampitobius</i>	118
<i>lunulata</i> Wollaston, 1863, <i>Corimalia</i>	177
<i>lupulus</i> Sawada, 1993, <i>Cneminvolvulus</i>	120
<i>luridus</i> Wollaston, 1860, <i>Coleobothrus</i>	227
<i>luridus</i> Boheman, 1845, <i>Lasiorrhynchites</i>	123
<i>lushuensis</i> Legalov & Liu, 2005, <i>Euops</i>	138
<i>lusitanica</i> Osella, 1971, <i>Coiffaitiella</i>	199
<i>luteae</i> Peyerimhoff, 1929, <i>Bruchela</i>	108
<i>luteago</i> Jordan, 1930, <i>Tropideres</i>	101
<i>luteibasis</i> Voss, 1935, <i>Compsapoderus</i>	130
<i>luteipes</i> Reitter, 1897, <i>Bruchela</i>	108
<i>luteonotatus</i> Pic, 1919, <i>Pericartiellus</i>	182
<i>luteoplicatus</i> Pic, 1929, <i>Leptapoderus</i>	133
<i>lutescens</i> Schilsky, 1903, <i>Doydirhynchus</i>	90
<i>luteus</i> Blandford, 1894, <i>Cyrtogenius</i>	230
<i>lutosa</i> Jordan, 1895, <i>Basitropis</i>	92
<i>lutosus</i> Gyllenhal, 1833, <i>Brachycerus</i>	183
<i>lutulentus</i> Gyllenhal, 1833, <i>Brachycerus</i>	183
<i>lutulentus</i> Frieser, 1996, <i>Tropideres</i>	101
<i>luzonicus</i> Eggers, 1923, <i>Xylosandrus</i>	250
<i>lymexylon</i> Fabricius, 1792, <i>Dryophthorus</i>	185
<i>lyrae</i> Vitale, 1905, <i>Brachycerus</i>	184
<i>lythri</i> Fabricius, 1787, <i>Nanophyes</i>	181
<i>lythri</i> Piller & Mitterpacher, 1783, <i>Nanophyes</i>	181
<i>maassi</i> Flach, 1908, <i>Aizobius</i>	149
<i>machili</i> Beeson, 1937, <i>Crossotarsus</i>	201
<i>machili</i> Wood, 1988, <i>Indocryphalus</i>	250
<i>machili</i> Niisima, 1910, <i>Xyleborus</i>	248
<i>machilus</i> Schedl, 1959, <i>Phloeosinus</i>	212
<i>machnovskii</i> Sokanovskiy, 1952, <i>Taphrorychus</i>	232

<i>macmahoni</i> Stebbing, 1909, <i>Hylesinus</i>	207
<i>macrocerus</i> Jordan, 1904, <i>Platystomos</i>	97
<i>macrographus</i> Eichhoff, 1881, <i>Pityophthorus</i>	216
<i>macrorrhynchum</i> Eppelsheim, 1888, <i>Ceratapion</i>	155
<i>macros</i> Legalov, 2004, <i>Byctiscus</i>	113
<i>maculata</i> Roelofs, 1879, <i>Dendrobaris</i>	260
<i>maculaticeps</i> Pic, 1929, <i>Corimalia</i>	177
<i>maculatus</i> Townson, 1797, <i>Baris</i>	254
<i>maculatus</i> Senna, 1903, <i>Carcinopisthius</i>	146
<i>maculatus</i> Browne, 1983, <i>Cnestus</i>	242
<i>maculatus</i> Tournier, 1868, <i>Hypophyes</i>	178
<i>maculatus</i> Pic, 1915, <i>Notodermus</i>	195
<i>maculatus</i> Gyllenhal, 1838, <i>Rhabdoscelus</i>	190
<i>maculatus</i> Matsumura, 1915, <i>Rhabdoscelus</i>	190
<i>maculicollis</i> Sharp, 1879, <i>Hypothenemus</i>	221
<i>maculicoxis</i> Desbrochers des Loges, 1897, <i>Protapion</i>	174
<i>maculipennis</i> Jacquelin du Val, 1854, <i>Aletinus</i>	110
<i>maculipennis</i> Voss, 1931, <i>Otidognathus</i>	188
<i>maculipennis</i> Voss, 1929, <i>Physapoderus</i>	134
<i>maculipes</i> Küster, 1845, <i>Attelabus</i>	134
<i>maculipes</i> Rey, 1893, <i>Nanomimus</i>	180
<i>maculithorax</i> Pic, 1897, <i>Hypophyes</i>	178
<i>maculithorax</i> Senoh, 1986, <i>Phaulimia</i>	96
<i>maculosa</i> Mulsant, 1858, <i>Rhaphitropis</i>	103
<i>maderensis</i> Wollaston, 1854, <i>Auletobius</i>	110
<i>maderensis</i> A. Hoffmann, 1938, <i>Cosmopolites</i>	189
<i>maedai</i> Shibata, 1986, <i>Deropygus</i>	105
<i>maenamii</i> Senoh, 1986, <i>Dissoleucas</i>	102
<i>maerkeli</i> Boheman, 1843, <i>Notaris</i>	195
<i>magnificus</i> Osella, 1977, <i>Raymondionymus</i>	200
<i>magnocularis</i> Yin, 2001, <i>Scolytogenes</i>	225
<i>magnus</i> Voss, 1925, <i>Isolabus</i>	136
<i>magnus</i> Murayama, 1956, <i>Polygraphus</i>	214
<i>magnus</i> Tsai & Yin, 1966, <i>Sphaerotrypes</i>	204
<i>magnus</i> Niisima, 1910, <i>Xyleborus</i>	248
<i>magyaricum</i> Györrffy, 1923, <i>Ceratapion</i>	155
<i>maiche</i> Eggers, 1942, <i>Anisandrus</i>	242
<i>mailleri</i> Eggers, 1912, <i>Scolytus</i>	237
<i>mairei</i> Peyerimhoff, 1923, <i>Aphanarthrum</i>	227
<i>mairei</i> Peyerimhoff, 1949, <i>Thamnurgus</i>	233
<i>majolae</i> Schatzmayr, 1933, <i>Lepidapion</i>	159
<i>major</i> Stebbing, 1903, <i>Cryphalus</i>	219
<i>major</i> Voss, 1932, <i>Exrhynchites</i>	118
<i>major</i> Eggers, 1944, <i>Hylurgops</i>	206
<i>major</i> Eggers, 1926, <i>Indocryphalus</i>	250
<i>major</i> Heller, 1899, <i>Odoiporus</i>	190
<i>major</i> Stebbing, 1903, <i>Polygraphus</i>	214
<i>major</i> Eggers, 1927, <i>Scolytogenes</i>	225
<i>major</i> Stebbing, 1903, <i>Scolytus</i>	238
<i>major</i> Roelofs, 1874, <i>Tanysphyrus</i>	198

<i>major</i> Eggers, 1943, <i>Tomicus</i>	209
<i>makiharai</i> Morimoto, 1978, <i>Melanopsacus</i>	106
<i>makiharai</i> Morimoto, 1976, <i>Trachelizus</i>	148
<i>makolskii</i> Smreczyński, 1957, <i>Tanysphyrus</i>	198
<i>malachitica</i> Chevrolat, 1860, <i>Aulacobaris</i>	253
<i>malayanus</i> Mantilleri, 2007, <i>Higonius</i>	147
<i>malayensis</i> Schedl, 1954, <i>Arixyleborus</i>	242
<i>malayensis</i> Schedl, 1936, <i>Hyledius</i>	211
<i>malefida</i> Frieser, 1997, <i>Rhaphitropis</i>	103
<i>mali</i> Hopkins, 1915, <i>Hypothenemus</i>	223
<i>mali</i> Fitch, 1856, <i>Monarthrum</i>	215
<i>mali</i> Bechstein, 1805, <i>Scolytus</i>	238
<i>malloti</i> Eggers, 1930, <i>Euwallacea</i>	244
<i>malus</i> Johraku, 1953, <i>Choragus</i>	106
<i>malus</i> Niisima, 1909, <i>Cryphalus</i>	219
<i>malvae</i> Fabricius, 1775, <i>Malvapion</i>	163
<i>malvarum</i> Kirby, 1808, <i>Pseudapion</i>	163
<i>manaliensis</i> Voss, 1920, <i>Allapoderus</i>	136
<i>manca</i> Frieser, 1996, <i>Rhaphitropis</i>	103
<i>mancus</i> Blandford, 1898, <i>Xylosandrus</i>	250
<i>mandibulare</i> Wollaston, 1854, <i>Liparthrum</i>	211
<i>mandli</i> Voss, 1931, <i>Cneminvolvulus</i>	120
<i>mandli</i> Schubert, 1959, <i>Melanapion</i>	160
<i>mandli</i> Eggers, 1922, <i>Scolytus</i>	238
<i>mandschurica</i> Voss, 1939, <i>Mecorhis</i>	125
<i>mandschurica</i> Voss, 1940, <i>Notaris</i>	195
<i>mandschuricus</i> Eggers, 1929, <i>Cryphalus</i>	219
<i>mandschuricus</i> Kleine, 1939, <i>Pseudorychodes</i>	143
<i>mandschuricus</i> Schedl, 1941, <i>Scolytus</i>	237
<i>mandshuricus</i> Eggers, 1922, <i>Hylesinus</i>	207
<i>mangiferae</i> Eggers, 1928, <i>Hypocryphalus</i>	220
<i>mangiferae</i> Stebbing, 1914, <i>Hypocryphalus</i>	220
<i>manglissiensis</i> Lezhava, 1940, <i>Scolytus</i>	239
<i>mannerheimi</i> Faust, 1881, <i>Grypus</i>	194
<i>mannerheimii</i> Hummel, 1823, <i>Caenorhinus</i>	115
<i>mannsfeldi</i> Wachtl, 1880, <i>Orthotomicus</i>	235
<i>manshinsis</i> Legalov, 2003, <i>Eugnampus</i>	119
<i>mansiensis</i> Legalov, 2007, <i>Caenorhinus</i>	115
<i>maracandica</i> Zaslavskij, 1956, <i>Baris</i>	255
<i>marani</i> Pfeffer, 1941, <i>Carphoborus</i>	213
<i>maraquensis</i> Voss, 1961, <i>Piezotrachelus</i>	173
<i>marchica</i> Herbst, 1797, <i>Rhaphitropis</i>	103
<i>marchicum</i> Herbst, 1797, <i>Perapion</i>	151
<i>marcuzzii</i> Osella, 1977, <i>Alaocyba</i>	199
<i>margelanicum</i> Wagner, 1912, <i>Stenopterapion</i>	171
<i>margelanicus</i> Faust, 1887, <i>Echinocnemus</i>	194
<i>margellanicus</i> Pic, 1919, <i>Dieckmanniellus</i>	179
<i>marginalis</i> Pic, 1898, <i>Attelabus</i>	134
<i>marginata</i> Schrank, 1798, <i>Mecorhis</i>	124
<i>marginatus</i> Faust, 1895, <i>Caenorhinus</i>	115

<i>marginatus</i> Pascoe, 1883, <i>Caenorhinus</i>	116
<i>marginatus</i> Duftschmid, 1825, <i>Hylurgops</i>	206
<i>marginatus</i> Eggers, 1927, <i>Leptoxyleborus</i>	245
<i>marginellus</i> Faust, 1898, <i>Caenorhinus</i>	115
<i>mariae</i> Formánek, 1911, <i>Podapion</i>	176
<i>marieae</i> Kresl, 2007, <i>Catalabus</i>	135
<i>mariei</i> A. Hoffmann, 1938, <i>Nanophyes</i>	180
<i>maritima</i> Roelofs, 1875, <i>Pteridobaris</i>	259
<i>maritimus</i> Stark, 1952, <i>Pityophthorus</i>	217
<i>markangensis</i> Tsai & Li, 1963, <i>Cryphalus</i>	219
<i>marketae</i> Knížek, 1998, <i>Pityokteines</i>	236
<i>marmoratus</i> Geoffroy, 1785, <i>Anthribus</i>	91
<i>marmoratus</i> Geoffroy, 1785, <i>Nanophyes</i>	181
<i>marmoratus</i> Gmelin, 1790, <i>Nanophyes</i>	181
<i>marmoratus</i> Goeze, 1777, <i>Nanophyes</i>	181
<i>marmoreus</i> Jordan, 1894, <i>Tropideres</i>	101
<i>maroccanum</i> Desbrochers des Loges, 1908, <i>Ischnopterapion</i>	171
<i>maroccanus</i> A. Hoffmann, 1953, <i>Auletobius</i>	110
<i>maroccanus</i> Guillebeau, 1896, <i>Phloeotribus</i>	213
<i>marovoayi</i> Schedl, 1953, <i>Hypothenemus</i>	224
<i>marqueti</i> Aubé, 1863, <i>Ferreria</i>	199
<i>marqueti</i> Wencker, 1859, <i>Hemitrichapion</i>	167
<i>marseuli</i> Wencker, 1864, <i>Perapion</i>	151
<i>marshalli</i> Legalov, 2009, <i>Aspidobyctiscus</i>	112
<i>marshami</i> Rye, 1868, <i>Dryocoetes</i>	230
<i>marshami</i> Stephens, 1831, <i>Oxystoma</i>	170
<i>marsi</i> Legalov, 2003, <i>Paratrachelophorus</i>	133
<i>martensi</i> Korotyaev, 1987, <i>Conapium</i>	172
<i>martialis</i> Pic, 1919, <i>Nanophyes</i>	181
<i>martini</i> H. Brisout de Barneville, 1883, <i>Corimalia</i>	177
<i>martiniquensis</i> Eggers, 1941, <i>Hypothenemus</i>	221
<i>martjanovi</i> Faust, 1891, <i>Pseudaplemonus</i>	152
<i>martula</i> J. R. Sahlberg, 1892, <i>Limnobaris</i>	252
<i>marylandicae</i> Hopkins, 1915, <i>Trischidias</i>	226
<i>mascarensis</i> Eichhoff, 1878, <i>Xyleborus</i>	246
<i>mascarenus</i> Hagedorn, 1908, <i>Xylosandrus</i>	249
<i>masculus</i> Goossens, 2005, <i>Schizotrachelus</i>	148
<i>massonianus</i> Tsai & Li, 1963, <i>Cryphalus</i>	219
<i>matangi</i> Sampson, 1919, <i>Diameraus</i>	204
<i>materiarius</i> Fitch, 1858, <i>Gnathotrichus</i>	215
<i>mateui</i> Cobos, 1954, <i>Araecerus</i>	105
<i>mateui</i> Schedl, 1965, <i>Hypothenemus</i>	224
<i>mateui</i> A. Hoffmann, 1962, <i>Pseudoconapion</i>	175
<i>matobai</i> Senoh, 1984, <i>Xanthoderopygus</i>	105
<i>matsumuranus</i> Kôno, 1927, <i>Euops</i>	138
<i>mauiensis</i> Schedl, 1941, <i>Hypothenemus</i>	223
<i>maulei</i> Roubal, 1910, <i>Crypturgus</i>	227
<i>maura</i> K. Daniel, 1912, <i>Bruchela</i>	108
<i>maura</i> Balachowsky, 1969, <i>Phloeosinus</i>	211
<i>mauretanica</i> Schultze, 1904, <i>Baris</i>	255

mauretanicus Peyerimhoff, 1930, <i>Pityophthorus</i>	217
mauritanica Normand, 1939, <i>Ferreria</i>	199
<i>mauritanicus</i> Olivier, 1807, <i>Brachycerus</i>	184
<i>mauritanianus</i> Browne, 1970, <i>Coccotrypes</i>	229
maurus Eggers, 1910, <i>Cisurgus</i>	227
<i>maurus</i> Motschulsky, 1860, <i>Leptapoderus</i>	132
<i>maximi</i> Krausse, 1916, <i>Taeniapion</i>	162
<i>maximus</i> Desbrochers des Loges, 1869, <i>Rhynchites</i>	128
mayeti Guillebeau, 1893, <i>Phloeotribus</i>	213
mayongi Legalov & Liu, 2005, <i>Euscelophilus</i>	139
meakanensis Niisima, 1935, <i>Polygraphus</i>	214
<i>meceadanus</i> Reitter, 1913, <i>Taphrorychus</i>	232
mechtensis Legalov, 2007, <i>Exrhynchites</i>	118
mecinoides Desbrochers des Loges, 1892, <i>Aulacobaris</i>	253
<i>mecops</i> Boheman, 1839, <i>Holotrichapion</i>	168
<i>medianum</i> C. G. Thomson, 1865, <i>Perapion</i>	151
<i>mediocris</i> Kleine, 1935, <i>Callipareius</i>	145
meditabundum Faust, 1890, <i>Eutrichapion</i>	166
<i>mediterraneum</i> Wagner, 1908, <i>Protapion</i>	174
mediterraneus Eichhoff, 1869, <i>Crypturgus</i>	227
<i>mediterraneus</i> Eichhoff, 1872, <i>Crypturgus</i>	227
mediterraneus Eggers, 1910, <i>Pseudothamnurgus</i>	232
<i>mediterraneus</i> Eggers, 1922, <i>Scolytus</i>	239
medium Desbrochers des Loges, 1891, <i>Squamapion</i>	161
<i>medius</i> Eggers, 1927, <i>Arixyleborus</i>	242
medvedevi Korotyaev, 1988, <i>Bruchela</i>	108
medvedevi Legalov, 2007, <i>Capylarodepus</i>	116
medvedevi Korotyaev, 1990, <i>Conapium</i>	172
medvedevi Korotyaev, 1984, <i>Hoplopodapion</i>	150
<i>megacephalus</i> Germar, 1824, <i>Caenorhinus</i>	115
megatoma Korotyaev, 1996, <i>Squamapion</i>	161
meggiolaroi Osella, 1977, <i>Raymondionymus</i>	200
meghalaicus Legalov, 2007, <i>Euops</i>	139
meieri Desbrochers des Loges, 1901, <i>Catapion</i>	164
mekongensis Legalov, 2007, <i>Neocoenorrhinus</i>	125
melancholica Roelofs, 1875, <i>Pellobaris</i>	260
melancholicum Wencker, 1864, <i>Eutrichapion</i>	166
melancholicus Voss, 1938, <i>Montaninvolvulus</i>	125
<i>melancranis</i> Beeson, 1930, <i>Cyclorhipidion</i>	243
melanipus Jordan, 1923, <i>Sintor</i>	98
<i>melanocephalus</i> Fabricius, 1792, <i>Hylesinus</i>	207
melanoleuca Iablokoff-Khnzorian, 1964, <i>Baris</i>	255
<i>melanopus</i> Marsham, 1802, <i>Exapion</i>	158
melanostictoides Legalov, 2003, <i>Agomadaranus</i>	140
melanostictus Fairmaire, 1878, <i>Agomadaranus</i>	140
<i>melanurus</i> Reitter, 1913, <i>Orthotomicus</i>	235
<i>melas</i> Herbst, 1786, <i>Doydirhynchus</i>	90
melas Boheman, 1836, <i>Labiaticola</i>	257
melichari Wanat, 1990, <i>Piezotrachelus</i>	173
melillaensis A. Hoffmann, 1954, <i>Aulacobaris</i>	254

meliloti Kirby, 1808, <i>Stenoptera pion</i>	171
melitensis Magnano & Mifsud, 1998, <i>Alaocyba</i>	199
mellerborgii Boheman, 1838, <i>Polytus</i>	187
melli Günther, 1938, <i>Otidognathus</i>	188
melli Voss, 1926, <i>Tomapoderus</i>	141
<i>melli</i> Schedl, 1938, <i>Xylosandrus</i>	249
mellyi Guérin-Méneville & Gory, 1832, <i>Calodromus</i>	145
memnonia Boheman, 1836, <i>Baris</i>	255
mendax Desbrochers des Loges, 1907, <i>Exapion</i>	159
<i>mendosum</i> Normand, 1937, <i>Catapion</i>	165
menghunsis Legalov & Liu, 2005, <i>Euops</i>	139
menthae Kôno, 1937, <i>Baris</i>	255
merale Faust, 1885, <i>Metapion</i>	163
<i>meridianum</i> Wencker, 1864, <i>Ceratapion</i>	155
<i>meridionale</i> Wencker, 1864, <i>Protapion</i>	173
<i>meridionale</i> Eggers, 1940, <i>Trypodendron</i>	251
<i>meridionalis</i> Jacquelin du Val, 1854, <i>Auletes</i>	109
<i>meridionalis</i> Jacquet, 1888, <i>Bruchela</i>	108
<i>meridionalis</i> Nobuchi, 1975, <i>Cryphalus</i>	219
<i>meridionalis</i> Gyllenhal, 1838, <i>Sphenophorus</i>	191
merkli Legalov, 2007, <i>Ecnomonychus</i>	121
<i>merkli</i> Pic, 1919, <i>Nanomimus</i>	180
<i>merkli</i> Stierlin, 1882, <i>Notaris</i>	195
merocephalus Kleine, 1916, <i>Baryrhynchus</i>	142
<i>mesasiaticum</i> Ter-Minasian, 1966, <i>Perapion</i>	151
<i>mesoleius</i> Schedl, 1959, <i>Hypothenemus</i>	223
mesopotamica Tournier, 1889, <i>Picia</i>	196
mesuae Eggers, 1930, <i>Xylosandrus</i>	250
<i>metacomans</i> Eggers, 1930, <i>Hadrodemius</i>	245
metacuneolus Eggers, 1940, <i>Xyleborus</i>	248
metallicus X.-C. Zhang, 1995, <i>Attelabus</i>	134
<i>metallicus</i> Vitale, 1906, <i>Dieckmanniellus</i>	179
<i>metallicus</i> Schrank, 1798, <i>Involvulus</i>	122
metanepotulus Eggers, 1939, <i>Ambrosiophilus</i>	242
meuseli Reitter, 1905, <i>Monarthrum</i>	215
meyeri Voss, 1937, <i>Cneminvolvulus</i>	121
<i>micaceus</i> Rey, 1893, <i>Nanodiscus</i>	179
micans Kugelann, 1794, <i>Dendroctonus</i>	208
michaelis Thompson, 2006, <i>Procas</i>	196
micklitzii Wachtl, 1881, <i>Hylurgus</i>	209
<i>microcarpae</i> Ter-Minasian, 1944, <i>Rhynchites</i>	127
micrographus Schedl, 1972, <i>Araptus</i>	216
micrographus Linnaeus, 1758, <i>Pityophthorus</i>	217
<i>micrograptinus</i> Wood, 1989, <i>Araptus</i>	216
micros Legalov, 2007, <i>Compsapoderus</i>	130
midori Shibata, 1978, <i>Rhaphitropis</i>	103
miguelangeli Zherikhin, 1996, <i>Nanophyes</i>	181
mihokoae Morimoto, 1964, <i>Nanophyes</i>	181
mikado Blandford, 1893, <i>Scolytoplatypus</i>	240
mikagei Morimoto, 1976, <i>Hypomiolispa</i>	148

<i>mikuniyamensis</i> Murayama, 1957, <i>Taphrorychus</i>	232
<i>mikuraensis</i> Nakane, 1978, <i>Acorynus</i>	99
<i>miles</i> Boheman, 1845, <i>Baryrhynchus</i>	142
<i>millingi</i> Tournier, 1889, <i>Picia</i>	196
<i>millum</i> Gyllenhal, 1833, <i>Squamapion</i>	161
<i>mimes</i> Sharp, 1891, <i>Phloeobius</i>	97
<i>mimicus</i> Schedl, 1942, <i>Hypocryphalus</i>	220
<i>mingazzinii</i> Osella & Abbazzi, 1985, <i>Raymondionymus</i>	200
<i>mingrelica</i> Reitter, 1894, <i>Ubychia</i>	200
<i>miniatum</i> Germar, 1833, <i>Apion</i>	149
<i>minimum</i> Herbst, 1797, <i>Melanapion</i>	160
<i>minimus</i> Legalov & Liu, 2005, <i>Byctiscus</i>	113
<i>minimus</i> Kôno, 1928, <i>Caenorhinus</i>	116
<i>minimus</i> Fabricius, 1798, <i>Carphoborus</i>	213
<i>minimus</i> Roelofs, 1874, <i>Compsapoderus</i>	130
<i>minimus</i> Stebbing, 1903, <i>Crypturgus</i>	228
<i>minimus</i> Hagedorn, 1904, <i>Scolytoplatypus</i>	240
<i>minimus</i> Schedl, 1955, <i>Xyleborus</i>	248
<i>minisculus</i> R.-Z. Zhang, 1993, <i>Baryrhynchus</i>	142
<i>minor</i> Stebbing, 1909, <i>Ambrosiodmus</i>	241
<i>minor</i> Eggers, 1923, <i>Coccotrypes</i>	228
<i>minor</i> Sampson, 1928, <i>Crossotarsus</i>	201
<i>minor</i> Schedl, 1954, <i>Diapus</i>	203
<i>minor</i> Eggers, 1908, <i>Dryocoetes</i>	231
<i>minor</i> Voss, 1937, <i>Exrhynchites</i>	118
<i>minor</i> Wolfrum, 1948, <i>Gibber</i>	103
<i>minor</i> Shibata, 1980, <i>Phaulimia</i>	96
<i>minor</i> Lindemann, 1875, <i>Polygraphus</i>	215
<i>minor</i> Stebbing, 1903, <i>Polygraphus</i>	214
<i>minor</i> Stebbing, 1903, <i>Scolytus</i>	238
<i>minor</i> Sasaki, 1899, <i>Sitophilus</i>	187
<i>minor</i> Eggers, 1923, <i>Taphrorychus</i>	232
<i>minor</i> Hartig, 1834, <i>Tomicus</i>	209
<i>minuroides</i> Voss, 1958, <i>Deporaus</i>	116
<i>minusculus</i> Eggers, 1923, <i>Coptodryas</i>	243
<i>minutissimum</i> Rosenhauer, 1856, <i>Squamapion</i>	161
<i>minutissimus</i> Eggers, 1930, <i>Coptodryas</i>	243
<i>minutissimus</i> Tournier, 1868, <i>Hypophyes</i>	178
<i>minutissimus</i> Voss, 1920, <i>Micrapoderus</i>	137
<i>minutissimus</i> Schedl, 1951, <i>Scolytogenes</i>	225
<i>minutituberosus</i> Haq, 1988, <i>Hoplapoderus</i>	140
<i>minutulus</i> Schedl, 1972, <i>Hypothenemus</i>	223
<i>minutus</i> Blandford, 1894, <i>Eidophelus</i>	220
<i>minutus</i> Fabricius, 1777, <i>Hylesinus</i>	207
<i>minutus</i> Hopkins, 1915, <i>Hypothenemus</i>	224
<i>minutus</i> Schedl, 1978, <i>Hypothenemus</i>	223
<i>minutus</i> Jordan, 1924, <i>Melanopsacus</i>	106
<i>minutus</i> Herbst, 1797, <i>Neocoenorrhinus</i>	126
<i>minutus</i> Blandford, 1894, <i>Phloeosinus</i>	212
<i>minutus</i> Geoffroy, 1785, <i>Podapion</i>	176

<i>minutus</i> Desbrochers des Loges, 1893, <i>Procas</i>	196
<i>minutus</i> Blandford, 1894, <i>Xyleborus</i>	248
<i>mirabilis</i> Legalov, 2003, <i>Anisonychus</i>	129
<i>mirabilis</i> Legalov & Liu, 2005, <i>Aspidobyctiscus</i>	112
<i>mirabilis</i> Legalov & Liu, 2005, <i>Euops</i>	139
<i>mirabilis</i> Frieser, 1996, <i>Phloeophilus</i>	95
<i>mirabilis</i> Osella, 1977, <i>Raymondionymus</i>	200
<i>mirei</i> A. Hoffmann, 1962, <i>Pseudoconapion</i>	175
<i>mirifica</i> Legalov, 2007, <i>Mecorhis</i>	124
<i>mirifica</i> Iablokoff-Khnzorian, 1959, <i>Turkmenobaris</i>	259
<i>mirus</i> Sampson, 1913, <i>Genyocerus</i>	204
<i>misatoensis</i> Nobuchi, 1981, <i>Xyleborus</i>	248
<i>miser</i> Blandford, 1894, <i>Polygraphus</i>	214
<i>mississippiensis</i> Blackman, 1921, <i>Phloeotribus</i>	213
<i>miwai</i> Kôno, 1930, <i>Pseudorobitis</i>	182
<i>miyakawai</i> Morimoto, 1979, <i>Callipareius</i>	145
<i>miyalopiceus</i> Tsai & Li, 1963, <i>Cryphalus</i>	219
<i>miyamotoi</i> Morimoto & Yoshihara, 1996, <i>Pharcidobaris</i>	259
<i>miyazakiensis</i> Murayama, 1936, <i>Xyleborus</i>	248
<i>mizobei</i> Morimoto, 2009, <i>Cobalocephalus</i>	144
<i>mlokosevitschi</i> Arzanov, 2005, <i>Brachycerus</i>	183
<i>moanus</i> Legalov, 2003, <i>Euops</i>	138
<i>moczarskii</i> Wagner, 1904, <i>Protapion</i>	174
<i>modestum</i> Germar, 1817, <i>Ischnoptera</i>	171
<i>modestus</i> Kleine, 1921, <i>Hemiorychodes</i>	143
<i>modestus</i> Murayama, 1937, <i>Hylurgops</i>	206
<i>modestus</i> Blandford, 1894, <i>Platypus</i>	203
<i>modestus</i> Murayama, 1940, <i>Pseudothysanoes</i>	236
<i>modestus</i> Faust, 1887, <i>Thecorhinus</i>	193
<i>modicenotatus</i> Pic, 1901, <i>Hypophyes</i>	178
<i>modicus</i> Jordan, 1933, <i>Euparius</i>	93
<i>modiglianii</i> Senna, 1893, <i>Cyphagogus</i>	145
<i>moestus</i> Eggers, 1930, <i>Arixyleborus</i>	242
<i>moestus</i> Blandford, 1894, <i>Dryocoetiops</i>	231
<i>moestus</i> Bach, 1854, <i>Procas</i>	196
<i>moldaviensis</i> Pic, 1919, <i>Nanophyes</i>	181
<i>molossus</i> Chapuis, 1865, <i>Diapus</i>	203
<i>monacensis</i> Fuchs, 1911, <i>Pityogenes</i>	235
<i>monchadskii</i> Legalov, 2007, <i>Eugnaptus</i>	119
<i>monchadskii</i> Legalov, 2007, <i>Heterapoderus</i>	131
<i>mongolianus</i> Voss, 1967, <i>Temnocerus</i>	129
<i>mongolica</i> Faust, 1890, <i>Corimalia</i>	177
<i>mongolica</i> Sokanovskiy, 1959, <i>Pseudothysanoes</i>	236
<i>mongolicus</i> Ter-Minasian, 1984, <i>Aletinus</i>	110
<i>mongolicus</i> Voss, 1930, <i>Rhynchites</i>	127
<i>monilicollis</i> Eichhoff, 1878, <i>Cosmoderes</i>	217
<i>monoceros</i> Beeson, 1939, <i>Coccotrypes</i>	229
<i>monocerus</i> Gravenhorst, 1807, <i>Trypodendron</i>	251
<i>monodi</i> Paulian & Villiers, 1941, <i>Aphanarthrum</i>	226
<i>monographus</i> Fabricius, 1792, <i>Xyleborus</i>	248

monstrosus Pic, 1928, <i>Phymatapoderus</i>	141
montana Wolfrum, 1948, <i>Autotropis</i>	93
<i>montana</i> Fuchs, 1913, <i>Ips</i>	234
<i>montana</i> Faust, 1882, <i>Notaris</i>	195
<i>montana</i> Kurentsov, 1935, <i>Scolytus</i>	238
<i>montandoni</i> Desbrochers des Loges, 1897, <i>Ceratapion</i>	155
<i>montandoni</i> Pic, 1919, <i>Nanophyes</i>	181
<i>montanum</i> Miller, 1862, <i>Hemitrichapion</i>	167
montanus Legalov, 2003, <i>Auletomorphus</i>	120
montanus Nobuchi, 1964, <i>Cryphalus</i>	219
<i>montanus</i> Heller, 1923, <i>Cyrtotrachelus</i>	187
<i>montanus</i> Roelofs, 1874, <i>Morphocorynus</i>	137
montanus Frieser, 1996, <i>Noxius</i>	103
montanus Jekel, 1860, <i>Paracynotrachelus</i>	133
montanus Niisima, 1910, <i>Xyleborus</i>	248
monticola Damoiseau, 1987, <i>Aneorhachis</i>	147
<i>monticola</i> A. Solari & F. Solari, 1909, <i>Aulacobaris</i>	253
<i>monticola</i> Voss, 1930, <i>Auletomorphus</i>	120
monticola Schilsky, 1906, <i>Exapion</i>	158
<i>monticola</i> Voss, 1926, <i>Phymatapoderus</i>	141
monticulatus Frieser, 2001, <i>Choragus</i>	106
monticulatus Frieser, 2001, <i>Uncifer</i>	104
montshadskii Korotyaev, 1990, <i>Pseudopiezotrachelus</i>	175
morawitzi Semenov, 1902, <i>Scolytus</i>	239
<i>moreirai</i> Eggers, 1928, <i>Coccotrypes</i>	229
mori Aubé, 1862, <i>Liparthrum</i>	211
morigerus Blandford, 1894, <i>Xylosandrus</i>	250
morimotoi Senoh, 1984, <i>Deropygus</i>	105
morimotoi Nakane, 1963, <i>Eugnampitobius</i>	118
morimotoi Sawada, 1997, <i>Temnocerus</i>	128
<i>morinda</i> Stebbing, 1903, <i>Cryphalus</i>	219
morio Bonelli, 1812, <i>Apoderus</i>	129
morio Boheman, 1844, <i>Melanobaris</i>	258
morio Mannerheim, 1853, <i>Notaris</i>	195
morio Germar, 1817, <i>Protapion</i>	174
moroderi Desbrochers des Loges, 1907, <i>Phrissotrichum</i>	152
morosovi Spessivtsev, 1926, <i>Pityophthorus</i>	217
<i>morphosus</i> Pascoe, 1888, <i>Desmidophorus</i>	185
<i>morstatti</i> Hagedorn, 1912, <i>Xylosandrus</i>	249
<i>morulus</i> Vitale, 1906, <i>Dieckmanniellus</i>	179
moschatae Hofmann, 1938, <i>Pseudapion</i>	163
mosonica Jordan, 1904, <i>Nessiara</i>	96
<i>motschoulskyi</i> Sharp, 1889, <i>Byctiscus</i>	113
<i>motschulskyi</i> Hochhuth, 1847, <i>Aspidapion</i>	153
<i>motschulskyi</i> Faust, 1890, <i>Byctiscus</i>	113
<i>motschulskyi</i> Lewis, 1879, <i>Byctiscus</i>	113
<i>motschulskyi</i> Legalov, 2007, <i>Cartorhynchites</i>	120
<i>motschulskyi</i> Legalov, 2001, <i>Pseudodicranognathus</i>	112
mountanus Pajni, 1991, <i>Aspidapion</i>	153
moupinensis Legalov, 2007, <i>Byctiscus</i>	113

<i>mroczkowskii</i> Wanat, 1997, <i>Squamapion</i>	161
<i>muchi</i> Hertel, 1961, <i>Symmorphocerus</i>	144
<i>mucronatulus</i> Eggers, 1930, <i>Diuncus</i>	243
<i>mucronatus</i> Eggers, 1923, <i>Diuncus</i>	243
<i>mucronifer</i> Wollaston, 1867, <i>Hypothenemus</i>	222
<i>muelleri</i> Reitter, 1902, <i>Nanophyes</i>	181
<i>mugezoensis</i> Legalov, 2007, <i>Deporaus</i>	116
<i>multicoloratus</i> Legalov & Liu, 2005, <i>Euops</i>	139
<i>multicostatus</i> Pic, 1928, <i>Agomadaranus</i>	140
<i>multidentatus</i> Murayama, 1953, <i>Orthotomicus</i>	235
<i>multiguttatus</i> Nakane, 1963, <i>Litocerus</i>	100
<i>multilineata</i> Peyerimhoff, 1930, <i>Corimalia</i>	177
<i>multinotatus</i> Pic, 1919, <i>Nanophyes</i>	181
<i>multipunctatus</i> Bach, 1858, <i>Involvulus</i>	123
<i>multisetosus</i> Murayama, 1963, <i>Tomicus</i>	209
<i>multistriatus</i> Marsham, 1802, <i>Scolytus</i>	239
<i>mundulus</i> Sharp, 1891, <i>Choragus</i>	106
<i>munieri</i> Bedel, 1882, <i>Allandrus</i>	91
<i>murakamii</i> Oda, 1979, <i>Gonotropis</i>	100
<i>murayamaensis</i> Schedl, 1941, <i>Dinoplatypus</i>	202
<i>murayamai</i> Browne, 1963, <i>Cnestus</i>	242
<i>murayamai</i> Schedl, 1962, <i>Cnestus</i>	242
<i>muricatus</i> Fabricius, 1792, <i>Brachycerus</i>	183
<i>muricatus</i> Olivier, 1790, <i>Brachycerus</i>	183
<i>muricatus</i> Eggers, 1929, <i>Phloeotribus</i>	213
<i>muriceus</i> Eichhoff, 1878, <i>Xyleborinus</i>	246
<i>murina</i> Jordan, 1902, <i>Mauia</i>	94
<i>murinum</i> Everts, 1882, <i>Catapion</i>	164
<i>murzini</i> Legalov, 2007, <i>Yunnanuletes</i>	112
<i>mus</i> Desbrochers des Loges, 1897, <i>Catapion</i>	164
<i>mus</i> Eggers, 1930, <i>Coptodryas</i>	243
<i>musaecola</i> Fairmaire, 1898, <i>Polytus</i>	187
<i>musculus</i> K. Daniel & J. Daniel, 1903, <i>Bruchela</i>	108
<i>mushanus</i> Kôno, 1930, <i>Compsapoderus</i>	130
<i>mussooriense</i> Eggers, 1930, <i>Cyclorhipidion</i>	243
<i>mussooriensis</i> Beeson, 1937, <i>Crossotarsus</i>	201
<i>mustangensis</i> Legalov, 2007, <i>Probyctisculus</i>	114
<i>mutabilis</i> Wolfrum, 1948, <i>Araecerus</i>	105
<i>mutator</i> Faust, 1890, <i>Byctiscus</i>	113
<i>mutatus</i> Chapuis, 1865, <i>Megaplatypus</i>	202
<i>mutica</i> Peyerimhoff, 1929, <i>Corimalia</i>	177
<i>muticus</i> Hagedorn, 1904, <i>Scolytoplatypus</i>	240
<i>muticus</i> Blandford, 1894, <i>Xyleborus</i>	248
<i>mutilatus</i> Blandford, 1894, <i>Cnestus</i>	243
<i>mutilatus</i> Laicharting, 1781, <i>Sphenophorus</i>	191
<i>mutus</i> Faust, 1890, <i>Cyrtolabus</i>	135
<i>myochroum</i> Schilsky, 1902, <i>Perapion</i>	151
<i>myodes</i> Jordan, 1937, <i>Uncifer</i>	104
<i>myristicae</i> Hopkins, 1915, <i>Hypothenemus</i>	223
<i>myrmedon</i> Eichhoff, 1878, <i>Hypothenemus</i>	223

<i>myrmidon</i> Eichhoff, 1878, <i>Hypothenemus</i>	223
<i>mystriophorum</i> Alonso-Zarazaga, 1994, <i>Eutrichapion</i>	166
<i>naevulus</i> Faust, 1887, <i>Tropideres</i>	101
<i>nagaii</i> Nakane, 1963, <i>Melanapion</i>	160
<i>nagaii</i> Yoshihara & Morimoto, 1994, <i>Lepidomyctides</i>	260
<i>nagaoensis</i> Murayama, 1934, <i>Xyleborus</i>	248
<i>nagaoi</i> Morimoto, 1979, <i>Dendropemon</i>	93
<i>naidaijinensis</i> Murayama, 1957, <i>Coccotrypes</i>	229
<i>nakanei</i> Morimoto, 1986, <i>Cisanthribus</i>	107
<i>nakanei</i> Nobuchi, 1967, <i>Scolytus</i>	239
<i>nakanei</i> Morimoto, 1978, <i>Valenfriesia</i>	105
<i>nalderae</i> G. A. K. Marshall, 1938, <i>Ceratapion</i>	155
<i>nameranus</i> Murayama, 1954, <i>Xyleborus</i>	248
<i>nandarivatus</i> Schedl, 1950, <i>Euwallacea</i>	244
<i>nanitalensis</i> Legalov, 2007, <i>Probyctisculus</i>	114
<i>nankinensis</i> Kurentsov & Kononov, 1966, <i>Orthotomicus</i>	235
<i>nankingensis</i> Legalov, 2007, <i>Cyllorhynchites</i>	121
<i>nanlingensis</i> Legalov, 2007, <i>Cneminvolvulus</i>	121
<i>nanlingensis</i> Legalov, 2007, <i>Deporaus</i>	116
<i>nanlingensis</i> Legalov, 2008, <i>Henicolabus</i>	135
<i>nanpingensis</i> Legalov, 2009, <i>Aspidobyctiscus</i>	112
<i>nanpingensis</i> Legalov, 2007, <i>Cyrtolabus</i>	135
<i>nanpingensis</i> Legalov, 2007, <i>Pseudomesauletes</i>	112
<i>nanschanicum</i> Legalov, 2001, <i>Hemitrichapion</i>	167
<i>nantouensis</i> Legalov, 2007, <i>Cartorhynchites</i>	120
<i>nanulus</i> Schedl, 1949, <i>Hypothenemus</i>	223
<i>nanus</i> Eggers, 1920, <i>Coccotrypes</i>	228
<i>nanus</i> Hagedorn, 1909, <i>Hypothenemus</i>	222
<i>nanus</i> Schedl, 1955, <i>Polygraphus</i>	215
<i>nanus</i> Champion, 1925, <i>Stenommatius</i>	185
<i>nanus</i> Paykull, 1792, <i>Temnocerus</i>	128
<i>nanus</i> Shibata, 1982, <i>Tropideres</i>	101
<i>nasreddinovi</i> Korotyaev, 1988, <i>Metapion</i>	163
<i>natricis</i> Planet, 1918, <i>Catapion</i>	164
<i>neapolitanum</i> Desbrochers des Loges, 1870, <i>Catapion</i>	164
<i>nebulosus</i> Forster, 1770, <i>Anthribus</i>	91
<i>nebulosus</i> Küster, 1859, <i>Anthribus</i>	91
<i>nebulosus</i> Sharp, 1891, <i>Asemorhinus</i>	98
<i>nebulosus</i> Motschulsky, 1866, <i>Cryphalus</i>	218
<i>nebulosus</i> L. Redtenbacher, 1844, <i>Dicranognathus</i>	110
<i>nebulosus</i> LeConte, 1860, <i>Pseudohylesinus</i>	209
<i>neglectum</i> Schedl, 1964, <i>Aphanarthrum</i>	226
<i>neglectum</i> Gyllenhal, 1833, <i>Pseudoprotapion</i>	176
<i>nemorialis</i> O. F. Müller, 1776, <i>Nemonyx</i>	90
<i>nemorivagus</i> Günther, 1935, <i>Otidognathus</i>	188
<i>neofallax</i> Warner, 1958, <i>Perapion</i>	151
<i>neogracilis</i> Schedl, 1954, <i>Xyleborinus</i>	246
<i>neorelictum</i> Bajtenov & Lodos, 1977, <i>Ischnopteropion</i>	170
<i>nepalensis</i> Legalov, 2007, <i>Aderorhinus</i>	118
<i>nepalensis</i> Legalov, 2007, <i>Cneminvolvulus</i>	121

nepalensis Schedl, 1973, <i>Crossotarsus</i>	201
nepalensis Legalov, 2007, <i>Deporaus</i>	116
nepalensis Legalov, 2003, <i>Eugnampobius</i>	118
nepalensis Legalov, 2003, <i>Euops</i>	137
nepalensis Legalov, 2003, <i>Heterapoderus</i>	131
<i>nepalensis</i> Voss, 1926, <i>Hoplapoderus</i>	140
nepalensis Legalov, 2003, <i>Humerilabus</i>	136
nepalensis Voss, 1974, <i>Pseudomesauletes</i>	112
nepalicus Frieser, 1989, <i>Asemorhinus</i>	98
nepalicus Frieser, 2001, <i>Choragus</i>	106
nepalicus Legalov, 2003, <i>Neoeugnampus</i>	119
<i>nepotulomorphus</i> Eggers, 1936, <i>Ambrosiodmus</i>	241
<i>nepotulus</i> Eggers, 1923, <i>Ambrosiodmus</i>	241
nereis Paykull, 1800, <i>Thryogenes</i>	197
<i>neresheimeri</i> Wagner, 1929, <i>Squamapion</i>	161
nesapia Faust, 1887, <i>Baris</i>	255
<i>nesianus</i> Beeson, 1940, <i>Xyleborus</i>	247
<i>nibarani</i> Beeson, 1933, <i>Hypothenemus</i>	221
<i>nicobaricus</i> Beeson, 1937, <i>Crossotarsus</i>	201
<i>nicodi</i> Pic, 1915, <i>Pericartiellus</i>	182
nidificus Sawada & Lee, 1986, <i>Deporaus</i>	117
nielamus Legalov & Liu, 2005, <i>Euops</i>	137
niger He, 2003, <i>Allaeotes</i>	192
<i>niger</i> Gortani & Grandi, 1904, <i>Apoderus</i>	129
niger Legalov, 2003, <i>Aspidobyctiscus</i>	112
<i>niger</i> Stephens, 1830, <i>Choragus</i>	106
<i>niger</i> Schedl, 1939, <i>Coccotrypes</i>	228
<i>niger</i> Geoffroy, 1785, <i>Deporaus</i>	117
niger Senoh, 1985, <i>Deropygus</i>	105
<i>niger</i> Legalov, 2003, <i>Euops</i>	138
niger Liang, 1994, <i>Euscelophilus</i>	139
<i>niger</i> Hopkins, 1915, <i>Hypothenemus</i>	224
<i>niger</i> Sokanovskiy, 1960, <i>Pityogenes</i>	236
<i>niger</i> Geoffroy, 1785, <i>Scolytus</i>	240
niger Stark, 1936, <i>Trypophloeus</i>	226
<i>nigerrimum</i> Faust, 1894, <i>Taphrotopium</i>	157
<i>nigra</i> Desbrochers des Loges, 1892, <i>Baris</i>	255
<i>nigra</i> Reitter, 1895, <i>Baris</i>	255
<i>nigra</i> Waltl, 1835, <i>Ctenomeropsis</i>	179
<i>nigra</i> Morimoto, 1981, <i>Rhaphitropis</i>	103
<i>nigrescens</i> Stephens, 1831, <i>Aspidapion</i>	153
<i>nigrescens</i> Wollaston, 1865, <i>Liparthrum</i>	211
<i>nigricans</i> Legalov, 2007, <i>Leptapoderus</i>	132
<i>nigricans</i> Kurentsov, 1948, <i>Polygraphus</i>	214
<i>nigriceps</i> Voss, 1922, <i>Caenorhinus</i>	115
<i>nigriceps</i> Boheman, 1859, <i>Nanophyes</i>	181
<i>nigriceps</i> Legalov, 2003, <i>Paroplapoderus</i>	141
<i>nigricollis</i> Faust, 1882, <i>Apoderus</i>	129
<i>nigricollis</i> Hopkins, 1915, <i>Hypothenemus</i>	223
<i>nigricollis</i> Roelofs, 1874, <i>Morphocorynus</i>	137

<i>nigricorne</i> Motschulsky, 1860, <i>Oxystoma</i>	169
<i>nigricrus</i> Desbrochers des Loges, 1895, <i>Protapion</i>	174
<i>nigrielytris</i> Niisima, 1913, <i>Polygraphus</i>	214
<i>nigrifrons</i> Della Beffa, 1912, <i>Apoderus</i>	129
<i>nigrimaculatus</i> Voss, 1920, <i>Compsapoderus</i>	130
<i>nigrina</i> Herbst, 1795, <i>Limnobaris</i>	252
<i>nigrinus</i> Voss, 1920, <i>Pseudomesauletes</i>	111
<i>nigripennis</i> Hopkins, 1915, <i>Hypothenemus</i>	223
<i>nigripennis</i> Baudi di Selve, 1894, <i>Lasiorrhynchites</i>	123
<i>nigripes</i> Lewis, 1883, <i>Cerobates</i>	146
<i>nigrirostris</i> Fabricius, 1775, <i>Exapion</i>	159
<i>nigrisetosus</i> Eggers, 1936, <i>Diamerus</i>	204
<i>nigritarse</i> Kirby, 1808, <i>Protapion</i>	174
<i>nigritarsis</i> Boheman, 1844, <i>Baris</i>	255
<i>nigritarsis</i> Reitter, 1916, <i>Bruchela</i>	108
<i>nigritarsis</i> Aubé, 1862, <i>Dieckmanniellus</i>	179
<i>nigritious</i> Gredler, 1886, <i>Nanomimus</i>	179
<i>nigritulus</i> Schilsky, 1889, <i>Byctiscus</i>	113
<i>nigritus</i> Gyllenhal, 1827, <i>Orthotomicus</i>	235
<i>nigroapicalis</i> Legalov, 2007, <i>Caenorhinus</i>	115
<i>nigroapicatus</i> Jekel, 1860, <i>Leptapoderus</i>	132
<i>nigrobasalis</i> Pic, 1919, <i>Nanophyes</i>	181
<i>nigrocapitus</i> Legalov, 2007, <i>Henicolabus</i>	135
<i>nigrocinctus</i> Faust, 1895, <i>Cyrtotrachelus</i>	187
<i>nigroclavatum</i> Gerhardt, 1911, <i>Eutrichapion</i>	166
<i>nigrocyaneum</i> Beguin-Billecocq, 1909, <i>Podapion</i>	176
<i>nigrocyaneus</i> Legalov & Liu, 2005, <i>Aspidobyctiscus</i>	112
<i>nigrocyaneus</i> Walzl, 1839, <i>Auletobius</i>	110
<i>nigrocyaneus</i> Legalov, 2007, <i>Involvulus</i>	123
<i>nigrofasciatus</i> Pajni, 1987, <i>Compsapoderus</i>	130
<i>nigroflavus</i> Fairmaire, 1878, <i>Leptapoderus</i>	132
<i>nigroflavus</i> Legalov, 2006, <i>Paroplapoderus</i>	141
<i>nigrogibbosus</i> Degeer, 1775, <i>Grypus</i>	194
<i>nigroguttatus</i> Kôno, 1930, <i>Paroplapoderus</i>	141
<i>nigromaculata</i> Voss, 1956, <i>Diocalandra</i>	186
<i>nigromaculata</i> Morimoto, 1981, <i>Rhaphitropis</i>	104
<i>nigromaculatus</i> Pic, 1897, <i>Dieckmanniellus</i>	179
<i>nigromaculatus</i> Morimoto, 1978, <i>Ozotomerus</i>	94
<i>nigromaculatus</i> Voss, 1958, <i>Tryphetus</i>	187
<i>nigronotatus</i> Morimoto, 1981, <i>Habrissus</i>	92
<i>nigropicta</i> Reitter, 1895, <i>Elasmobaris</i>	257
<i>nigropictus</i> Fairmaire, 1878, <i>Otidognathus</i>	188
<i>nigroscutellaris</i> Legalov, 2007, <i>Compsapoderus</i>	130
<i>nigrostictus</i> Voss, 1929, <i>Maculphrysus</i>	137
<i>nigrostriatus</i> Goeze, 1777, <i>Deporaus</i>	117
<i>nigrostriatus</i> Petagna, 1792, <i>Deporaus</i>	117
<i>nigrosuturalis</i> Voss, 1930, <i>Catalabus</i>	135
<i>nigroungulatus</i> Gyllenhal, 1833, <i>Phloeobius</i>	97
<i>nigrovariegatus</i> Roelofs, 1880, <i>Anthribus</i>	91
<i>nigrum</i> Gerhardt, 1898, <i>Cyanapion</i>	165

niijimai Nobuchi, 1959, <i>Dryocoetes</i>	231
niijimai Murayama, 1931, <i>Platypus</i>	203
niisimai Eggers, 1926, <i>Sueus</i>	210
<i>nilgiricus</i> Beeson, 1937, <i>Crossotarsus</i>	201
<i>niloticum</i> Desbrochers des Loges, 1895, <i>Pseudoconapion</i>	175
<i>nibatatum</i> Normand, 1937, <i>Lepidapion</i>	159
<i>ningxianus</i> Legalov & Liu, 2005, <i>Henicolabus</i>	135
<i>niponensis</i> Inouye & Nobuchi, 1957, <i>Cryphalus</i>	219
<i>niponicum</i> Blandford, 1894, <i>Trypodendron</i>	251
<i>niponicus</i> Blandford, 1894, <i>Crossotarsus</i>	201
<i>niponicus</i> Murayama, 1936, <i>Hylurgops</i>	205
<i>nipponica</i> Kôno, 1928, <i>Nespilobaris</i>	259
<i>nipponicus</i> Senoh, 1984, <i>Deropygus</i>	105
<i>nitens</i> Scopoli, 1763, <i>Attelabus</i>	134
<i>nitens</i> Gmelin, 1790, <i>Aulacobaris</i>	253
<i>nitens</i> Kôno, 1930, <i>Auletobius</i>	110
<i>nitens</i> Marsham, 1802, <i>Byctiscus</i>	113
<i>nitens</i> Roelofs, 1875, <i>Centrinopsis</i>	251
<i>nitens</i> Roelofs, 1874, <i>Compsapoderus</i>	130
<i>nitens</i> Schilsky, 1901, <i>Diplapion</i>	157
<i>nitens</i> Fabricius, 1792, <i>Melanobaris</i>	258
<i>nitens</i> Allard, 1870, <i>Sphenophorus</i>	191
<i>nitensiformis</i> Kôno, 1927, <i>Attelabus</i>	134
<i>nitida</i> Morimoto, 1978, <i>Valenfriesia</i>	105
<i>nitidicollis</i> Voss, 1942, <i>Euops</i>	137
<i>nitidicollis</i> Reitter, 1887, <i>Pseudothamnurgus</i>	232
<i>nitidicollis</i> Eggers, 1935, <i>Scolytoplatypus</i>	240
<i>nitidicutis</i> Jekel, 1855, <i>Basitropis</i>	92
<i>nitidipennis</i> Gerhardt, 1901, <i>Choragus</i>	106
<i>nitidipennis</i> Schedl, 1951, <i>Cnestus</i>	243
<i>nitidipennis</i> Schedl, 1950, <i>Coccotrypes</i>	229
<i>nitidipennis</i> Hopkins, 1915, <i>Hypothenemus</i>	224
<i>nitidipennis</i> Osella, 1989, <i>Ruffodytes</i>	196
<i>nitidipennis</i> Roubal, 1937, <i>Xyleborus</i>	248
<i>nitidula</i> H. Brisout de Barneville, 1871, <i>Aulacobaris</i>	253
<i>nitidulus</i> O. F. Müller, 1776, <i>Aulacobaris</i>	253
<i>nitidulus</i> Gyllenhal, 1838, <i>Dieckmanniellus</i>	179
<i>nitidulus</i> Hopkins, 1915, <i>Hypothenemus</i>	224
<i>nitidulus</i> Chapuis, 1869, <i>Scolytus</i>	239
<i>nitidus</i> R.-Z. Zhang, 1993, <i>Baryrhynchus</i>	142
<i>nitidus</i> Hagedorn, 1910, <i>Cyrtogenius</i>	230
<i>nitidus</i> Schedl, 1959, <i>Eidophelus</i>	220
<i>nitidus</i> Eggers, 1933, <i>Ips</i>	234
<i>nitidus</i> Eggers, 1941, <i>Pityogenes</i>	236
<i>nitidus</i> Schedl, 1936, <i>Scolytus</i>	239
<i>nitidus</i> Swaine, 1912, <i>Trypophloeus</i>	226
<i>nitrariae</i> Ter-Minasian, 1970, <i>Margaritapion</i>	150
<i>nivalis</i> H. Brisout de Barneville, 1870, <i>Aulacobaris</i>	253
<i>nivalis</i> Faust, 1882, <i>Notaris</i>	195
<i>niveirostris</i> Fabricius, 1798, <i>Dissoleucas</i>	102

niveovariegatus Roelofs, 1879, <i>Anthribus</i>	91
noaeae Becker, 1875, <i>Baris</i>	255
nobilis Desbrochers des Loges, 1896, <i>Aulacobaris</i>	254
nobilis Blandford, 1894, <i>Hylesinus</i>	207
nobilis Wollaston, 1862, <i>Orthotomicus</i>	235
nobuchii Knížek, 2011, <i>Hypothenemus</i>	224
nobuchii Choo & Woo, 1989, <i>Polygraphus</i>	214
<i>nobuchii</i> Schedl, 1980, <i>Scolytogenes</i>	225
nodicornis Frieser, 1996, <i>Apolecta</i>	104
nodicornis Voss, 1924, <i>Paratrachelophorus</i>	133
nodicornoides Legalov, 2003, <i>Paratrachelophorus</i>	133
<i>nodifer</i> Reitter, 1913, <i>Scolytus</i>	239
nodulosus Eggers, 1941, <i>Ambrosiodmus</i>	241
<i>nodulosus</i> Reiche & Saulcy, 1858, <i>Brachycerus</i>	182
nodulosus Sharp, 1891, <i>Gibber</i>	103
<i>nonveilleri</i> A. Hoffmann, 1953, <i>Alocentron</i>	153
norimasanus Murayama, 1954, <i>Coccotrypes</i>	229
normandi Desbrochers des Loges, 1898, <i>Brachycerus</i>	183
normandi Desbrochers des Loges, 1898, <i>Metapion</i>	163
normandi Eggers, 1910, <i>Pseudothamnurgus</i>	232
notabilis Jordan, 1928, <i>Sphinctotropis</i>	100
notata Mulsant & Godart, 1868, <i>Jekelia</i>	194
<i>notatipennis</i> Pic, 1897, <i>Corimalia</i>	177
<i>notatum</i> Wagner, 1912, <i>Taeniapion</i>	162
notatus Fabricius, 1792, <i>Hamiltonius</i>	131
notatus Voss, 1932, <i>Otidognathus</i>	188
<i>notatus</i> Eggers, 1941, <i>Xyleborus</i>	247
nothum Desbrochers des Loges, 1897, <i>Ischnopterapion</i>	170
<i>novaguineanus</i> Schedl, 1936, <i>Xyleborus</i>	249
novaki Penecke, 1936, <i>Arganthonius</i>	260
novaki Reitter, 1894, <i>Kissophagus</i>	208
<i>noxius</i> Sampson, 1913, <i>Euwallacea</i>	244
<i>noxius</i> Ratzeburg, 1837, <i>Scolytus</i>	239
<i>nubilus</i> Desbrochers des Loges, 1871, <i>Brachycerus</i>	184
<i>nubilus</i> Blandford, 1894, <i>Coccotrypes</i>	229
<i>nuciferus</i> Schedl, 1938, <i>Coccotrypes</i>	228
<i>nudicollis</i> Kirsch, 1877, <i>Rhabdoscelus</i>	190
<i>nudipennis</i> Voss, 1929, <i>Involvulus</i>	122
nudum Israelson, 1972, <i>Aphanarthrum</i>	226
<i>nuesslini</i> Reitter, 1913, <i>Kissophagus</i>	208
numidicus Eichhoff, 1878, <i>Cryphalus</i>	219
numidicus Ferrari, 1867, <i>Crypturgus</i>	227
numidicus C. N. F. Brisout de Barneville, 1883, <i>Scolytus</i>	239
nunbergi Michalski, 1964, <i>Scolytus</i>	239
nurense Bajtenov, 1977, <i>Ceratapion</i>	156
nuristanensis Voss, 1959, <i>Pseudomesauletes</i>	111
<i>nuristanicola</i> Wanat, 1995, <i>Perapion</i>	152
<i>nuristanicus</i> Voss, 1959, <i>Rhynchites</i>	128
<i>nyssae</i> Hopkins, 1915, <i>Xyleborus</i>	247
<i>oahuensis</i> Schedl, 1941, <i>Hypothenemus</i>	221

<i>obconiceps</i> Senna, 1903, <i>Cyphagogus</i>	145
<i>oberthueri</i> Senna, 1893, <i>Carcinopisthius</i>	146
<i>oberthueri</i> Legalov, 2007, <i>Henicolabus</i>	135
<i>oberti</i> Faust, 1885, <i>Notaris</i>	195
<i>obesulum</i> Desbrochers des Loges, 1895, <i>Protapion</i>	174
<i>obesus</i> Hopkins, 1915, <i>Hypothenemus</i>	224
<i>obliquecauda</i> Motschulsky, 1863, <i>Ambrosiodmus</i>	241
<i>obliterata</i> Pic, 1925, <i>Corimalia</i>	178
<i>obliteratus</i> Herbst, 1795, <i>Grypus</i>	194
<i>obliteratus</i> Pic, 1900, <i>Nanomimus</i>	179
<i>oblitum</i> Desbrochers des Loges, 1895, <i>Protapion</i>	174
<i>oblitus</i> Perris, 1862, <i>Orthotomicus</i>	235
<i>oblivium</i> Schilsky, 1902, <i>Squamapion</i>	161
<i>oblongulum</i> Desbrochers des Loges, 1875, <i>Exapion</i>	159
<i>oblongum</i> Gyllenhal, 1839, <i>Perapion</i>	151
<i>oblongus</i> Geoffroy, 1785, <i>Aspidapion</i>	153
<i>oblongus</i> Goeze, 1777, <i>Aspidapion</i>	153
<i>oblongus</i> Eggers, 1927, <i>Coccotrypes</i>	229
<i>oblongus</i> Niisima, 1910, <i>Hypothenemus</i>	224
<i>oblongus</i> Nobuchi, 1981, <i>Hypothenemus</i>	224
<i>oblongus</i> Sulzer, 1776, <i>Platyrhinus</i>	96
<i>oblongus</i> Blandford, 1894, <i>Polygraphus</i>	214
<i>obscurethoracalis</i> Legalov, 2007, <i>Auletobius</i>	110
<i>obscuriceps</i> Pic, 1913, <i>Corimalia</i>	177
<i>obscuriceps</i> Schedl, 1952, <i>Hypothenemus</i>	223
<i>obscurior</i> Pic, 1898, <i>Attelabus</i>	134
<i>obscurior</i> Pic, 1896, <i>Cercomorphus</i>	108
<i>obscurior</i> Voss, 1958, <i>Otidognathus</i>	188
<i>obscurithorax</i> Pic, 1897, <i>Corimalia</i>	177
<i>obscurofasciatus</i> Voss, 1936, <i>Dicranognathus</i>	110
<i>obscurum</i> Gerhardt, 1898, <i>Perapion</i>	151
<i>obscurus</i> Rey, 1892, <i>Coccotrypes</i>	229
<i>obscurus</i> Chapuis, 1876, <i>Hylastes</i>	205
<i>obscurus</i> Marsham, 1802, <i>Hylastinus</i>	206
<i>obscurus</i> Eichhoff, 1872, <i>Hypothenemus</i>	221
<i>obscurus</i> Ferrari, 1867, <i>Hypothenemus</i>	223
<i>obscurus</i> Voss, 1938, <i>Mecorhis</i>	124
<i>obscurus</i> Zherikhin, 1981, <i>Nanophyes</i>	180
<i>obscurus</i> Gyllenhal, 1833, <i>Neocoenorrhinus</i>	126
<i>obscurus</i> Boisduval, 1835, <i>Rhabdoscelus</i>	190
<i>obscurus</i> Eggers, 1941, <i>Xylechinus</i>	209
<i>obsita</i> Voss, 1930, <i>Mecorhis</i>	125
<i>obsitum</i> Wollaston, 1865, <i>Aphanarthrum</i>	226
<i>obsolescens</i> Wolfrum, 1948, <i>Oxyderes</i>	96
<i>obtectum</i> Schilsky, 1902, <i>Metapion</i>	163
<i>obtusipenne</i> Desbrochers des Loges, 1896, <i>Squamapion</i>	161
<i>obtusipennis</i> Schedl, 1940, <i>Platypus</i>	203
<i>obtusiusculum</i> Desbrochers des Loges, 1896, <i>Squamapion</i>	161
<i>obtusum</i> Desbrochers des Loges, 1866, <i>Loborhynchapion</i>	169
<i>obtusum</i> Eggers, 1939, <i>Trypodendron</i>	251

obtusus Voss, 1926, <i>Paroplapoderus</i>	141
<i>obtusus</i> Eggers, 1932, <i>Pityogenes</i>	235
<i>obtusus</i> Chapuis, 1865, <i>Treptoplatypus</i>	203
<i>occidentalis</i> A. Hoffmann, 1954, <i>Aulacobaris</i>	252
<i>occidentalis</i> Peyerimhoff, 1923, <i>Cisurgus</i>	227
<i>occidentalis</i> Schedl, 1954, <i>Hypothenemus</i>	221
<i>occidentalis</i> Wagner, 1912, <i>Piezotrachelus</i>	173
<i>occultum</i> Faust, 1885, <i>Apion</i>	149
<i>ocellatus</i> Desbrochers des Loges, 1900, <i>Labiaticola</i>	257
<i>ocellatus</i> Pascoe, 1887, <i>Sphenocorynes</i>	190
<i>ochotica</i> Korotyaev, 1984, <i>Tournotaris</i>	197
<i>ochroceras</i> Desbrochers des Loges, 1907, <i>Eutrichapion</i>	165
<i>ochropus</i> Germar, 1818, <i>Oxystoma</i>	169
<i>ochropus</i> Gmelin, 1790, <i>Protapion</i>	173
<i>ochsi</i> A. Hoffmann, 1950, <i>Aulacobaris</i>	254
<i>ochsi</i> Hervé, 1949, <i>Raymondionymus</i>	200
<i>octiesdentatus</i> Murayama, 1931, <i>Xyleborinus</i>	246
<i>octodentatus</i> Paykull, 1800, <i>Ips</i>	234
<i>octodentatus</i> Browne, 1985, <i>Platypus</i>	203
<i>octoguttatus</i> Nakane, 1963, <i>Orychodes</i>	143
<i>octomaculatus</i> Jekel, 1860, <i>Henicolabus</i>	135
<i>octospilotus</i> Jekel, 1860, <i>Henicolabus</i>	135
<i>oculare</i> Gyllenhal, 1833, <i>Metapion</i>	163
<i>ocularis</i> Konishi, 1963, <i>Stenommatius</i>	185
<i>ocularium</i> Desbrochers des Loges, 1895, <i>Protapion</i>	174
<i>oculatum</i> Wanat, 1997, <i>Squamapion</i>	162
<i>oculatus</i> Beeson, 1937, <i>Carchesiopygus</i>	201
<i>oculatus</i> Sharp, 1891, <i>Euparius</i>	93
<i>oculatus</i> Jordan, 1904, <i>Phloeophilus</i>	95
<i>odai</i> Morimoto, 1980, <i>Tropideres</i>	101
<i>odontus</i> R.-Z. Zhang, 1993, <i>Baryrhynchus</i>	142
<i>offensum</i> Faust, 1891, <i>Cyanapion</i>	165
<i>ogasawarai</i> Morimoto, 1979, <i>Mecotropis</i>	97
<i>ogasawaranus</i> Shibata, 1980, <i>Litocerus</i>	100
<i>ogasawarensis</i> Morimoto, 1985, <i>Dryophthorus</i>	185
<i>ogasawarensis</i> Morimoto, 1981, <i>Gibber</i>	103
<i>ogasawarensis</i> Senoh, 1984, <i>Xanthoderopygus</i>	105
<i>ohdaisanus</i> Nakane, 1963, <i>Caenorhinus</i>	115
<i>ohkurai</i> Shibata, 1978, <i>Dendropemon</i>	93
<i>ohnoi</i> Browne, 1980, <i>Cyclorhipidion</i>	243
<i>ohtoensis</i> Nobuchi, 1981, <i>Xyleborus</i>	248
<i>okamotoi</i> Kôno, 1930, <i>Apoderus</i>	129
<i>okinawaensis</i> Voss, 1971, <i>Pseudomesauletes</i>	111
<i>okinawana</i> Morimoto, 1981, <i>Autotropis</i>	93
<i>okinawanus</i> Morimoto, 1980, <i>Acorynus</i>	99
<i>okinawanus</i> Senoh, 1984, <i>Peribathys</i>	101
<i>okinosenensis</i> Murayama, 1961, <i>Xyleborus</i>	248
<i>okoumeensis</i> Schedl, 1935, <i>Xylosandrus</i>	249
<i>okunii</i> Kôno, 1930, <i>Procas</i>	196
<i>oleae</i> Fabricius, 1792, <i>Phloeotribus</i>	213

<i>oleanderi</i> Schedl, 1961, <i>Mimiocurus</i>	216
<i>oleiperda</i> Fabricius, 1792, <i>Hylesinus</i>	207
<i>oleiphilus</i> Del Guercio, 1925, <i>Phloeotribus</i>	213
<i>olivaceus</i> Gyllenhal, 1833, <i>Lasiorrhynchites</i>	123
<i>oliverii</i> Desbrochers des Loges, 1866, <i>Corimalia</i>	178
<i>olivieri</i> Desbrochers des Loges, 1871, <i>Brachycerus</i>	182
<i>omeishanicus</i> Legalov, 2007, <i>Leptapoderus</i>	132
<i>omiense</i> Bajtenov, 1977, <i>Pseudoprotapion</i>	176
<i>omissus</i> Voss, 1920, <i>Byctiscus</i>	114
<i>omissus</i> Eichhoff, 1872, <i>Orthotomicus</i>	235
<i>onoharaense</i> Murayama, 1934, <i>Dryoxylon</i>	244
<i>ononicola</i> Bach, 1854, <i>Protapion</i>	174
<i>ononidis</i> Bedel, 1886, <i>Holotrichapion</i>	168
<i>ononidis</i> Gyllenhal, 1827, <i>Protapion</i>	174
<i>ononiphagum</i> Schatzmayr, 1920, <i>Catapion</i>	164
<i>ononis</i> Kirby, 1808, <i>Holotrichapion</i>	168
<i>onopordi</i> Kirby, 1808, <i>Ceratapion</i>	154
<i>opacifrons</i> Beeson, 1939, <i>Coccotrypes</i>	229
<i>opacifrons</i> Reitter, 1913, <i>Pityogenes</i>	235
<i>opacinum</i> Faust, 1887, <i>Ceratapion</i>	155
<i>opacus</i> Wollaston, 1864, <i>Brachycerus</i>	183
<i>opacus</i> Legalov, 2007, <i>Euops</i>	137
<i>opacus</i> Erichson, 1836, <i>Hylastes</i>	205
<i>opacus</i> Schedl, 1942, <i>Hypocryphalus</i>	220
<i>opacus</i> Gyllenhal, 1838, <i>Sphenophorus</i>	191
<i>opacus</i> Stierlin, 1882, <i>Sphenophorus</i>	191
<i>opeticum</i> Bach, 1854, <i>Oxystoma</i>	169
<i>ophthalmicus</i> Stephens, 1831, <i>Lasiorrhynchites</i>	123
<i>opienensis</i> Tsai & Li, 1963, <i>Cryphalus</i>	219
<i>opimulus</i> Schedl, 1976, <i>Xyleborinus</i>	246
<i>opiparis</i> Jacquelin du Val, 1853, <i>Eremobaris</i>	257
<i>ophthalmicum</i> Desbrochers des Loges, 1896, <i>Eutrichapion</i>	166
<i>oranense</i> Desbrochers des Loges, 1898, <i>Apion</i>	149
<i>orbatus</i> Blandford, 1894, <i>Xylosandrus</i>	250
<i>orbipennis</i> Reiche & Saulcy, 1858, <i>Brachycerus</i>	183
<i>orbitale</i> Boheman, 1839, <i>Hemitrichapion</i>	167
<i>orchidearum</i> Kolbe, 1906, <i>Orchidophilus</i>	261
<i>orchinensis</i> Legalov, 2007, <i>Heterapoderus</i>	131
<i>orchivora</i> Blackburn, 1900, <i>Orchidophilus</i>	261
<i>orientale</i> Gerstaecker, 1854, <i>Ceratapion</i>	156
<i>orientalis</i> Motschulsky, 1875, <i>Basitropis</i>	92
<i>orientalis</i> Strejček, 1982, <i>Bruchela</i>	108
<i>orientalis</i> Zherikhin, 1972, <i>Corimalia</i>	177
<i>orientalis</i> Roelofs, 1875, <i>Cosmobaris</i>	256
<i>orientalis</i> Eggers, 1911, <i>Cryphalus</i>	219
<i>orientalis</i> Eggers, 1923, <i>Cyrtogenius</i>	230
<i>orientalis</i> Kurentsov, 1941, <i>Dryocoetes</i>	231
<i>orientalis</i> Wood & Yin, 1986, <i>Pseudips</i>	236
<i>orientalis</i> Hervé, 1953, <i>Raymondionymus</i>	200
<i>orientalis</i> Eggers, 1910, <i>Scolytus</i>	239

<i>orientalis</i> Schedl, 1978, <i>Thamnurgus</i>	233
<i>orientalis</i> Legalov, 2007, <i>Tomapoderus</i>	141
<i>orientalis</i> Krivolutskaya, 1956, <i>Tomicus</i>	209
<i>orientalis</i> Eggers, 1933, <i>Xyleborus</i>	249
<i>origani</i> Planet, 1918, <i>Squamapion</i>	162
<i>orizae</i> Masters, 1886, <i>Sitophilus</i>	187
<i>orlovi</i> Legalov, 2007, <i>Caenorhinus</i>	116
<i>ormusense</i> Bajtenov & Fremuth, 1981, <i>Perapion</i>	151
<i>ornatus</i> Reiche & Saulcy, 1858, <i>Brachycerus</i>	183
<i>orni</i> Fuchs, 1906, <i>Hylesinus</i>	207
<i>orthographus</i> Duftschmid, 1825, <i>Pityokteines</i>	236
<i>oryzae</i> Ishida, 1902, <i>Notaris</i>	195
<i>oryzae</i> Linnaeus, 1763, <i>Sitophilus</i>	187
<i>oryzophilus</i> Kuschel, 1952, <i>Lissorhoptrus</i>	198
<i>osellai</i> Sacco & Colonnelli, 1985, <i>Phrissotrichum</i>	152
<i>oshimai</i> Morimoto, 1979, <i>Xylinada</i>	102
<i>osumiensis</i> Murayama, 1955, <i>Phloeosinus</i>	212
<i>osumiensis</i> Murayama, 1934, <i>Xyleborus</i>	248
<i>otiosum</i> Faust, 1891, <i>Metapion</i>	163
<i>ottonis</i> Wagner, 1914, <i>Squamapion</i>	162
<i>ougeiniae</i> Wood, 1988, <i>Xylechinus</i>	210
<i>ouhouensis</i> Legalov, 2007, <i>Cyrtolabus</i>	135
<i>ovalicollis</i> Eggers, 1930, <i>Euwallacea</i>	245
<i>ovalipennis</i> Korotyaev, 1987, <i>Piezotrachelus</i>	173
<i>ovalis</i> Legalov, 2003, <i>Euops</i>	139
<i>ovalis</i> Eggers, 1941, <i>Phloeotribus</i>	212
<i>ovatus</i> Brullé, 1832, <i>Brachycerus</i>	184
<i>ovipenne</i> Hochhuth, 1851, <i>Ceratapion</i>	156
<i>oxurum</i> Kirby, 1808, <i>Aspidapion</i>	153
<i>oxyacanthae</i> C. N. F. Brisout de Barneville, 1863, <i>Rhaphitropis</i>	104
<i>oxyurus</i> Dufour, 1843, <i>Treptoplatypus</i>	203
<i>pabo</i> Sampson, 1922, <i>Webbia</i>	245
<i>pacatoides</i> Voss, 1937, <i>Caenorhinus</i>	116
<i>pacatus</i> Faust, 1882, <i>Deporaus</i>	117
<i>pacei</i> Osella, 1977, <i>Raymondiellus</i>	199
<i>pacei</i> Osella, 1976, <i>Ruffodytes</i>	196
<i>pachyrrhynchum</i> Gemminger, 1871, <i>Alocentron</i>	153
<i>pacificus</i> Beeson, 1940, <i>Hypothenemus</i>	221
<i>padi</i> Krivolutskaya, 1958, <i>Cryphalus</i>	219
<i>padi</i> Kurentsov, 1941, <i>Dryocoetes</i>	231
<i>padi</i> Stark, 1952, <i>Dryocoetes</i>	231
<i>padus</i> Wood, 1988, <i>Xylechinus</i>	210
<i>paganettii</i> Wagner, 1914, <i>Exapion</i>	159
<i>pakistanum</i> Voss, 1960, <i>Pseudoconapion</i>	175
<i>palaestinus</i> Pic, 1900, <i>Pericartiellus</i>	182
<i>pallens</i> Bettinger, 1935, <i>Microon</i>	179
<i>palleolus</i> Voss, 1939, <i>Eugnamptus</i>	119
<i>palleolus</i> Voss, 1941, <i>Eugnamptus</i>	119
<i>palliatus</i> Gyllenhal, 1813, <i>Hylurgops</i>	206
<i>pallicorne</i> Gyllenhal, 1833, <i>Eutrichapion</i>	166

<i>pallida</i> Olivier, 1807, <i>Corimalia</i>	177
<i>pallidactylum</i> Gyllenhal, 1839, <i>Kalcapion</i>	160
<i>pallidicolor</i> Pic, 1905, <i>Doydirhynchus</i>	90
<i>pallidicornis</i> Boheman, 1836, <i>Cosmobaris</i>	256
<i>pallidipennis</i> Voss, 1925, <i>Catalabus</i>	135
<i>pallidipennis</i> Murayama, 1950, <i>Cnestus</i>	242
<i>pallidipes</i> Bedel, 1886, <i>Kalcapion</i>	160
<i>pallidipes</i> Pic, 1897, <i>Nanophyes</i>	181
<i>pallidirostre</i> Roelofs, 1874, <i>Microconapion</i>	173
<i>pallidiventris</i> Voss, 1957, <i>Caenorhinus</i>	115
<i>pallidulum</i> Gyllenhal, 1839, <i>Taeniapion</i>	162
<i>pallidulus</i> Gravenhorst, 1807, <i>Hypophyes</i>	178
<i>pallinosus</i> Anonymus, 1826, <i>Cercomorphus</i>	109
<i>pallipes</i> Gyllenhal, 1813, <i>Kalcapion</i>	160
<i>pallipes</i> Kirby, 1808, <i>Kalcapion</i>	160
<i>pallipes</i> Roelofs, 1874, <i>Nanophyes</i>	181
<i>palmeri</i> Hopkins, 1915, <i>Xyleborus</i>	247
<i>palmi</i> Hansen, 1956, <i>Trypophloeus</i>	226
<i>palmicola</i> Hornung, 1842, <i>Coccotrypes</i>	229
<i>palpebratum</i> Gyllenhal, 1833, <i>Catapion</i>	164
<i>paludicola</i> Waltl, 1835, <i>Sphenophorus</i>	191
<i>palustris</i> Gyllenhal, 1835, <i>Thryogenes</i>	197
<i>pamiroalaica</i> Bajtenov, 1975, <i>Fremuthiella</i>	172
<i>panfilovi</i> Korotyaev, 1985, <i>Aspidapion</i>	153
<i>panfilovi</i> Legalov, 2003, <i>Neoeugnamptus</i>	119
<i>pannonicum</i> Györfy, 1955, <i>Squamapion</i>	162
<i>pantherina</i> Zherikhin, 1991, <i>Corimalia</i>	178
<i>pantherinus</i> P. H. Lucas, 1847, <i>Trigonorhinus</i>	99
<i>papei</i> Voss, 1927, <i>Leptapoderus</i>	132
<i>papuanus</i> Eggers, 1923, <i>Coccotrypes</i>	229
<i>papuanus</i> Kirsch, 1877, <i>Rhynchophorus</i>	189
<i>papuanus</i> Schedl, 1936, <i>Scolytus</i>	239
<i>parabasimaculata</i> Morimoto & Lee, 1992, <i>Nespilobaris</i>	259
<i>paracoeleste</i> Balfour-Browne, 1944, <i>Pseudoprotapion</i>	176
<i>paradoxus</i> Rey, 1894, <i>Brachycerus</i>	182
<i>paraguayensis</i> Hopkins, 1915, <i>Hypothenemus</i>	222
<i>paraguayensis</i> Schedl, 1949, <i>Xyleborinus</i>	246
<i>parallela</i> Küster, 1848, <i>Bruchela</i>	108
<i>parallellocollis</i> Eichhoff, 1878, <i>Crypturgus</i>	228
<i>parallelus</i> Chapuis, 1875, <i>Hylastes</i>	205
<i>paraplesia</i> Jordan, 1912, <i>Apolecta</i>	104
<i>parasiticus</i> Kôno, 1927, <i>Paradeporaus</i>	118
<i>paratasioides</i> Heller, 1897, <i>Ommatolampes</i>	187
<i>parbihumeratus</i> Legalov, 2003, <i>Agomadaranus</i>	140
<i>parcius</i> Voss, 1965, <i>Ceratapion</i>	155
<i>parcius</i> Schedl, 1957, <i>Hypothenemus</i>	223
<i>parcus</i> Voss, 1920, <i>Byctiscidius</i>	114
<i>pardalis</i> Snellen van Vollenhoven, 1865, <i>Agomadaranus</i>	140
<i>pardalis</i> Sharp, 1891, <i>Habrissus</i>	92
<i>pardalis</i> Wollaston, 1861, <i>Trigonorhinus</i>	99

<i>pardaloides</i> Voss, 1924, <i>Agomadaranus</i>	140
<i>parellinus</i> Gyllenhal, 1833, <i>Involvulus</i>	123
<i>parelongatipes</i> Legalov, 2003, <i>Phymatapoderus</i>	141
<i>parens</i> Desbrochers des Loges, 1871, <i>Brachycerus</i>	182
<i>parens</i> Desbrochers des Loges, 1870, <i>Ceratapion</i>	154
<i>parfentievi</i> Pyatnitskiy, 1931, <i>Pityophthorus</i>	217
<i>parilis</i> Schedl, 1951, <i>Hypothenemus</i>	223
<i>parisina</i> Thunberg, 1784, <i>Aulacobaris</i>	253
<i>parpanense</i> Rühl, 1885, <i>Podapion</i>	176
<i>parumpunctata</i> Fairmaire, 1875, <i>Baris</i>	255
<i>parumpunctatus</i> Gyllenhal, 1838, <i>Sphenophorus</i>	191
<i>parumsignata</i> Jordan, 1932, <i>Xylinada</i>	102
<i>parunicus</i> Legalov, 2003, <i>Heterapoderus</i>	131
<i>parviclava</i> Desbrochers des Loges, 1897, <i>Ceratapion</i>	154
<i>parviclaviger</i> Yin & Huang, 1980, <i>Scolytus</i>	239
<i>parvicollis</i> Voss, 1942, <i>Caenorhinus</i>	115
<i>parvirostris</i> J. Thomson, 1858, <i>Araecerus</i>	105
<i>parvithorax</i> Desbrochers des Loges, 1891, <i>Protopirapion</i>	171
<i>parvula</i> Motschulsky, 1875, <i>Bruchela</i>	108
<i>parvula</i> Boheman, 1836, <i>Cosmobaris</i>	256
<i>parvula</i> Kojima & Yoshihara, 2009, <i>Omobaris</i>	259
<i>parvulum</i> Mulsant & Rey, 1858, <i>Squamapion</i>	162
<i>parvulus</i> Sharp, 1889, <i>Byctiscus</i>	113
<i>parvulus</i> Niisima, 1910, <i>Cryphalus</i>	219
<i>parvulus</i> Voss, 1941, <i>Neoeugnampus</i>	119
<i>parvulus</i> Murayama, 1956, <i>Polygraphus</i>	214
<i>parvulus</i> Voss, 1928, <i>Pseudophrysus</i>	137
<i>parvulus</i> Eichhoff, 1868, <i>Xyleborus</i>	249
<i>parvungulis</i> G. A. K. Marshall, 1931, <i>Dryophthoroides</i>	192
<i>parvus</i> Beeson, 1939, <i>Coccotrypes</i>	229
<i>parvus</i> Eggers, 1933, <i>Hylurgops</i>	206
<i>parvus</i> Hopkins, 1915, <i>Hypothenemus</i>	223
<i>parvus</i> Eichhoff, 1878, <i>Xyleborus</i>	246
<i>pascha</i> Boheman, 1845, <i>Rhynchophorus</i>	189
<i>pashini</i> Fursov, 1935, <i>Fursovia</i>	186
<i>pasticum</i> Germar, 1817, <i>Holotrichapion</i>	168
<i>patricius</i> Voss, 1959, <i>Rhynchites</i>	128
<i>patruelis</i> Frieser, 2001, <i>Euparius</i>	93
<i>patruelis</i> Voss, 1922, <i>Nelistrobyctiscus</i>	114
<i>patruelis</i> Frieser, 1995, <i>Ozotomerus</i>	94
<i>patruelis</i> Voss, 1971, <i>Tyrodomus</i>	197
<i>paucegranulatus</i> Eggers, 1935, <i>Scolytoplatypus</i>	240
<i>pauciseta</i> Wasmann, 1884, <i>Lasiorrhynchites</i>	123
<i>paucisquamis</i> Meregalli & Colonnelli, 2006, <i>Ocladius</i>	184
<i>pauculus</i> Voss, 1941, <i>Caenorhinus</i>	116
<i>pauculus</i> Voss, 1933, <i>Neocoenorrhinus</i>	125
<i>pauperulus</i> Voss, 1927, <i>Heterapoderus</i>	131
<i>pauillus</i> Germar, 1824, <i>Neocoenorrhinus</i>	125
<i>pavens</i> Voss, 1926, <i>Phymatapoderus</i>	141
<i>pavidum</i> Germar, 1817, <i>Hemitrichapion</i>	167

paviei Aurivillius, 1891, <i>Aspidobyctiscus</i>	112
paviei Lesne, 1891, <i>Sphinctotropis</i>	100
paykulli Gozis, 1875, <i>Eutrichapion</i>	166
paykullii Duftschmid, 1825, <i>Hylurgops</i>	205
pecanis Hopkins, 1915, <i>Hypothenemus</i>	224
pecanis Hopkins, 1915, <i>Xyleborinus</i>	246
pectinator Peyerimhoff, 1924, <i>Cercomorphus</i>	108
pectinicornis Balachowsky, 1949, <i>Phloeotribus</i>	212
pectoralis Pic, 1929, <i>Corimalia</i>	177
pectoralis Sharp, 1891, <i>Uncifer</i>	104
pedale Mulsant & Rey, 1858, <i>Protapion</i>	174
pedemontana Desbrochers des Loges, 1908, <i>Baris</i>	255
pedemontanum Desbrochers des Loges, 1870, <i>Cyanapion</i>	165
pedestris Voss, 1949, <i>Eugnamptobius</i>	118
pedestris Voss, 1930, <i>Leptapoderus</i>	132
pedestroides Legalov, 2002, <i>Leptapoderus</i>	132
pedicellare C. G. Thomson, 1865, <i>Betulapion</i>	172
pedicellaris Voss, 1930, <i>Aderorhinus</i>	118
pegani Eggers, 1933, <i>Thamnurgus</i>	233
peguensis Eggers, 1930, <i>Leptoxyleborus</i>	245
pelletieri Legalov, 2007, <i>Eugnamptobius</i>	118
pelliceus Faust, 1890, <i>Perrhynchitoides</i>	126
pelliculosum Eichhoff, 1878, <i>Cyclorhipidion</i>	243
pellitus Desbrochers des Loges, 1875, <i>Apachiscelus</i>	193
penetrans Germar, 1817, <i>Ceratapion</i>	156
penicillatus Reitter, 1913, <i>Scolytus</i>	238
peninsulae Wanat, 1990, <i>Ceratapion</i>	155
peninsularis Chevrolat, 1866, <i>Brachycerus</i>	182
pennidens Reitter, 1889, <i>Pityogenes</i>	236
perakensis Schedl, 1936, <i>Cyrtogenius</i>	230
perakensis Schedl, 1942, <i>Euwallacea</i>	245
peramoena Reitter, 1907, <i>Aulacobaris</i>	254
perbrevis Schedl, 1951, <i>Euwallacea</i>	244
percristatus Eggers, 1939, <i>Xyleborus</i>	248
perditor Blandford, 1894, <i>Coccotrypes</i>	229
perdura Reitter, 1895, <i>Aulacobaris</i>	254
peregrina Kleine, 1922, <i>Blysmia</i>	143
peregrinus Herbst, 1797, <i>Araecerus</i>	105
peregrinus Wood & Yin, 1986, <i>Pseudopityophthorus</i>	217
peregrinus Eggers, 1908, <i>Scolytus</i>	237
peregrinus Eggers, 1944, <i>Xyleborinus</i>	246
perelegans Fairmaire, 1898, <i>Sphenocorynes</i>	190
perexiguus Blandford, 1896, <i>Acanthotomicus</i>	233
perfoliatus Wollaston, 1854, <i>Phloeotribus</i>	213
perfolicornis Fabricius, 1801, <i>Dendropemon</i>	93
perforans Wollaston, 1857, <i>Xyleborus</i>	248
pericarti Ehret, 1991, <i>Ischnopterapion</i>	171
peritus Blandford, 1894, <i>Hypothenemus</i>	221
perkinsi Hopkins, 1915, <i>Hypothenemus</i>	221
perlatus A. Solari & F. Solari, 1922, <i>Brachycerus</i>	183

perlatus Chapuis, 1876, <i>Phloeosinus</i>	212
perlongum Faust, 1891, <i>Ceratapion</i>	155
perlucida Reitter, 1902, <i>Baris</i>	255
permarginatus Schedl, 1933, <i>Ambrosiodmus</i>	241
perminimus Schedl, 1942, <i>Hypocryphalus</i>	220
pernanulus Schedl, 1935, <i>Baiocis</i>	201
pernitidus Schedl, 1954, <i>Xyleborus</i>	248
pernodulus Schedl, 1957, <i>Ambrosiodmus</i>	241
perodiosus Gyllenhal, 1840, <i>Brachycerus</i>	183
perorientalis Schedl, 1957, <i>Xyleborus</i>	249
perparvus Sampson, 1922, <i>Microperus</i>	245
perpilosellum Schedl, 1935, <i>Cyclorhipidion</i>	243
perplexum Gyllenhal, 1833, <i>Holotrichapion</i>	168
perraudieri Desbrochers des Loges, 1884, <i>Synapion</i>	172
perrisi Chapuis, 1869, <i>Carphoborus</i>	213
perrisi Guillebeau, 1893, <i>Phloeotribus</i>	213
perrisi Grenier, 1864, <i>Raymondionymus</i>	200
perrisii Wencker, 1859, <i>Phrissotrichum</i>	152
persicae Hopkins, 1915, <i>Coccotrypes</i>	228
persicum Desbrochers des Loges, 1893, <i>Hemitrichapion</i>	167
persicus Thompson, 1973, <i>Acythopeus</i>	260
persicus Zumpt, 1937, <i>Brachycerus</i>	183
persicus Gyllenhal, 1837, <i>Neocoenorrhinus</i>	125
persicus Gyllenhal, 1839, <i>Neocoenorrhinus</i>	125
persimilis Jordan, 1916, <i>Basitropis</i>	92
persimilis Morimoto, 1981, <i>Unciferina</i>	104
persphenos Schedl, 1970, <i>Xyleborinus</i>	245
perspicax Wencker, 1864, <i>Eutrichapion</i>	166
perspicillum Faust, 1887, <i>Hemitrichapion</i>	167
perspicua Frieser, 1996, <i>Rhaphitropis</i>	104
pertinax Gyllenhal, 1835, <i>Icaris</i>	194
pertuberculatus Eggers, 1939, <i>Phloeosinus</i>	212
perturbatus Voss, 1930, <i>Pseudomesauletes</i>	112
pertusa Kiesenwetter, 1864, <i>Aulacobaris</i>	254
petax C. R. Sahlberg, 1823, <i>Lepidonotaris</i>	195
petryszaki Bajtenov, 1979, <i>Hemitrichapion</i>	167
petzi Reitter, 1901, <i>Thamnurgus</i>	233
peyerimhoffi Desbrochers des Loges, 1902, <i>Ischnopterapion</i>	170
peyerimhoffi Eggers, 1913, <i>Phloeotribus</i>	213
peyrimhoffi Pfeffer, 1941, <i>Liparthrum</i>	211
pfefferi Knízek, 1994, <i>Phloeosinus</i>	212
pfeilii Ratzeburg, 1837, <i>Xyleborus</i>	248
phaedonius Sharp, 1889, <i>Euops</i>	139
phaeus R.-Z. Zhang, 1993, <i>Baryrhynchus</i>	142
philippinensis Eggers, 1927, <i>Acanthotomicus</i>	233
philippinensis Eggers, 1923, <i>Coccotrypes</i>	228
philippinensis Schedl, 1933, <i>Coccotrypes</i>	228
philippinensis Eggers, 1927, <i>Cyrtogenius</i>	230
philippinensis Eggers, 1923, <i>Ficicis</i>	206
philippinensis Schedl, 1942, <i>Genyocerus</i>	204

<i>philippinensis</i> Mantilleri, 2009, <i>Higonius</i>	147
<i>philippinensis</i> Hopkins, 1915, <i>Hypothenemus</i>	224
<i>philippinensis</i> Eichhoff, 1878, <i>Xyleborus</i>	248
<i>phlomidis</i> Becker, 1892, <i>Labiaticola</i>	257
<i>phocopus</i> Eppelsheim, 1888, <i>Squamapion</i>	162
<i>phoebe</i> Wood, 1988, <i>Phloeosinus</i>	212
<i>phoenicola</i> Beeson, 1939, <i>Coccotrypes</i>	229
<i>phohaensis</i> Legalov, 2007, <i>Caenorhinus</i>	115
<i>phohaensis</i> Legalov, 2007, <i>Cneminvolvulus</i>	120
<i>phryganophilus</i> Iablokoff-Khnzorian, 1956, <i>Tatianaerhynchites</i>	128
<i>phrygium</i> Wagner, 1908, <i>Pseudoprotapion</i>	176
<i>phycas</i> Jordan, 1912, <i>Xylinada</i>	102
<i>phytonomoides</i> Voss, 1953, <i>Echinocnemus</i>	194
<i>piceae</i> Stebbing, 1906, <i>Crossotarsus</i>	201
<i>piceae</i> Ratzeburg, 1837, <i>Cryphalus</i>	219
<i>piceae</i> Chen & Yin, 2001, <i>Pseudoxylechinus</i>	209
<i>piceus</i> Osella, 1977, <i>Raymondionymus</i>	200
<i>piceum</i> A. Strand, 1946, <i>Trypodendron</i>	250
<i>piceus</i> Chapuis, 1865, <i>Crossotarsus</i>	201
<i>piceus</i> Eggers, 1926, <i>Cryphalus</i>	219
<i>piceus</i> Motschulsky, 1863, <i>Euwallacea</i>	244
<i>piceus</i> Voss, 1927, <i>Heterapoderus</i>	131
<i>piceus</i> Marsham, 1802, <i>Hylurgops</i>	206
<i>piceus</i> Schaum, 1845, <i>Pseudochoragus</i>	106
<i>piceus</i> Pallas, 1771, <i>Sphenophorus</i>	191
<i>pici</i> Legalov, 2007, <i>Tomapoderus</i>	141
<i>picicolor</i> Stephens, 1830, <i>Scolytus</i>	238
<i>picicorne</i> Stephens, 1839, <i>Squamapion</i>	161
<i>picicornis</i> Marsham, 1802, <i>Aulacobaris</i>	254
<i>picina</i> Germar, 1824, <i>Melanobaris</i>	258
<i>picipennis</i> Stephens, 1830, <i>Hylesinus</i>	207
<i>picipennis</i> Eggers, 1926, <i>Taphrorychus</i>	232
<i>picipes</i> Marsham, 1802, <i>Procas</i>	196
<i>picitarsis</i> Boheman, 1836, <i>Baris</i>	255
<i>picta</i> Motschulsky, 1875, <i>Bruchela</i>	108
<i>pictum</i> Wagner, 1909, <i>Flavopodapion</i>	153
<i>picturata</i> Ménétriés, 1849, <i>Eremobaris</i>	257
<i>pictus</i> Gerstaecker, 1855, <i>Hypoglyptus</i>	194
<i>piffli</i> Voss, 1964, <i>Allomalía</i>	177
<i>pigmaea</i> Shibata, 1978, <i>Rhaphitropis</i>	104
<i>pila</i> Blandford, 1894, <i>Sphaerotrypes</i>	204
<i>pilicorne</i> Desbrochers des Loges, 1875, <i>Ceratapion</i>	156
<i>pilidens</i> Reitter, 1895, <i>Pityogenes</i>	235
<i>pilifer</i> Voss, 1958, <i>Pertorcus</i>	252
<i>pilifer</i> Spessivtsev, 1919, <i>Tomicus</i>	209
<i>pilifrons</i> Browne, 1970, <i>Coccotrypes</i>	229
<i>pilifrons</i> Chapuis, 1865, <i>Treptoplatypus</i>	203
<i>piliger</i> Desbrochers des Loges, 1895, <i>Symmorphocerus</i>	144
<i>pilipes</i> Desbrochers des Loges, 1896, <i>Icaris</i>	194
<i>pilistriata</i> Stephens, 1831, <i>Limnobaris</i>	251

<i>piliventris</i> Zaslavskij, 1956, <i>Baris</i>	255
<i>pilosa</i> Roelofs, 1875, <i>Baris</i>	255
<i>pilosella</i> Voss, 1960, <i>Corimalia</i>	178
<i>pilosellum</i> Gravenhorst, 1807, <i>Eutrichapion</i>	166
<i>pilosellus</i> Voss, 1941, <i>Eugnampitobius</i>	118
<i>pilosistriatus</i> Voss, 1920, <i>Involvulus</i>	122
<i>pilositesellata</i> Voss, 1922, <i>Mecorhis</i>	125
<i>pilosiusculus</i> Kurentsov, 1948, <i>Dryocoetes</i>	231
<i>pilosulus</i> Schedl, 1949, <i>Coccotrypes</i>	229
<i>pilosus</i> Sasaki, 1899, <i>Cryphalus</i>	218
<i>pilosus</i> Tsai & Li, 1963, <i>Cryphalus</i>	219
<i>pilosus</i> Blandford, 1894, <i>Dryocoetes</i>	231
<i>pilosus</i> Eggers, 1944, <i>Hylastinus</i>	207
<i>pilosus</i> Roelofs, 1874, <i>Involvulus</i>	122
<i>pilosus</i> Yin & Huang, 1980, <i>Scolytus</i>	239
<i>pilosus</i> Eggers, 1936, <i>Sueus</i>	210
<i>pilosus</i> Murayama, 1957, <i>Taphrorychus</i>	232
<i>pilosus</i> Gistel, 1831, <i>Trypodendron</i>	251
<i>pilosus</i> Ratzeburg, 1837, <i>Xylechinus</i>	210
<i>pinastri</i> Bechstein, 1818, <i>Ips</i>	234
<i>pineae</i> Rosenhauer, 1856, <i>Pseudoprotapion</i>	176
<i>pini</i> Eichhoff, 1881, <i>Carphoborus</i>	213
<i>pini</i> Eggers, 1921, <i>Cryphalus</i>	218
<i>pini</i> Niisima, 1909, <i>Dryocoetes</i>	231
<i>pini</i> Hopkins, 1915, <i>Hypothenemus</i>	224
<i>pini</i> Kurentsov, 1941, <i>Pityophthorus</i>	217
<i>pini</i> Stebbing, 1914, <i>Polygraphus</i>	214
<i>pini</i> Eggers, 1942, <i>Scolytus</i>	239
<i>pinicola</i> Bedel, 1888, <i>Hylastes</i>	205
<i>pinicola</i> Eggers, 1930, <i>Xyleborus</i>	248
<i>piniperda</i> Linnaeus, 1758, <i>Tomicus</i>	209
<i>pinivorus</i> Schedl, 1961, <i>Orthotomicus</i>	235
<i>pinivorus</i> Browne, 1980, <i>Xyleborus</i>	248
<i>pinsapo</i> Pfeffer, 1982, <i>Pityophthorus</i>	217
<i>piochardi</i> Bedel, 1878, <i>Symmorphocerus</i>	144
<i>piscatorium</i> Wollaston, 1860, <i>Aphanarthrum</i>	227
<i>pisi</i> Fabricius, 1801, <i>Holotrichapion</i>	168
<i>pissodes</i> Jordan, 1933, <i>Uncifer</i>	104
<i>pistillum</i> Faust, 1894, <i>Synapion</i>	172
<i>pistor</i> Schedl, 1951, <i>Hypothenemus</i>	224
<i>pityographus</i> Ratzeburg, 1837, <i>Pityophthorus</i>	217
<i>placidus</i> Sharp, 1889, <i>Involvulus</i>	122
<i>placidus</i> Faust, 1887, <i>Pseudopiezotrachelus</i>	175
<i>placidus</i> Say, 1831, <i>Sphenophorus</i>	191
<i>plagiata</i> Jordan, 1895, <i>Xylinada</i>	102
<i>plagiatum</i> Desbrochers des Loges, 1891, <i>Lepidapion</i>	159
<i>planatus</i> Shibata, 1963, <i>Caenophloeobius</i>	97
<i>planicollis</i> Morimoto, 1976, <i>Cerobates</i>	146
<i>planicollis</i> F. Walker, 1859, <i>Orychodes</i>	143
<i>planifrons</i> Sawada, 1993, <i>Auletobius</i>	110

<i>planifrons</i> Kirsch, 1875, <i>Cyphagogus</i>	145
<i>planipennis</i> Roelofs, 1874, <i>Caenorhinus</i>	115
<i>planipennis</i> Gyllenhal, 1838, <i>Odoiporus</i>	190
<i>planirostris</i> Gyllenhal, 1833, <i>Brachycerus</i>	183
<i>planirostris</i> Gyllenhal, 1833, <i>Mecorhis</i>	124
<i>planirostris</i> Fabricius, 1801, <i>Temnocerus</i>	129
<i>planirostris</i> Piller & Mitterpacher, 1783, <i>Tropideres</i>	101
<i>planiusculus</i> Voss, 1935, <i>Cneminvolvulus</i>	120
<i>planiusculus</i> Voss, 1941, <i>Involvulus</i>	122
<i>planodeclivis</i> Browne, 1974, <i>Xyleborus</i>	248
<i>planus</i> R.-Z. Zhang, 1993, <i>Baryrhynchus</i>	142
<i>platalea</i> Germar, 1817, <i>Cyanapion</i>	165
<i>platensis</i> Zacher, 1922, <i>Sitophilus</i>	187
<i>platypus</i> Duftschmid, 1825, <i>Platypus</i>	202
<i>platystylus</i> Wichmann, 1915, <i>Scolytus</i>	237
<i>plebejum</i> Germar, 1817, <i>Catapion</i>	164
<i>plicatum</i> Faust, 1887, <i>Hemitrichapion</i>	167
<i>plicatus</i> Gyllenhal, 1833, <i>Brachycerus</i>	183
<i>plicatus</i> Brèthes, 1909, <i>Megaplatypus</i>	202
<i>plumbea</i> Roelofs, 1874, <i>Mecorhis</i>	125
<i>plumbeomicans</i> Rosenhauer, 1856, <i>Ischnoptera pion</i>	171
<i>plumbeum</i> Gyllenhal, 1833, <i>Hemitrichapion</i>	167
<i>plumbeus</i> Blandford, 1894, <i>Hylastes</i>	205
<i>plumipilis</i> Hustache, 1931, <i>Theanellus</i>	197
<i>podager</i> Desbrochers des Loges, 1889, <i>Deporaus</i>	117
<i>podolicum</i> Rybiński, 1902, <i>Apion</i>	149
<i>poecilopterus</i> H. Brisout de Barneville, 1869, <i>Nanophyes</i>	181
<i>poecilus</i> Shibata, 1963, <i>Acorynus</i>	99
<i>poecilus</i> Jordan, 1912, <i>Tropideres</i>	101
<i>poggii</i> Wanat, 1995, <i>Ceratapion</i>	155
<i>poirasi</i> Legalov, 2009, <i>Pseudomesauletes</i>	112
<i>pokharensis</i> Legalov, 2007, <i>Caenorhinus</i>	115
<i>pokharensis</i> Legalov, 2003, <i>Physapoderus</i>	133
<i>poligraphus</i> Linnaeus, 1758, <i>Polygraphus</i>	214
<i>polisquamosus</i> Yin, 2001, <i>Scolytogenes</i>	225
<i>polita</i> Reitter, 1895, <i>Malvaevora</i>	258
<i>politoides</i> Legalov, 2002, <i>Euops</i>	138
<i>politum</i> Desbrochers des Loges, 1875, <i>Protapion</i>	174
<i>politus</i> Gebler, 1825, <i>Compsapoderus</i>	130
<i>politus</i> Boheman, 1829, <i>Eomesauletes</i>	111
<i>politus</i> Lepeletier & Audinet-Serville, 1825, <i>Eomesauletes</i>	111
<i>politus</i> Roelofs, 1874, <i>Euops</i>	138
<i>politus</i> O. F. Müller, 1776, <i>Nemonyx</i>	90
<i>polonicus</i> Karpiński, 1949, <i>Pityophthorus</i>	216
<i>polyphagus</i> Costa Lima, 1924, <i>Hypothenemus</i>	222
<i>polyphagus</i> Eggers, 1924, <i>Hypothenemus</i>	221
<i>polyspiniger</i> Israelson, 1972, <i>Aphanarthrum</i>	226
<i>pomacearum</i> Butovitsch, 1929, <i>Scolytus</i>	238
<i>pomi</i> Yin & Huang, 1980, <i>Scolytus</i>	239
<i>pomona</i> Fabricius, 1798, <i>Oxystoma</i>	170

<i>ponderosus</i> Kleine, 1941, <i>Callipareius</i>	145
<i>populi</i> Linnaeus, 1758, <i>Byctiscus</i>	113
<i>populi</i> Scopoli, 1763, <i>Deporaus</i>	117
<i>populi</i> Kurentsov, 1941, <i>Trypophloeus</i>	226
<i>populneus</i> Gmelin, 1790, <i>Deporaus</i>	117
<i>porcata</i> Pascoe, 1885, <i>Myocalandra</i>	186
<i>porcatus</i> Chapuis, 1869, <i>Ficicis</i>	206
<i>porcellus</i> Pascoe, 1860, <i>Phaeochrotes</i>	91
<i>porculus</i> Fabricius, 1798, <i>Sphenophorus</i>	191
<i>porifrons</i> Eggers, 1933, <i>Pityogenes</i>	236
<i>porrectum</i> Schrank, 1781, <i>Protapion</i>	175
<i>possyeti</i> Stark, 1938, <i>Scolytus</i>	237
<i>postica</i> Gyllenhal, 1838, <i>Corimalia</i>	178
<i>posticepunctatus</i> Eggers, 1937, <i>Thamnurgus</i>	232
<i>posticestriatus</i> Eggers, 1939, <i>Xylosandrus</i>	250
<i>posticus</i> Broun, 1910, <i>Crossotarsus</i>	201
<i>postsuturalis</i> Pic, 1915, <i>Nanomimus</i>	180
<i>potanini</i> Legalov, 2004, <i>Byctiscus</i>	113
<i>potanini</i> Legalov, 2007, <i>Caenorhinus</i>	115
<i>potanini</i> Legalov, 2003, <i>Euops</i>	139
<i>potanini</i> Legalov, 2007, <i>Henicolabus</i>	135
<i>potanini</i> Legalov, 2007, <i>Involvulus</i>	123
<i>potanini</i> Korotyaev, 1992, <i>Miniapion</i>	154
<i>potanini</i> Legalov, 2007, <i>Montaninvolvulus</i>	125
<i>potanini</i> Legalov, 2003, <i>Neoeugnampus</i>	119
<i>potanini</i> Faust, 1890, <i>Paratrachelophorus</i>	133
<i>potens</i> Lacordaire, 1865, <i>Prophthalmus</i>	143
<i>poupillieri</i> Wencker, 1864, <i>Hoplopodapion</i>	150
<i>poweri</i> Roelofs, 1880, <i>Baryrhynchus</i>	142
<i>pradieri</i> Fairmaire, 1857, <i>Brachycerus</i>	183
<i>praeambula</i> Faust, 1897, <i>Baris</i>	255
<i>praecaria</i> Faust, 1889, <i>Sergiola</i>	161
<i>praecellens</i> Sharp, 1889, <i>Leptapoderus</i>	132
<i>praecox</i> Kolbe, 1895, <i>Gynandrocerus</i>	92
<i>praenotatus</i> Gredler, 1866, <i>Phloeosinus</i>	211
<i>praeustus</i> Boheman, 1845, <i>Lasiorhynchites</i>	123
<i>praevious</i> Blandford, 1894, <i>Xyleborus</i>	248
<i>prasina</i> Boheman, 1836, <i>Aulacobaris</i>	254
<i>prasinella</i> Hustache, 1938, <i>Aulacobaris</i>	254
<i>prasolovi</i> Korotyaev, 1991, <i>Pseudaplemonus</i>	152
<i>pravdini</i> Stark, 1936, <i>Hylesinus</i>	207
<i>premayaensis</i> Murayama, 1943, <i>Cryphalus</i>	218
<i>prieferti</i> A. Hoffmann, 1961, <i>Bruchela</i>	108
<i>princeps</i> Kleine, 1918, <i>Amorphocephala</i>	144
<i>princeps</i> Solsky, 1872, <i>Byctiscus</i>	113
<i>pristis</i> G. A. K. Marshall, 1924, <i>Mecorhis</i>	124
<i>privatus</i> Beeson, 1930, <i>Euwallacea</i>	244
<i>problematicus</i> Hervé, 1949, <i>Raymondionymus</i>	200
<i>procerus</i> Reitter, 1901, <i>Eurostauletes</i>	111
<i>proles</i> Heller, 1915, <i>Nanophyes</i>	181

<i>prominens</i> Shibata, 1979, <i>Cedus</i>	99
<i>promissus</i> Pascoe, 1885, <i>Rhabdoscelus</i>	190
<i>propheti</i> Kleine, 1922, <i>Chelorhinus</i>	145
<i>propinqua</i> Desbrochers des Loges, 1900, <i>Baris</i>	255
<i>propinquum</i> Desbrochers des Loges, 1908, <i>Protapion</i>	174
<i>propinquus</i> Voss, 1929, <i>Centrocorynus</i>	130
<i>propinquus</i> Wolfrum, 1948, <i>Litocerus</i>	100
<i>propinquus</i> Shibata, 1980, <i>Nessiiodocus</i>	100
<i>proprius</i> Legalov, 2007, <i>Leptapoderus</i>	132
<i>prosorovi</i> Kurentsov & Kononov, 1966, <i>Dendroctonus</i>	208
<i>prosper</i> Schedl, 1951, <i>Hypothenemus</i>	224
<i>prostratus</i> Peyerimhoff, 1918, <i>Phloeosinus</i>	212
<i>protractum</i> Sharp, 1891, <i>Cyanapion</i>	165
<i>provinciale</i> Desbrochers des Loges, 1889, <i>Eutrichapion</i>	166
<i>proxima</i> Faust, 1882, <i>Eusproda</i>	117
<i>proximum</i> Györffy, 1923, <i>Ceratapion</i>	156
<i>proximum</i> Niisima, 1909, <i>Trypodendron</i>	251
<i>proximus</i> Voss, 1929, <i>Leptapoderus</i>	133
<i>proximus</i> Eichhoff, 1868, <i>Orthotomicus</i>	235
<i>proximus</i> Blandford, 1894, <i>Polygraphus</i>	214
<i>proximus</i> Eggers, 1943, <i>Xyleborus</i>	246
<i>pruinosa</i> Faust, 1885, <i>Corimalia</i>	178
<i>pruni</i> Eggers, 1929, <i>Cryphalus</i>	219
<i>pruni</i> Hopkins, 1915, <i>Hypothenemus</i>	223
<i>pruni</i> Ratzeburg, 1837, <i>Scolytus</i>	239
<i>prutenskyi</i> Sokanovskiy, 1959, <i>Hylesinus</i>	207
<i>przehvalskyi</i> Legalov, 2007, <i>Involvulus</i>	122
<i>przewalskyi</i> Zaslavskij, 1956, <i>Baris</i>	255
<i>pselaphoides</i> Frieser, 1980, <i>Phaenotheriosoma</i>	95
<i>pseudarrogans</i> Reitter, 1901, <i>Cyanapion</i>	165
<i>pseudelegantulum</i> Wagner, 1912, <i>Pseudoprotapion</i>	176
<i>pseudelongatum</i> Wagner, 1909, <i>Squamapion</i>	162
<i>pseudinexpertum</i> Schatzmayr, 1925, <i>Exapion</i>	158
<i>pseudoangustatus</i> Schedl, 1948, <i>Xyleborinus</i>	246
<i>pseudobarbatus</i> Schedl, 1942, <i>Euwallacea</i>	244
<i>pseudobispinosus</i> Legalov & Liu, 2005, <i>Lamprolabus</i>	136
<i>pseudocerdo</i> Dieckmann, 1971, <i>Oxystoma</i>	169
<i>pseudochinlingensis</i> Tsai & Li, 1963, <i>Cryphalus</i>	219
<i>pseudocivicus</i> Legalov, 2007, <i>Cneminvolvulus</i>	121
<i>pseudocoerulans</i> Legalov & Liu, 2005, <i>Aspidobyctiscus</i>	112
<i>pseudocomans</i> Eggers, 1930, <i>Hadrodemius</i>	245
<i>pseudocribrum</i> Legalov, 2002, <i>Neocoenorrhinus</i>	126
<i>pseudocristatus</i> Pfeffer, 1972, <i>Phloeotribus</i>	213
<i>pseudocrucifer</i> Legalov, 2007, <i>Leptapoderus</i>	132
<i>pseudocupulatus</i> Schedl, 1935, <i>Dinoplatypus</i>	202
<i>pseudodispar</i> Wanat, 1995, <i>Omphalapion</i>	157
<i>pseudofemoratus</i> Legalov, 2007, <i>Caenorhinus</i>	115
<i>pseudofidus</i> Legalov, 2003, <i>Apoderus</i>	130
<i>pseudogallaecianum</i> A. Hoffmann, 1929, <i>Lepidapion</i>	159
<i>pseudogracidis</i> Schedl, 1937, <i>Xyleborinus</i>	246

<i>pseudolespedezae</i> Z.-Q. Li, 2008, <i>Euops</i>	138
<i>pseudopacatus</i> Legalov, 2007, <i>Deporaus</i>	117
<i>pseudopatruelis</i> Legalov & Liu, 2005, <i>Nelistrobyctiscus</i>	114
<i>pseudopolitus</i> Legalov, 2003, <i>Euops</i>	138
<i>pseudoryzophilus</i> Guan, 1995, <i>Lissorhoptrus</i>	198
<i>pseudosauteri</i> Legalov, 2007, <i>Eugnampobius</i>	118
<i>pseudosedi</i> Bajtenov, 1975, <i>Aizobius</i>	149
<i>pseudosissus</i> Legalov, 2003, <i>Pseudallapoderus</i>	137
<i>pseudospitzyi</i> Zaslavskij, 1956, <i>Baris</i>	255
<i>pseudostriatus</i> Legalov, 2007, <i>Euops</i>	138
<i>pseudotabulaeformis</i> Tsai & Li, 1963, <i>Cryphalus</i>	219
<i>pseudotsugae</i> Swaine, 1915, <i>Dryocoetes</i>	230
<i>pseudovalidus</i> Eggers, 1925, <i>Euwallacea</i>	244
<i>psidii</i> Hopkins, 1915, <i>Hypothenemus</i>	221
<i>psilacanthurus</i> Beeson, 1937, <i>Carchesiopygus</i>	201
<i>psilonotus</i> Germar, 1824, <i>Pityokteines</i>	236
<i>pterocaryi</i> Yin & Huang, 1996, <i>Polygraphus</i>	214
<i>pterygomalis</i> Gyllenhal, 1833, <i>Brachycerus</i>	184
<i>pubens</i> Senna, 1892, <i>Eterozemus</i>	145
<i>puberulus</i> Faust, 1882, <i>Auletobius</i>	110
<i>puberulus</i> Motschulsky, 1860, <i>Byctiscus</i>	113
<i>puberulus</i> Faust, 1895, <i>Exrhynchites</i>	118
<i>pubescens</i> Roelofs, 1874, <i>Alonsiellus</i>	178
<i>pubescens</i> Kirby, 1811, <i>Catapion</i>	164
<i>pubescens</i> Fabricius, 1798, <i>Hylesinus</i>	207
<i>pubescens</i> Schedl, 1942, <i>Hypothenemus</i>	224
<i>pubescens</i> Fabricius, 1775, <i>Involvulus</i>	123
<i>pubescens</i> Kiesenwetter, 1852, <i>Mesauletobius</i>	111
<i>pubescens</i> Marsham, 1802, <i>Pityophthorus</i>	217
<i>pubescens</i> Fabricius, 1792, <i>Polygraphus</i>	214
<i>pubescens</i> Hagedorn, 1904, <i>Scolytoplatypus</i>	241
<i>pubescens</i> Eggers, 1942, <i>Scolytus</i>	239
<i>pubescens</i> Stark, 1936, <i>Scolytus</i>	239
<i>pubifrons</i> Guillebeau, 1893, <i>Phloeotribus</i>	213
<i>pubipennis</i> Blandford, 1894, <i>Indocryphalus</i>	250
<i>pudens</i> Voss, 1938, <i>Cneminvolvulus</i>	121
<i>pudens</i> Gyllenhal, 1833, <i>Phaeochrotes</i>	91
<i>puellus</i> Reitter, 1895, <i>Tomicus</i>	209
<i>puerarae</i> Choo & Woo, 1989, <i>Scolytogenes</i>	225
<i>pugnator</i> Power, 1878, <i>Prophthalmus</i>	143
<i>pugnax</i> Faust, 1881, <i>Bagoopsis</i>	193
<i>pulchella</i> P. H. Lucas, 1849, <i>Aulacobaris</i>	253
<i>pulchellum</i> Miller, 1857, <i>Helianthemapion</i>	150
<i>pulchellum</i> Murayama, 1957, <i>Trypodendron</i>	251
<i>pulchellus</i> Nobuchi, 1975, <i>Cryphalus</i>	219
<i>pulchellus</i> Blandford, 1894, <i>Phloeosinus</i>	212
<i>pulcherrimum</i> Jordan, 1932, <i>Androceras</i>	99
<i>pulcherrimus</i> Magrini, 2009, <i>Raymondionymus</i>	200
<i>pulex</i> Gmelin, 1790, <i>Podapion</i>	176
<i>pulex</i> Goeze, 1777, <i>Podapion</i>	176

<i>pulicarius</i> Gravenhorst, 1807, <i>Nanophyes</i>	181
<i>pulicarius</i> Panzer, 1798, <i>Sitophilus</i>	186
<i>pullum</i> Gyllenhal, 1833, <i>Holotrichapion</i>	168
<i>pulszkyi</i> Frivaldszky, 1877, <i>Phaenotherion</i>	95
<i>pulverulentus</i> Olivier, 1807, <i>Brachycerus</i>	183
<i>pulverulentus</i> Eichhoff, 1872, <i>Hypothenemus</i>	224
<i>pulvinicollis</i> Jekel, 1860, <i>Attelabus</i>	134
<i>pumilio</i> Desbrochers des Loges, 1893, <i>Hoplopodapion</i>	150
<i>pumilio</i> Gravenhorst, 1807, <i>Trypodendron</i>	251
<i>pumilus</i> Allard, 1870, <i>Sphenophorus</i>	191
<i>pumilus</i> Eggers, 1923, <i>Xyleborus</i>	248
<i>punctata</i> Gyllenhal, 1836, <i>Aulacobaris</i>	254
<i>punctatissimus</i> Boheman, 1836, <i>Linogeraeus</i>	252
<i>punctatissimus</i> Reitter, 1899, <i>Paradeporaus</i>	118
<i>punctatopilosum</i> Schedl, 1936, <i>Cyclorhipidion</i>	243
<i>punctatostriatus</i> Motschulsky, 1861, <i>Euops</i>	139
<i>punctatulus</i> Nobuchi, 1976, <i>Scolytogenes</i>	225
<i>punctatus</i> Eggers, 1927, <i>Coccotrypes</i>	229
<i>punctatus</i> Legalov & Liu, 2005, <i>Euops</i>	139
<i>punctatus</i> Eggers, 1924, <i>Hypothenemus</i>	223
<i>punctatus</i> Herbst, 1797, <i>Involvulus</i>	122
<i>punctatus</i> Senoh, 1984, <i>Melanopsacus</i>	106
<i>punctatus</i> Pic, 1928, <i>Paroplapoderus</i>	141
<i>punctatus</i> Nobuchi, 1975, <i>Scolytogenes</i>	225
<i>punctatus</i> Schedl, 1951, <i>Scolytogenes</i>	225
<i>punctatus</i> O. F. Müller, 1776, <i>Scolytus</i>	240
<i>punctatus</i> Ratzeburg, 1837, <i>Scolytus</i>	239
<i>puncticolle</i> Stephens, 1839, <i>Cyanapion</i>	165
<i>puncticolle</i> Schilsky, 1906, <i>Omphalapion</i>	157
<i>puncticollis</i> Schilsky, 1906, <i>Euops</i>	139
<i>puncticollis</i> Hopkins, 1915, <i>Hypothenemus</i>	222
<i>punctifrons</i> Kirby, 1808, <i>Holotrichapion</i>	168
<i>punctifrons</i> Hopkins, 1915, <i>Hypothenemus</i>	223
<i>punctifrons</i> C. G. Thomson, 1886, <i>Polygraphus</i>	214
<i>punctiger</i> Paykull, 1792, <i>Eutrichapion</i>	166
<i>punctigera</i> Pascoe, 1885, <i>Diocalandra</i>	186
<i>punctigerum</i> Thunberg, 1815, <i>Cyanapion</i>	165
<i>punctipennis</i> Hopkins, 1915, <i>Hypothenemus</i>	223
<i>punctipennis</i> Hopkins, 1915, <i>Trypophloeus</i>	226
<i>punctirostre</i> Gyllenhal, 1839, <i>Mesotrichapion</i>	169
<i>punctisternus</i> Balfour-Browne, 1942, <i>Piezotrachelus</i>	173
<i>punctulatum</i> Kurentsov, 1948, <i>Cyclorhipidion</i>	243
<i>punctulatus</i> Eggers, 1951, <i>Coccotrypes</i>	229
<i>punctulatus</i> Eggers, 1942, <i>Cryphalus</i>	218
<i>punctulifera</i> Frieser, 2005, <i>Mecotropis</i>	97
<i>punctum</i> Fabricius, 1792, <i>Notaris</i>	195
<i>punjabensis</i> Pajni & Kamal Tewari, 1985, <i>Picia</i>	196
<i>purpurascens</i> Schultze, 1901, <i>Aulacobaris</i>	253
<i>purpurea</i> Reitter, 1906, <i>Aulacobaris</i>	253
<i>purpureipennis</i> Voss, 1973, <i>Rhynchites</i>	127

<i>purpureoviolaceus</i> Voss, 1920, <i>Involvulus</i>	122
<i>purpureus</i> Linnaeus, 1758, <i>Involvulus</i>	122
<i>purpureus</i> Linnaeus, 1758, <i>Rhynchites</i>	128
<i>pusilla</i> Baudi di Selve, 1887, <i>Bruchela</i>	108
<i>pusillum</i> Germar, 1817, <i>Squamapion</i>	161
<i>pusillus</i> Wollaston, 1860, <i>Cisurgus</i>	227
<i>pusillus</i> Gyllenhal, 1813, <i>Crypturgus</i>	228
<i>pusillus</i> Eggers, 1927, <i>Hypothenemus</i>	223
<i>pusillus</i> Eggers, 1933, <i>Taphrorychus</i>	232
<i>pusillus</i> Olivier, 1795, <i>Trypodendron</i>	251
<i>pusio</i> Boheman, 1844, <i>Limnobaris</i>	252
<i>pustulatus</i> Shibata, 1978, <i>Sintor</i>	98
<i>pustulosus</i> Sharp, 1889, <i>Euops</i>	137
<i>putoni</i> Tournier, 1875, <i>Theanellus</i>	197
<i>putonii</i> C. N. F. Brisout de Barneville, 1866, <i>Exapion</i>	159
<i>putonii</i> Eichhoff, 1868, <i>Pteleobius</i>	208
<i>pygidialis</i> Voss, 1937, <i>Baris</i>	255
<i>pygidialis</i> Johraku, 1953, <i>Citacalus</i>	106
<i>pygidialis</i> Voss, 1927, <i>Compsapoderus</i>	130
<i>pygidialis</i> Jordan, 1894, <i>Otidognathus</i>	188
<i>pygidialis</i> Faust, 1895, <i>Rhabdoscelus</i>	190
<i>pygmaea</i> Gyllenhal, 1833, <i>Bruchela</i>	108
<i>pygmaeum</i> Wollaston, 1865, <i>Aphanarthrum</i>	227
<i>pygmaeus</i> Vitale, 1903, <i>Brachycerus</i>	183
<i>pygmaeus</i> Robert, 1832, <i>Choragus</i>	106
<i>pygmaeus</i> Eichhoff, 1878, <i>Coccotrypes</i>	229
<i>pygmaeus</i> Hopkins, 1915, <i>Hypothenemus</i>	223
<i>pygmaeus</i> Herbst, 1795, <i>Nanophyes</i>	180
<i>pygmaeus</i> Fabricius, 1787, <i>Scolytus</i>	239
<i>pyralis</i> Legalov & Liu, 2005, <i>Euops</i>	138
<i>pyrenaica</i> Osella, 1971, <i>Coiffaitiella</i>	199
<i>pyrenaica</i> A. Hoffmann, 1933, <i>Melanobaris</i>	258
<i>pyri</i> Peck, 1817, <i>Anisandrus</i>	242
<i>pyri</i> Motschulsky, 1853, <i>Rhynchites</i>	127
<i>pyri</i> Ratzeburg, 1837, <i>Scolytus</i>	239
<i>pyri</i> Tsai & Yin, 1966, <i>Sphaerotrypes</i>	204
<i>pyripenne</i> Reitter, 1908, <i>Hoplopodapion</i>	150
<i>qingensis</i> Legalov, 2009, <i>Byctiscus</i>	113
<i>qinni</i> Liang, 1994, <i>Trachelolabus</i>	140
<i>quadraticollis</i> Boheman, 1836, <i>Melanobaris</i>	258
<i>quadratocollis</i> Chapuis, 1869, <i>Dactylipalpus</i>	206
<i>quadricostatum</i> Schilsky, 1906, <i>Ceratapion</i>	154
<i>quadridens</i> Frieser, 2001, <i>Araecerus</i>	105
<i>quadridens</i> Frieser, 1981, <i>Choragus</i>	106
<i>quadridens</i> Hartig, 1834, <i>Pityogenes</i>	236
<i>quadriguttatus</i> Montrouzier, 1861, <i>Sitophilus</i>	187
<i>quadrimaculata</i> Hope, 1931, <i>Xerodermus</i>	192
<i>quadrimaculatus</i> Faldermann, 1835, <i>Maculphrysus</i>	137
<i>quadrimaculatus</i> Buquet, 1844, <i>Otidognathus</i>	188
<i>quadrimaculus</i> Walker, 1859, <i>Sitophilus</i>	187

quadriplagiatus Voss, 1953, <i>Catalabus</i>	135
quadriporus Beeson, 1937, <i>Platypus</i>	203
quadriporus Schedl, 1971, <i>Treptoplatypus</i>	203
quadripunctatus Pic, 1919, <i>Nanomimus</i>	180
quadripunctatus Weber, 1801, <i>Sphenocorynes</i>	190
quadrispinatus Chapuis, 1865, <i>Diapus</i>	203
quadrisulcatus Fischer von Waldheim, 1830, <i>Brachycerus</i>	183
quadrisulcatus Strohmeyer, 1908, <i>Dryocoetes</i>	231
quadrituberculatus Senna, 1892, <i>Agriorrhynchus</i>	142
quadrituberculatus Hope, 1831, <i>Merarius</i>	100
quadrivirgata A. Costa, 1863, <i>Allomalialia</i>	177
quattuordecimmaculatus Hope, 1831, <i>Sphenocorynes</i>	191
quattuordecimpunctatus Scopoli, 1763, <i>Attelabus</i>	135
querci Browne, 1980, <i>Platypus</i>	203
querci Wood, 1988, <i>Polygraphus</i>	214
querci Yin & Huang, 1996, <i>Polygraphus</i>	215
querci Yin & Huang, 1980, <i>Scolytus</i>	239
querci Stebbing, 1908, <i>Sphaerotrypes</i>	204
quercicola Eggers, 1926, <i>Xyleborus</i>	248
quercinus Reitter, 1916, <i>Tropideres</i>	101
quercivorus Murayama, 1925, <i>Platypus</i>	203
quercuphillus Legalov, 2007, <i>Cyllorhynchites</i>	121
quercus Kurentsov, 1948, <i>Cyclorhipidion</i>	243
quercus Eichhoff, 1865, <i>Trypodendron</i>	251
quercus Hopkins, 1915, <i>Xyleborinus</i>	246
quinquecarinata Zaslavskij, 1956, <i>Baris</i>	255
quinquelineatum Adams, 1817, <i>Trypodendron</i>	251
quinespinatus Chapuis, 1865, <i>Diapus</i>	203
quinquestigma Pic, 1912, <i>Corimalia</i>	178
radiolus Marsham, 1802, <i>Aspidapion</i>	153
raffrayi Desbrochers des Loges, 1871, <i>Brachycerus</i>	182
ragusae Reitter, 1875, <i>Cercomorphus</i>	108
ragusae Reitter, 1906, <i>Cisurgus</i>	227
ragusae Everts, 1879, <i>Diplapion</i>	157
ragusae Stierlin, 1882, <i>Sphenophorus</i>	191
raisae Korotyaev, 1988, <i>Aulacobaris</i>	254
raja Blandford, 1893, <i>Scolytoplatypus</i>	241
rameus Schedl, 1940, <i>Euwallacea</i>	244
ramicola Reitter, 1895, <i>Taphrorychus</i>	232
ramoni Friedman & Freidberg, 2007, <i>Ceratapion</i>	155
ramosus L. W. Schaufuss, 1882, <i>Brachycerus</i>	182
ramulorum Perris, 1856, <i>Pityophthorus</i>	217
ran Morimoto, 1994, <i>Orchidophilus</i>	261
randoniae Peyerimhoff, 1926, <i>Bruchela</i>	108
rapulum Wencker, 1864, <i>Hemitrichapion</i>	167
rarus Günther, 1935, <i>Otidognathus</i>	188
rasnitsyni Korotyaev & Egorov, 1996, <i>Sergiola</i>	161
rasus Desbrochers des Loges, 1897, <i>Procas</i>	196
rasuwanus Legalov, 2007, <i>Caenorhinus</i>	115
rasuwanus Legalov, 2007, <i>Catalabus</i>	135

rasuwanus Legalov, 2007, <i>Cneminvolvulus</i>	120
rasuwanus Legalov, 2003, <i>Euops</i>	139
rasuwanus Legalov, 2004, <i>Paroplapoderus</i>	141
ratzeburgii Ferrari, 1867, <i>Ernoporus</i>	220
ratzeburgii Kolenati, 1846, <i>Anisandrus</i>	242
ratzeburgii E. W. Janson, 1856, <i>Scolytus</i>	239
reaumuriae Zherikhin, 1984, <i>Corimalia</i>	178
reaumuriae Ter-Minasian, 1975, <i>Hoplopodapion</i>	150
recidens Sampson, 1923, <i>Coptodryas</i>	243
rectangulus Eichhoff, 1867, <i>Ips</i>	234
rectangulus Ferrari, 1867, <i>Orthotomicus</i>	234
rectecostatus Desbrochers des Loges, 1871, <i>Brachycerus</i>	183
rectinasus Desbrochers des Loges, 1904, <i>Cistapion</i>	149
rectipes Desbrochers des Loges, 1891, <i>Ceratapion</i>	154
rectirostre Schilsky, 1906, <i>Eutrichapion</i>	166
rectirostris Faust, 1892, <i>Labiaticola</i>	257
rectirostris Gyllenhal, 1833, <i>Rhynchites</i>	127
rectirostris Frieser, 1996, <i>Tropideres</i>	101
redemptum Schatzmayr, 1920, <i>Pirapion</i>	170
redikorzevi Berger, 1917, <i>Cryphalus</i>	219
reductenotatus Pic, 1915, <i>Pericartiellus</i>	182
reflexum Gyllenhal, 1833, <i>Hemitrichapion</i>	167
regalis Roelofs, 1874, <i>Byctiscus</i>	113
reginalis Frieser, 2001, <i>Mecotropis</i>	98
regularis Voss, 1930, <i>Byctiscus</i>	114
reichei Fairmaire, 1859, <i>Orfilaia</i>	143
reichei Desbrochers des Loges, 1869, <i>Pseudomesauletes</i>	112
reinii Roelofs, 1879, <i>Anthinobaris</i>	252
reitteri J. Müller, 1912, <i>Absoloniella</i>	193
reitteri Voss, 1935, <i>Deporaus</i>	117
reitteri Schilsky, 1907, <i>Echinocnemus</i>	194
reitteri Desbrochers des Loges, 1892, <i>Hemitrichapion</i>	167
reitteri Munster, 1928, <i>Limnobaris</i>	252
reitteri Ganglbauer, 1906, <i>Ubychia</i>	200
reitterianum Wagner, 1912, <i>Taeniapion</i>	162
remaudierei A. Hoffmann, 1956, <i>Ceratapion</i>	156
remaudierei A. Hoffmann, 1962, <i>Pseudopiezotrachelus</i>	175
remilleti Osella, 1971, <i>Coiffaitiella</i>	199
remotepunctatus Gyllenhal, 1838, <i>Sitophilus</i>	187
remotus Sharp, 1885, <i>Polytus</i>	187
renardii Hochhuth, 1847, <i>Labiaticola</i>	257
rengetensis Niisima & Murayama, 1925, <i>Crossotarsus</i>	201
repandirostris Zaslavskij, 1956, <i>Moreobaris</i>	258
repandus Jordan, 1912, <i>Nessiadocus</i>	100
repertus Roudier, 1958, <i>Brachycerus</i>	183
resedae Bach, 1856, <i>Melanobaris</i>	258
resiniferae Peyerimhoff, 1925, <i>Cisurgus</i>	227
resinosus Scopoli, 1763, <i>Platyrhinus</i>	96
retamae Perris, 1864, <i>Phloeotribus</i>	213
reticulatum Wood, 1988, <i>Aphanarthrum</i>	227

<i>reticulatus</i> Lund, 1800, <i>Hormocerus</i>	148
<i>retiventriculus</i> Tsai & Yin, 1965, <i>Polygraphus</i>	215
<i>retrusus</i> Schedl, 1940, <i>Xyleborinus</i>	246
<i>retusicollis</i> Zimmermann, 1868, <i>Xyleborus</i>	247
<i>retusifformis</i> Schedl, 1936, <i>Cnestus</i>	242
<i>retusus</i> Olivier, 1795, <i>Xylocleptes</i>	233
<i>revelieri</i> Perris, 1869, <i>Phrissotrichum</i>	152
<i>reversus</i> Sharp, 1889, <i>Byctiscus</i>	114
<i>rex</i> Chevrolat, 1883, <i>Cyrtotrachelus</i>	187
<i>reyi</i> Desbrochers des Loges, 1897, <i>Exapion</i>	159
<i>reyi</i> Gozis, 1882, <i>Rhaphitropis</i>	103
<i>reymondi</i> A. Hoffmann, 1953, <i>Bruchela</i>	108
<i>rhagodiae</i> Rheinheimer, 1992, <i>Cosmobaris</i>	256
<i>rhamni</i> Herbst, 1784, <i>Notaris</i>	195
<i>rhedi</i> Schrank, 1781, <i>Rhynchites</i>	128
<i>rhedi</i> Schrank, 1781, <i>Temnocerus</i>	129
<i>rhinocerus</i> Chevrolat, 1883, <i>Omotemnus</i>	188
<i>rhinomacer</i> Paykull, 1792, <i>Cimberis</i>	90
<i>rhinomacer</i> Thunberg, 1791, <i>Cimberis</i>	90
<i>rhododactylus</i> Marsham, 1802, <i>Phloeotribus</i>	213
<i>rhodopense</i> Angelov, 1962, <i>Omphalapion</i>	157
<i>rhomboidale</i> Desbrochers des Loges, 1870, <i>Eutrichapion</i>	166
<i>rhopalorrhynchum</i> Iablokoff-Khinzorian, 1967, <i>Ceratapion</i>	156
<i>rhusii</i> Niisima, 1909, <i>Cryphalus</i>	219
<i>rhynchitoides</i> Sawada, 1993, <i>Deporaus</i>	117
<i>ribbentropi</i> Stebbing, 1909, <i>Ips</i>	234
<i>rigida</i> Marsham, 1802, <i>Notaris</i>	195
<i>riguus</i> Erichson, 1841, <i>Brachycerus</i>	184
<i>rileyi</i> Hopkins, 1915, <i>Xyleborus</i>	249
<i>rimmae</i> Bajtenov, 1981, <i>Metapion</i>	163
<i>rimskii</i> Kurentsov, 1941, <i>Scolytus</i>	238
<i>ritchiei</i> Sampson, 1918, <i>Scolytogenes</i>	225
<i>ritsemae</i> Roelofs, 1880, <i>Rawasia</i>	98
<i>robertsi</i> Voss, 1935, <i>Caenorhinus</i>	116
<i>robertsi</i> Voss, 1938, <i>Caenorhinus</i>	116
<i>robiniae</i> Hopkins, 1915, <i>Trischidias</i>	226
<i>robusticorne</i> Desbrochers des Loges, 1866, <i>Ceratapion</i>	156
<i>robustior</i> Horn, 1873, <i>Scyphophorus</i>	190
<i>robustirostris</i> Desbrochers des Loges, 1870, <i>Aizobius</i>	149
<i>robustus</i> Eichhoff, 1872, <i>Hypocryphalus</i>	220
<i>robustus</i> Blackman, 1922, <i>Hypothenemus</i>	224
<i>robustus</i> Knotek, 1899, <i>Orthotomicus</i>	235
<i>robustus</i> Faust, 1895, <i>Otidognathus</i>	188
<i>robustus</i> Pfeffer, 1940, <i>Pityophthorus</i>	216
<i>robustus</i> Eggers, 1908, <i>Thamnurgus</i>	233
<i>rodgeri</i> Beeson, 1930, <i>Euwallacea</i>	244
<i>roelofsi</i> Chevrolat, 1882, <i>Aplotes</i>	189
<i>roelofsi</i> Harold, 1877, <i>Cycnotrachelodes</i>	131
<i>roelofsi</i> Everts, 1879, <i>Diplapion</i>	156
<i>roelofsi</i> Lewis, 1879, <i>Tropideres</i>	101

<i>rogei</i> Frieser, 2002, <i>Choragus</i>	106
<i>rollinae</i> Hopkins, 1915, <i>Coccotrypes</i>	229
<i>rolphi</i> Wagner, 1912, <i>Taeniapion</i>	162
<i>romani</i> Legalov, 2007, <i>Hemitrichapion</i>	167
<i>rosai</i> Pesarini, 1977, <i>Protapion</i>	173
<i>roseus</i> Reitter, 1916, <i>Anthribus</i>	92
<i>rosinae</i> Pic, 1904, <i>Bruchela</i>	108
<i>rossicus</i> Semenov, 1902, <i>Carphoborus</i>	213
<i>rossicus</i> Eggers, 1915, <i>Pityophthorus</i>	217
<i>rossicus</i> Alekseev, 1957, <i>Thamnurgus</i>	233
<i>rostri</i> Schilsky, 1906, <i>Chokkirius</i>	116
<i>rostralis</i> Voss, 1930, <i>Cyllorhynchites</i>	121
<i>rotroui</i> Pic, 1940, <i>Arthrostenus</i>	193
<i>rotroui</i> Peyerimhoff, 1949, <i>Baris</i>	255
<i>rotroui</i> Peyerimhoff, 1919, <i>Hypothenemus</i>	223
<i>rotundicolle</i> Desbrochers des Loges, 1895, <i>Protapion</i>	173
<i>rotundicollis</i> Escalera, 1918, <i>Brachycerus</i>	184
<i>rotundicollis</i> Reitter, 1895, <i>Hylastes</i>	205
<i>rotundicollis</i> Motschulsky, 1860, <i>Notaris</i>	195
<i>rotundipenne</i> Wollaston, 1854, <i>Holotrichapion</i>	168
<i>roubali</i> Pfeffer, 1940, <i>Taphrorychus</i>	232
<i>rougeti</i> Wencker, 1858, <i>Aspidapion</i>	153
<i>royaleanum</i> Wood, 1988, <i>Aphanarthrum</i>	227
<i>rubens</i> Stephens, 1839, <i>Apion</i>	149
<i>rubens</i> Walton, 1837, <i>Apion</i>	149
<i>rubens</i> Aubé, 1864, <i>Corimalia</i>	178
<i>ruber</i> Legalov, 2007, <i>Auletobius</i>	110
<i>ruber</i> Legalov & Liu, 2005, <i>Deporaus</i>	116
<i>ruber</i> Fairmaire, 1859, <i>Tatianaerhynchites</i>	128
<i>ruber</i> Geoffroy, 1785, <i>Tatianaerhynchites</i>	128
<i>rubi</i> Morimoto & Yoshihara, 1996, <i>Batobaris</i>	256
<i>rubidum</i> Ter-Minasian, 1971, <i>Kalcapion</i>	160
<i>rubidus</i> Beeson, 1939, <i>Coccotrypes</i>	229
<i>rubidus</i> Faust, 1882, <i>Leptapoderus</i>	132
<i>rubidus</i> Motschulsky, 1860, <i>Leptapoderus</i>	132
<i>rubidus</i> Rey, 1895, <i>Sphenophorus</i>	191
<i>rubiginosum</i> Grill, 1893, <i>Apion</i>	149
<i>rubricata</i> Hustache, 1921, <i>Moreobaris</i>	259
<i>rubriceps</i> Chevrolat, 1882, <i>Otidognathus</i>	188
<i>rubricollis</i> Eichhoff, 1876, <i>Ambrosiodmus</i>	241
<i>rubricollis</i> Reitter, 1916, <i>Attelabus</i>	134
<i>rubricosus</i> Faust, 1895, <i>Sphenocorynes</i>	191
<i>rubricus</i> Rosenhauer, 1856, <i>Nanophyes</i>	181
<i>rubripennis</i> Chevrolat, 1878, <i>Phialodes</i>	136
<i>rubripes</i> Rey, 1893, <i>Anthribus</i>	91
<i>rubripes</i> Desbrochers des Loges, 1896, <i>Ischnopterapion</i>	170
<i>rubripes</i> Reitter, 1916, <i>Temnocerus</i>	129
<i>rubrirostris</i> Desbrochers des Loges, 1897, <i>Ochodontus</i>	196
<i>rubroflavum</i> Bajtenov, 1981, <i>Apion</i>	149
<i>rubroplagiatum</i> Voss, 1958, <i>Miniapion</i>	154

rubrorufus Solsky, 1881, <i>Eurostauletes</i>	111
rudicolle Hochhuth, 1851, <i>Cyanapion</i>	165
rudis Legalov, 2007, <i>Eugnamptus</i>	119
rudis Blandford, 1894, <i>Phloeosinus</i>	212
rudis Eggers, 1933, <i>Polygraphus</i>	214
<i>rudis</i> Chapuis, 1865, <i>Treptoplatypus</i>	203
rudnevi Sokanovskiy, 1959, <i>Pityogenes</i>	236
rufa Boheman, 1844, <i>Baris</i>	255
rufescens Pic, 1905, <i>Apachiscelus</i>	193
<i>rufescens</i> Marsham, 1802, <i>Hylesinus</i>	207
<i>rufescens</i> Stephens, 1830, <i>Hylurgops</i>	206
<i>rufescens</i> Roelofs, 1874, <i>Leptapoderus</i>	132
<i>rufescens</i> Pic, 1919, <i>Nanophyes</i>	181
<i>rufescens</i> Gyllenhal, 1833, <i>Taeniapion</i>	162
<i>rufescens</i> Roelofs, 1879, <i>Tropideres</i>	101
ruficauda Eggers, 1939, <i>Scolytoptatypus</i>	241
ruficeps Voss, 1949, <i>Henicolabus</i>	135
ruficlavis Voss, 1929, <i>Physapoderus</i>	133
ruficollis Fabricius, 1781, <i>Tomapoderus</i>	141
<i>ruficolor</i> Pic, 1935, <i>Allomalina</i>	177
<i>ruficorne</i> Herbst, 1797, <i>Oxystoma</i>	169
<i>ruficorne</i> Korotyaev, 1992, <i>Scapapion</i>	176
ruficroides Dieckmann, 1973, <i>Protapion</i>	174
ruficrus Germar, 1817, <i>Protapion</i>	174
<i>rufinasus</i> Desbrochers des Loges, 1891, <i>Eutrichapion</i>	166
<i>rufinasus</i> Gyllenhal, 1835, <i>Stenopelmus</i>	198
<i>rufipennis</i> Rey, 1893, <i>Allandrus</i>	91
<i>rufipennis</i> Roelofs, 1874, <i>Phialodes</i>	136
<i>rufipennis</i> Brancsik, 1874, <i>Scolytus</i>	237
<i>rufipes</i> Motschulsky, 1860, <i>Anthribus</i>	91
<i>rufipes</i> Zumpt, 1937, <i>Brachycerus</i>	184
<i>rufipes</i> Fabricius, 1792, <i>Bruchela</i>	108
<i>rufipes</i> Olivier, 1790, <i>Bruchela</i>	108
<i>rufipes</i> Günther, 1935, <i>Cercidocerus</i>	189
<i>rufipes</i> Stephens, 1835, <i>Hylurgus</i>	209
<i>rufipes</i> Motschulsky, 1866, <i>Nanophyes</i>	181
<i>rufipes</i> Tournier, 1868, <i>Nanophyes</i>	181
<i>rufipes</i> Motschulsky, 1845, <i>Notaris</i>	195
rufirostre Fabricius, 1775, <i>Pseudapion</i>	163
<i>rufitarsis</i> Motschulsky, 1860, <i>Baris</i>	254
<i>rufitarsis</i> Roelofs, 1875, <i>Phrissoderes</i>	259
<i>rufithorax</i> Kolbe, 1886, <i>Apoderus</i>	129
<i>rufithorax</i> Pic, 1919, <i>Dieckmanniellus</i>	179
<i>rufithorax</i> Pic, 1894, <i>Ocladius</i>	184
rufiventris Voss, 1922, <i>Caenorhinus</i>	116
<i>rufiventris</i> Roelofs, 1874, <i>Compsapoderus</i>	130
rufobasis Morimoto, 1981, <i>Phaulimia</i>	96
<i>rufonotatus</i> Pic, 1919, <i>Dieckmanniellus</i>	179
rufopectinipes Chevrolat, 1883, <i>Cyrtotrachelus</i>	187
rufopiceum Wagner, 1909, <i>Pseudaspidapion</i>	154

<i>rufopiceus</i> Eggers, 1932, <i>Xyleborus</i>	247
<i>rufopurpureum</i> Reitter, 1908, <i>Hoplopodapion</i>	150
<i>rufostriatus</i> Sokanovskiy, 1956, <i>Scolytus</i>	238
<i>rufosuturalis</i> Pic, 1938, <i>Corimalia</i>	178
<i>rufulum</i> Wencker, 1864, <i>Taeniapion</i>	162
<i>rufulus</i> Voss, 1929, <i>Centrocorynus</i>	130
<i>rufum</i> Solari & Solari, 1905, <i>Apion</i>	149
<i>rufus</i> Legalov, 2007, <i>Auletobius</i>	110
<i>rufus</i> Marsham, 1802, <i>Hylurgops</i>	206
<i>rugatus</i> Wood & Huang, 1986, <i>Pseudoxylechinus</i>	209
<i>rugiceps</i> Jordan, 1895, <i>Xylinada</i>	102
<i>rugicolle</i> Germar, 1817, <i>Phrissotrichum</i>	152
<i>rugicollis</i> Schilsky, 1906, <i>Apoderus</i>	130
<i>rugicollis</i> Eggers, 1925, <i>Coccotrypes</i>	229
<i>rugicollis</i> Fairmaire, 1895, <i>Dendropemon</i>	93
<i>rugicollis</i> Eggers, 1926, <i>Dryocoetes</i>	231
<i>rugicollis</i> Voss, 1934, <i>Grypus</i>	194
<i>rugicollis</i> Casey, 1892, <i>Sitophilus</i>	187
<i>rugipenne</i> Hochhuth, 1851, <i>Ceratapion</i>	154
<i>rugipennis</i> Stephens, 1831, <i>Neocoenorrhinus</i>	126
<i>rugipennis</i> Schedl, 1953, <i>Xyleborinus</i>	245
<i>rugirostris</i> Sharp, 1891, <i>Sympaector</i>	94
<i>rugosicollis</i> Voss, 1920, <i>Cneminvolvulus</i>	120
<i>rugosicollis</i> Hustache, 1921, <i>Sitophilus</i>	187
<i>rugosipes</i> Hopkins, 1915, <i>Arixyleborus</i>	242
<i>rugosus</i> Voss, 1927, <i>Anisonychus</i>	129
<i>rugosus</i> Gebler, 1830, <i>Byctiscus</i>	114
<i>rugosus</i> Gistel, 1857, <i>Rhynchites</i>	128
<i>rugosus</i> Gistel, 1857, <i>Temnocerus</i>	129
<i>rugulipennis</i> Reitter, 1895, <i>Labiaticola</i>	257
<i>ruguloides</i> Sokanovskiy, 1954, <i>Scolytus</i>	238
<i>rugulosa</i> Jordan, 1924, <i>Autotropis</i>	93
<i>rugulosus</i> Eggers, 1922, <i>Anisandrus</i>	242
<i>rugulosus</i> Eggers, 1933, <i>Dryocoetes</i>	231
<i>rugulosus</i> X.-C. Zhang, 1995, <i>Euscelophilus</i>	139
<i>rugulosus</i> P. W. J. Müller, 1818, <i>Scolytus</i>	239
<i>rumaniacum</i> Wagner, 1910, <i>Diplapion</i>	157
<i>rumicis</i> Kirby, 1808, <i>Perapion</i>	151
<i>rumseyi</i> Hopkins, 1915, <i>Hypothenemus</i>	223
<i>russelli</i> Meregalli, 2001, <i>Ocladius</i>	184
<i>russicum</i> Desbrochers des Loges, 1870, <i>Ceratapion</i>	155
<i>rusticapitus</i> Legalov, 2007, <i>Caenorhinus</i>	115
<i>rusticus</i> Legalov, 2003, <i>Eugnamptus</i>	119
<i>rutae</i> Ehret, 1997, <i>Metapion</i>	163
<i>ruteri</i> Ferragu, 1962, <i>Aulacobaris</i>	254
<i>ruteri</i> A. Hoffmann, 1950, <i>Bruchela</i>	108
<i>rybinskii</i> Reitter, 1895, <i>Trypophloeus</i>	226
<i>ryei</i> Blackburn, 1874, <i>Protapion</i>	173
<i>saalasi</i> Eggers, 1914, <i>Pityogenes</i>	236
<i>saalasi</i> J. R. Sahlberg, 1913, <i>Symmorphocerus</i>	144

<i>sacchari</i> Hopkins, 1915, <i>Hypothenemus</i>	223
<i>sacchari</i> Hopkins, 1915, <i>Xyleborus</i>	246
<i>saccharivora</i> Chûjô & Morimoto, 1959, <i>Myocalandra</i>	186
<i>sachalinensis</i> Sokanovskiy, 1960, <i>Dryocoetes</i>	230
<i>sachalinensis</i> Krivolutskaya, 1956, <i>Pityophthorus</i>	217
<i>sachalinensis</i> Eggers, 1926, <i>Polygraphus</i>	215
<i>sachalinensis</i> Michalski, 1964, <i>Scolytus</i>	238
<i>saeculare</i> Gozis, 1881, <i>Pseudoprotapion</i>	176
<i>sagittiferum</i> Wollaston, 1854, <i>Kalcapion</i>	160
<i>sahlbergi</i> Reitter, 1901, <i>Limnobaris</i>	251
<i>sahlbergi</i> C. R. Sahlberg, 1835, <i>Microon</i>	179
<i>sahlbergi</i> Gyllenhal, 1825, <i>Omphalapion</i>	157
<i>sahlbergi</i> Eggers, 1912, <i>Scolytus</i>	239
<i>saitoi</i> Senoh, 2003, <i>Ulorhinus</i>	97
<i>sakoi</i> Shibata, 1981, <i>Uncifer</i>	104
<i>salakensis</i> Schedl, 1939, <i>Coccotrypes</i>	229
<i>salaria</i> O. Schneider, 1898, <i>Tournotaris</i>	197
<i>salarius</i> Ehret, 1997, <i>Pseudaplemonus</i>	152
<i>salebrosus</i> Voss, 1958, <i>Nephius</i>	192
<i>salicariae</i> Fabricius, 1781, <i>Nanophyes</i>	181
<i>salicariae</i> Piller & Mitterpacher, 1783, <i>Zherikhinia</i>	182
<i>salicis</i> Gyllenhal, 1833, <i>Catapion</i>	164
<i>salicis</i> Hopkins, 1915, <i>Hypothenemus</i>	224
<i>salicis</i> Stark, 1952, <i>Trypophloeus</i>	226
<i>salicorniae</i> Olivier, 1807, <i>Ocladius</i>	184
<i>salpingoides</i> Kraatz, 1881, <i>Ubychia</i>	200
<i>saltatorinus</i> Schedl, 1954, <i>Crossotarsus</i>	201
<i>saltitans</i> Wollaston, 1854, <i>Xenorchestes</i>	107
<i>saltuarius</i> Weise, 1891, <i>Cryphalus</i>	219
<i>samarensis</i> Faust, 1891, <i>Squamapion</i>	162
<i>samarkandicus</i> Butovitsch, 1929, <i>Scolytus</i>	239
<i>samoensis</i> Beeson, 1929, <i>Cryphalus</i>	219
<i>samoensis</i> Beeson, 1929, <i>Euwallacea</i>	244
<i>sampsoni</i> Eggers, 1930, <i>Cnestus</i>	243
<i>sampsoni</i> Stebbing, 1914, <i>Pityophthorus</i>	216
<i>sampsoni</i> Donisthorpe, 1940, <i>Xyleborus</i>	247
<i>samsinghensis</i> Maiti & Saha, 2009, <i>Scolytoplatypus</i>	241
<i>sanctaluciae</i> A. Hoffmann, 1935, <i>Scolytus</i>	239
<i>sandovali</i> Ferragu, 1957, <i>Hemitrichapion</i>	167
<i>sanfilippo</i> Osella & Giusto, 1983, <i>Raymondionymus</i>	200
<i>sanguinalis</i> Pascoe, 1872, <i>Prophthalmus</i>	143
<i>sanguineum</i> DeGeer, 1775, <i>Apion</i>	149
<i>sanguineus</i> Voss, 1920, <i>Pseudomesauletes</i>	112
<i>sanguinipennis</i> Roelofs, 1874, <i>Japonorhynchites</i>	123
<i>sanguinipennis</i> Chevrolat, 1885, <i>Sphenophorus</i>	191
<i>sanguinolentus</i> Voss, 1939, <i>Eugnamptobius</i>	119
<i>sanguisorbae</i> Schrank, 1798, <i>Auletobius</i>	110
<i>sanisharensis</i> Zherikhin, 1992, <i>Nanophyes</i>	181
<i>sannohensis</i> Murayama, 1954, <i>Phloeosinus</i>	212
<i>santaysanensis</i> Legalov, 2007, <i>Eugnamptobius</i>	119

<i>sapporensis</i> Kôno, 1927, <i>Eutrichapion</i>	166
<i>sapporoensis</i> Niisima, 1910, <i>Hypothenemus</i>	224
<i>sarafschanicus</i> Voss, 1929, <i>Rhynchites</i>	128
<i>sarawakensis</i> Heller, 1910, <i>Calodromus</i>	145
<i>sardoum</i> Schatzmayr, 1933, <i>Lepidapion</i>	159
<i>sardous</i> Osella, 1977, <i>Derosasius</i>	199
<i>sardous</i> Desbrochers des Loges, 1900, <i>Echinocnemus</i>	194
<i>sardous</i> Perris, 1869, <i>Raymondiellus</i>	199
<i>sardus</i> Strohmeyer, 1912, <i>Dryocoetes</i>	231
<i>sardus</i> Eggers, 1912, <i>Thamnurgus</i>	233
<i>sareptana</i> Desbrochers des Loges, 1900, <i>Aulacobaris</i>	254
<i>sareptanum</i> Desbrochers des Loges, 1867, <i>Diplapion</i>	157
<i>sarotae</i> Peyerimhoff, 1926, <i>Exapion</i>	159
<i>sarothamni</i> Gradl, 1882, <i>Exapion</i>	159
<i>sasa</i> Morimoto, 1978, <i>Diocalandra</i>	186
<i>sasakii</i> Takahashi, 1928, <i>Sitophilus</i>	187
<i>satelles</i> Blackburn, 1885, <i>Mauia</i>	94
<i>satoi</i> Schedl, 1966, <i>Ambrosiophilus</i>	242
<i>satoi</i> Senoh, 2007, <i>Rhaphitropis</i>	104
<i>satrapa</i> Voss, 1938, <i>Mecorhis</i>	124
<i>satteloides</i> Voss, 1958, <i>Otidognathus</i>	188
<i>saturatum</i> Peyerimhoff, 1925, <i>Aphanarthrum</i>	227
<i>saturnium</i> Normand, 1937, <i>Holotrichapion</i>	168
<i>saudiarabiae</i> Schedl, 1971, <i>Hylesinopsis</i>	207
<i>saudiarabicum</i> Wanat, 1995, <i>Diplapion</i>	157
<i>sauleyi</i> Reiche & Saulcy, 1858, <i>Notodermus</i>	196
<i>saundersi</i> Chapuis, 1865, <i>Crossotarsus</i>	201
<i>sauteri</i> Strohmeyer, 1913, <i>Crossotarsus</i>	201
<i>sauteri</i> Voss, 1922, <i>Eugnamptobius</i>	118
<i>sauteri</i> Wagner, 1909, <i>Piezotrachelus</i>	173
<i>sauteri</i> Kleine, 1928, <i>Pseudorychodes</i>	143
<i>sawadai</i> Nobuchi & Takahashi, 1965, <i>Cryphalus</i>	219
<i>saxesenii</i> Ratzeburg, 1837, <i>Xyleborinus</i>	246
<i>sbordonii</i> Osella, 1977, <i>Raymondiellus</i>	199
<i>scaber</i> Marsham, 1802, <i>Hylesinus</i>	207
<i>scabiosus</i> Weise, 1889, <i>Oryxolaemus</i>	169
<i>scabra</i> Baudi di Selve, 1890, <i>Bruchela</i>	108
<i>scabricollis</i> Eichhoff, 1878, <i>Hypocryphalus</i>	221
<i>scabrosa</i> Frieser, 1983, <i>Sphinctotropis</i>	100
<i>scabrosus</i> Fabricius, 1775, <i>Anthribus</i>	91
<i>scabrosus</i> Voss, 1928, <i>Strigapoderus</i>	134
<i>scalptor</i> Herbst, 1795, <i>Taeniapion</i>	162
<i>scalptum</i> Mulsant & Rey, 1858, <i>Ceratapion</i>	156
<i>scandinavicum</i> Dieckmann, 1977, <i>Mesotrichapion</i>	169
<i>scandinavicus</i> Lekander, 1965, <i>Hylastes</i>	205
<i>scapularis</i> Gebler, 1833, <i>Anthribus</i>	91
<i>scapularis</i> Pic, 1925, <i>Hypophyes</i>	178
<i>scarabaeoides</i> Bernard, 1788, <i>Phloeotribus</i>	213
<i>schablioviskii</i> Stark, 1936, <i>Lymantor</i>	231
<i>schach</i> Fabricius, 1801, <i>Rhynchophorus</i>	189

<i>schaeferi</i> A. Hoffmann, 1960, <i>Aizobius</i>	149
<i>schatzmayri</i> Zumpt, 1937, <i>Brachycerus</i>	184
<i>schatzmayri</i> Giordani-Soika, 1937, <i>Corimalia</i>	178
<i>schatzmayri</i> Wagner, 1923, <i>Exapion</i>	159
<i>schaufussi</i> Blandford, 1894, <i>Xyleborinus</i>	246
<i>schedli</i> Browne, 1963, <i>Hypothenemus</i>	224
<i>schedli</i> Eggers, 1934, <i>Xyleborus</i>	247
<i>schenklingi</i> Kleine, 1917, <i>Anepsiotes</i>	142
<i>schenklingi</i> Wagner, 1914, <i>Conapium</i>	172
<i>schenklingi</i> Voss, 1922, <i>Metarhynchites</i>	125
<i>schevyrewi</i> Semenov, 1902, <i>Scolytus</i>	240
<i>schilskyi</i> Voss, 1922, <i>Euops</i>	139
<i>schilskyi</i> Gerhardt, 1911, <i>Hemitrichapion</i>	167
<i>schilskyi</i> Wagner, 1906, <i>Pseudopiezotrachelus</i>	175
<i>schimitscheki</i> Eggers, 1940, <i>Taphrorychus</i>	232
<i>schivanum</i> Voss, 1959, <i>Metapion</i>	163
<i>schlichii</i> Stebbing, 1914, <i>Amasa</i>	241
<i>schmidtii</i> Bach, 1854, <i>Mesotrichapion</i>	169
<i>schmidtii</i> Miller, 1857, <i>Mesotrichapion</i>	169
<i>schmutzenhoferi</i> Holzschuh, 1988, <i>Ips</i>	234
<i>schneideri</i> Tournier, 1878, <i>Catapion</i>	164
<i>schochrini</i> Legalov, 2007, <i>Involvulus</i>	122
<i>schoenherri</i> Guérin-Méneville, 1844, <i>Cercidocerus</i>	189
<i>schoenherri</i> Boheman, 1839, <i>Protapion</i>	174
<i>schoenherri</i> Schedl, 1981, <i>Xyleborinus</i>	246
<i>schoeni</i> Legalov, 2001, <i>Auletobius</i>	110
<i>schouwiae</i> Peyerimhoff, 1929, <i>Bruchela</i>	108
<i>schreineri</i> Eichhoff, 1881, <i>Ernoporicus</i>	220
<i>schrencki</i> Schilsky, 1906, <i>Alocentron</i>	153
<i>schrenkianae</i> Pyatnitskiy, 1931, <i>Pityophthorus</i>	217
<i>schuberti</i> Alonso-Zarazaga, 1986, <i>Necatapion</i>	165
<i>schultzei</i> Strohmeier, 1911, <i>Dinoplatypus</i>	202
<i>schultzei</i> Schedl, 1951, <i>Euwallacea</i>	244
<i>schumensis</i> Eggers, 1922, <i>Phloeosinus</i>	211
<i>schusteri</i> Schilsky, 1912, <i>Bruchela</i>	108
<i>schusteri</i> Formánek, 1912, <i>Cneminvolvulus</i>	121
<i>schwarzenbergii</i> Hochhuth, 1847, <i>Baris</i>	255
<i>schwarzi</i> Hopkins, 1915, <i>Hypothenemus</i>	223
<i>schwarzi</i> Hopkins, 1915, <i>Xyleborus</i>	249
<i>scirpi</i> Fabricius, 1792, <i>Notaris</i>	195
<i>scirpi</i> Rossi, 1790, <i>Notaris</i>	195
<i>scirrhosus</i> Gyllenhal, 1835, <i>Thryogenes</i>	197
<i>scitus</i> Blandford, 1893, <i>Pityogenes</i>	236
<i>scitus</i> Jordan, 1933, <i>Tropideres</i>	101
<i>scobricollis</i> Boheman, 1845, <i>Hormocerus</i>	148
<i>scolopacea</i> Germar, 1819, <i>Cosmobaris</i>	256
<i>scolythus</i> Sulzer, 1776, <i>Scolytus</i>	240
<i>scolytomimoides</i> Nobuchi, 1975, <i>Scolytogenes</i>	225
<i>scolytus</i> Fabricius, 1775, <i>Scolytus</i>	240
<i>scopiger</i> Berger, 1917, <i>Cryphalus</i>	219

<i>scorteccii</i> Voss, 1971, <i>Pseudaspidapion</i>	154
<i>scotina</i> Germar, 1824, <i>Sphenophorus</i>	191
<i>scotti</i> Muizon, 1954, <i>Amorphocephala</i>	144
<i>scriba</i> Gozis, 1886, <i>Cryphalus</i>	219
<i>scripta</i> Thunberg, 1815, <i>Rhaphitropis</i>	103
<i>scrofa</i> Schedl, 1975, <i>Triotemnus</i>	233
<i>scrutator</i> Pandellé, 1883, <i>Pseudothamnurgus</i>	232
<i>sculpticolle</i> Desbrochers des Loges, 1897, <i>Ceratapion</i>	156
<i>sculpticollis</i> Voss, 1958, <i>Athesapeuta</i>	260
<i>sculpturata</i> Faust, 1885, <i>Limnobaris</i>	251
<i>sculpturatus</i> Pascoe, 1875, <i>Aspidobyctiscus</i>	112
<i>sculpturatus</i> Kôno, 1938, <i>Dryophthorus</i>	185
<i>sculpturatus</i> Wollaston, 1873, <i>Dryophthorus</i>	185
<i>sculpturatus</i> Gyllenhal, 1838, <i>Sitophilus</i>	187
<i>scutellare</i> Kirby, 1811, <i>Stenoptera</i>	171
<i>scutellaris</i> P. H. Lucas, 1847, <i>Brachycerus</i>	184
<i>scutellaris</i> Gyllenhal, 1833, <i>Centrocorynus</i>	130
<i>scutellaris</i> Reitter, 1888, <i>Limnobaris</i>	251
<i>scutellatus</i> Abeille de Perrin, 1901, <i>Nemonyx</i>	90
<i>scutellatus</i> He, 2003, <i>Synommatoides</i>	192
<i>scutipennis</i> Desbrochers des Loges, 1871, <i>Brachycerus</i>	183
<i>scutulatus</i> Blandford, 1894, <i>Neopteleobius</i>	208
<i>sechellarum</i> Kolbe, 1910, <i>Diocalandra</i>	186
<i>seclusus</i> Faust, 1898, <i>Compsapoderus</i>	130
<i>secretus</i> Sampson, 1921, <i>Platypus</i>	203
<i>secundum</i> Ter-Minasian, 1975, <i>Ceratapion</i>	156
<i>securus</i> Boheman, 1839, <i>Tropideres</i>	101
<i>sedi</i> Germar, 1818, <i>Aizobius</i>	149
<i>sedulus</i> Schedl, 1972, <i>Crossotarsus</i>	201
<i>sefrense</i> Desbrochers des Loges, 1897, <i>Ceratapion</i>	155
<i>segetis</i> Linnaeus, 1758, <i>Sitophilus</i>	187
<i>segne</i> Faust, 1895, <i>Pseudoconapion</i>	175
<i>seinoi</i> Morimoto, 1978, <i>Basitropis</i>	92
<i>seirindensis</i> Murayama, 1929, <i>Pityogenes</i>	236
<i>seiryorensis</i> Murayama, 1930, <i>Cyclorhipidion</i>	243
<i>seiryuensis</i> Murayama, 1963, <i>Pityophthorus</i>	217
<i>sejugatus</i> Voss, 1924, <i>Leptapoderus</i>	132
<i>sejugum</i> Desbrochers des Loges, 1893, <i>Ceratapion</i>	155
<i>sellatus</i> Boheman, 1844, <i>Melaleucus</i>	258
<i>sellatus</i> Roelofs, 1879, <i>Platystomos</i>	97
<i>selousi</i> Newbery, 1913, <i>Oxystoma</i>	170
<i>semenovi</i> Kurentsov, 1941, <i>Ernoporicus</i>	220
<i>semenovi</i> Legalov, 2007, <i>Mecorhis</i>	124
<i>semenovi</i> Spessivtsev, 1919, <i>Scolytus</i>	240
<i>semiaeneus</i> Desbrochers des Loges, 1871, <i>Brachycerus</i>	183
<i>semiannulatus</i> Jekel, 1860, <i>Agomadaranus</i>	140
<i>semicaerulans</i> Desbrochers des Loges, 1889, <i>Ischnoptera</i>	170
<i>semicastaneus</i> Mannerheim, 1852, <i>Dryocoetes</i>	230
<i>semicircularis</i> Schedl, 1973, <i>Xyleborus</i>	247
<i>semicyanescens</i> Desbrochers des Loges, 1904, <i>Catapion</i>	164

semicyaneum Mulsant & Rey, 1858, <i>Catapion</i>	164
semicyaneus Bedel, 1884, <i>Temnocerus</i>	129
semidegener Israelson, 1990, <i>Liparthrum</i>	211
<i>semigranosus</i> Blandford, 1896, <i>Xylosandrus</i>	249
<i>seminarius</i> Chevrolat, 1871, <i>Araecerus</i>	105
seminiger Reitter, 1881, <i>Chonostropheus</i>	114
<i>seminiger</i> Faust, 1895, <i>Rhynchophorus</i>	189
<i>semiobliterata</i> Pic, 1919, <i>Allomalialia</i>	177
semiopaca Reitter, 1895, <i>Melanobaris</i>	258
<i>semiopacus</i> Eichhoff, 1878, <i>Xylosandrus</i>	249
<i>semiruber</i> Boheman, 1845, <i>Lasiorhynchites</i>	123
<i>semiruber</i> Stierlin, 1864, <i>Tatianaerhynchites</i>	128
semirubra Bedel, 1903, <i>Melanobaris</i>	258
<i>semirufum</i> Rey, 1888, <i>Taeniapion</i>	162
<i>semirufus</i> Schedl, 1959, <i>Ambrosiodmus</i>	241
<i>semirufus</i> Faust, 1898, <i>Caenorhinus</i>	115
semirufus Pic, 1898, <i>Nemonyx</i>	90
<i>semirufus</i> Reitter, 1906, <i>Thamnurgus</i>	233
semisericeum Wagner, 1920, <i>Holotrichapion</i>	168
semistriata Boheman, 1836, <i>Baris</i>	255
semisuturalis Reitter, 1908, <i>Bruchela</i>	108
<i>semituberculatus</i> P. H. Lucas, 1847, <i>Brachycerus</i>	183
<i>semivelatus</i> L. W. Schaufuss, 1885, <i>Trachelizus</i>	148
semivittatum Gyllenhal, 1833, <i>Kalcapion</i>	160
<i>senchalensis</i> Beeson, 1930, <i>Euwallacea</i>	244
senegalensis Power, 1879, <i>Amorphocephala</i>	144
senex Wollaston, 1864, <i>Lepidapion</i>	159
<i>senex</i> Wichmann, 1913, <i>Pityophthorus</i>	216
seniculus Kirby, 1808, <i>Catapion</i>	164
sensarmai Maiti & Saha, 1989, <i>Hyorrhynchus</i>	210
seoulensis Choo & Woo, 1989, <i>Hypothenemus</i>	224
separanda Doderer, 1916, <i>Alaocyba</i>	199
separandum Aubé, 1866, <i>Kalcapion</i>	160
separandus Voss, 1930, <i>Aspidobyctiscus</i>	112
<i>separata</i> Pic, 1925, <i>Allomalialia</i>	177
<i>sepicola</i> Løvendal, 1889, <i>Lymantor</i>	232
sepicola Fabricius, 1792, <i>Pseudeuparius</i>	93
<i>septemmaculata</i> Pic, 1919, <i>Allomalialia</i>	177
septemtrionalis Sawada, 1993, <i>Deporaus</i>	117
<i>septentrionalis</i> Eggers, 1923, <i>Hylastes</i>	205
septentrionalis Niisima, 1909, <i>Xyleborus</i>	249
<i>septentrionis</i> Mannerheim, 1843, <i>Dryocoetes</i>	230
serbica Schultze, 1897, <i>Baris</i>	256
<i>sergii</i> Korotyaev, 1996, <i>Squamapion</i>	161
<i>seriatopilosus</i> Schilsky, 1906, <i>Ecnomonychus</i>	121
seriatosetosulum Wencker, 1864, <i>Catapion</i>	164
seriatus Eichhoff, 1872, <i>Hypothenemus</i>	224
seriatus Blandford, 1894, <i>Phloeosinus</i>	212
<i>seriatus</i> Reitter, 1913, <i>Polygraphus</i>	214
seriatus Blandford, 1894, <i>Xyleborus</i>	249

<i>sericata</i> Motschulsky, 1875, <i>Bruchela</i>	107
<i>sericatus</i> Normand, 1937, <i>Raymondiellus</i>	199
<i>sericea</i> Fabricius, 1801, <i>Bruchela</i>	108
<i>sericeus</i> Desbrochers des Loges, 1871, <i>Brachycerus</i>	184
<i>sericeus</i> Motschulsky, 1866, <i>Cryphalus</i>	218
<i>sericeus</i> Herbst, 1797, <i>Lasiorhynchites</i>	123
<i>sericeus</i> Mannerheim, 1843, <i>Pseudohylesinus</i>	209
<i>sericeus</i> Marsham, 1802, <i>Pteleobius</i>	208
<i>serpyllicola</i> Gozis, 1881, <i>Squamapion</i>	162
<i>serpyllicola</i> Wencker, 1864, <i>Squamapion</i>	162
<i>serraticollis</i> Hustache, 1923, <i>Baris</i>	256
<i>serratus</i> Olivier, 1807, <i>Brachycerus</i>	184
<i>serratus</i> Panzer, 1795, <i>Ernoporicus</i>	220
<i>serrifer</i> Wichmann, 1916, <i>Phloeosinus</i>	212
<i>serrirostris</i> Lund, 1800, <i>Orychodes</i>	143
<i>servadeii</i> Osella, 1982, <i>Ruffodytes</i>	196
<i>seselii</i> Coffin & Téocchi, 1991, <i>Cisurgus</i>	227
<i>setifer</i> Westwood, 1864, <i>Aglycyderes</i>	109
<i>setiferum</i> Gyllenhal, 1833, <i>Phrissotrichum</i>	152
<i>setipes</i> Ancy, 1881, <i>Ocladius</i>	184
<i>setosulus</i> Pascoe, 1859, <i>Eucorynus</i>	94
<i>setosum</i> Wencker, 1864, <i>Catapion</i>	165
<i>setosus</i> Beeson, 1929, <i>Coccotrypes</i>	228
<i>setosus</i> Eichhoff, 1868, <i>Hypothenemus</i>	224
<i>setosus</i> Schedl, 1979, <i>Polygraphus</i>	215
<i>setulosa</i> Tournier, 1868, <i>Allomalialia</i>	177
<i>setulosus</i> R.-Z. Zhang, 1993, <i>Baryrhynchus</i>	142
<i>seulensis</i> Murayama, 1930, <i>Scolytus</i>	240
<i>severini</i> Blandford, 1894, <i>Treptoplatypus</i>	203
<i>sexdentatus</i> Boerner, 1766, <i>Ips</i>	234
<i>sexdentatus</i> Olivier, 1795, <i>Pityogenes</i>	235
<i>sexfenestratus</i> Beeson, 1937, <i>Platypus</i>	203
<i>sexguttatus</i> Voss, 1927, <i>Hamiltonius</i>	131
<i>sexmaculatus</i> Thunberg, 1797, <i>Rhynchophorus</i>	189
<i>sexporus</i> Schedl, 1942, <i>Genyocerus</i>	204
<i>sexpunctata</i> Kiesenwetter, 1864, <i>Allomalialia</i>	177
<i>sexspinosus</i> Motschulsky, 1863, <i>Eccoptyterus</i>	244
<i>sexsulcatus</i> Motschulsky, 1858, <i>Cerobates</i>	146
<i>sexualis</i> Beeson, 1937, <i>Platypus</i>	203
<i>shaanxiensis</i> Legalov, 2007, <i>Cyllorhynchites</i>	121
<i>shaanxinsis</i> Legalov, 2004, <i>Paroplapoderus</i>	140
<i>shabliovskiyi</i> Kurentsov, 1941, <i>Hylesinus</i>	207
<i>shangrila</i> Cognato & Sun, 2007, <i>Ips</i>	234
<i>shanghaiensis</i> Yin & Huang, 1980, <i>Scolytus</i>	240
<i>shanpingensis</i> Legalov, 2007, <i>Auletobius</i>	110
<i>shaowuanum</i> Voss, 1958, <i>Flavopodapion</i>	153
<i>shaowuensis</i> Voss, 1953, <i>Baris</i>	256
<i>shaowuensis</i> Voss, 1958, <i>Nanophyes</i>	181
<i>shaowuensis</i> Legalov, 2007, <i>Proelautobius</i>	126
<i>shariensis</i> Niisima, 1941, <i>Polygraphus</i>	215

<i>sharpi</i> Voss, 1922, <i>Apoderus</i>	129
<i>sharpi</i> Tournier, 1875, <i>Ocladius</i>	184
<i>sharpi</i> Guillebeau, 1893, <i>Phloeotribus</i>	213
<i>shensi</i> Tsai & Yin, 1964, <i>Phloeosinus</i>	212
<i>sheppardi</i> Kirby, 1819, <i>Choragus</i>	106
<i>shiguensis</i> Legalov, 2007, <i>Aspidobyctiscus</i>	112
<i>shiguensis</i> Legalov, 2007, <i>Paroplapoderus</i>	141
<i>shimanensis</i> Murayama, 1953, <i>Ernoporus</i>	220
<i>shimauchiensis</i> Kôno, 1930, <i>Compsapoderus</i>	130
<i>shinanoensis</i> Yano, 1924, <i>Ips</i>	234
<i>shinonagai</i> Senoh, 1982, <i>Peribathys</i>	101
<i>shionomisakiensis</i> Murayama, 1951, <i>Xyleborus</i>	249
<i>shirakii</i> Kôno, 1930, <i>Agomadaranus</i>	140
<i>shirozui</i> Morimoto, 1965, <i>Anthinobaris</i>	252
<i>shirozui</i> Morimoto, 1978, <i>Synommatoides</i>	192
<i>shiva</i> Maiti & Saha, 1989, <i>Hyorrhynchus</i>	210
<i>shogun</i> Blandford, 1894, <i>Scolytoplatypus</i>	241
<i>shoi</i> Senoh, 1990, <i>Misthosima</i>	105
<i>shoreae</i> G. A. K. Marshall, 1920, <i>Sitophilus</i>	187
<i>shoreae</i> Stebbing, 1909, <i>Xyleborus</i>	247
<i>shotoensis</i> Murayama, 1955, <i>Phloeosinus</i>	212
<i>siamensis</i> Voss, 1929, <i>Paracyncotrachelus</i>	133
<i>siaomonianensis</i> Legalov, 2007, <i>Leptapoderus</i>	132
<i>sibirica</i> Frieser, 1981, <i>Autotropis</i>	93
<i>sibiricum</i> Boheman, 1839, <i>Perapion</i>	151
<i>sibiricus</i> Faust, 1890, <i>Labiaticola</i>	257
<i>sibiricus</i> Nunberg, 1956, <i>Pityophthorus</i>	216
<i>sibiricus</i> Stark, 1952, <i>Pityophthorus</i>	217
<i>sibiricus</i> Pic, 1904, <i>Procas</i>	196
<i>sibiricus</i> Eggers, 1922, <i>Scolytus</i>	239
<i>sibiricus</i> Legalov, 2006, <i>Temnocerus</i>	129
<i>sibsagaricus</i> Eggers, 1930, <i>Euwallacea</i>	244
<i>sicanum</i> Ehret, 1997, <i>Phrissotrichum</i>	152
<i>sicardi</i> Desbrochers des Loges, 1893, <i>Ischnoptera pion</i>	171
<i>sichotana</i> Ter-Minasian, 1950, <i>Eusproda</i>	117
<i>sichotealinicum</i> Bajtenov, 1982, <i>Protapion</i>	174
<i>sichotensis</i> Kurentsov, 1941, <i>Cryphalus</i>	219
<i>sichotensis</i> Kurentsov, 1941, <i>Pityophthorus</i>	217
<i>sichuanensis</i> Legalov & Liu, 2005, <i>Attelabus</i>	134
<i>sichuanensis</i> Legalov, 2007, <i>Deporaus</i>	117
<i>sichuanensis</i> Legalov & Liu, 2005, <i>Euops</i>	139
<i>sichuanensis</i> Legalov, 2007, <i>Mecorhis</i>	125
<i>sichuanensis</i> Legalov, 2007, <i>Nelistrobyctiscus</i>	114
<i>sichuanensis</i> Legalov, 2007, <i>Physapoderus</i>	134
<i>siciliensis</i> Desbrochers des Loges, 1892, <i>Aulacobaris</i>	254
<i>sicula</i> Boheman, 1844, <i>Aulacobaris</i>	253
<i>sicula</i> Boheman, 1845, <i>Ctenomeropsis</i>	179
<i>sicula</i> Del Guercio, 1925, <i>Phloeotribus</i>	213
<i>siculus</i> Gyllenhal, 1833, <i>Brachycerus</i>	183
<i>siculus</i> Ferrari, 1867, <i>Hypoborus</i>	210

<i>siculus</i> Rottenberg, 1872, <i>Raymondiellus</i>	199
<i>siculus</i> Eggers, 1908, <i>Scolytus</i>	238
<i>siculus</i> Stierlin, 1876, <i>Sphenophorus</i>	191
<i>siculus</i> Eggers, 1908, <i>Taphrorychus</i>	232
<i>siculus</i> Eggers, 1912, <i>Thamnurgus</i>	233
<i>sieversi</i> Faust, 1884, <i>Picianus</i>	196
<i>signata</i> Shibata, 1979, <i>Atinellia</i>	102
<i>signatellus</i> Frieser, 1995, <i>Exechesops</i>	102
<i>signaticollis</i> Chevrolat, 1883, <i>Rhynchophorus</i>	189
<i>signatum</i> Fabricius, 1792, <i>Trypodendron</i>	251
<i>signatus</i> Voss, 1928, <i>Leptapoderus</i>	132
<i>signellus</i> Jordan, 1912, <i>Tropideres</i>	101
<i>signifera</i> Faust, 1881, <i>Elasmobaris</i>	257
<i>signipes</i> Lewis, 1883, <i>Cyphagogus</i>	145
<i>sikkimensis</i> Legalov, 2007, <i>Paratrachelophorus</i>	133
<i>sikkimensis</i> Legalov, 2007, <i>Pseudallapoderus</i>	137
<i>silfverbergi</i> Bajtenov, 1983, <i>Sergiola</i>	161
<i>siliquae</i> Frieser, 1981, <i>Araecerus</i>	105
<i>silvanus</i> Alonso-Zarazaga, 1986, <i>Pseudopiezotrachelus</i>	175
<i>silvestris</i> Beeson, 1929, <i>Xyleborus</i>	249
<i>similans</i> Schilsky, 1901, <i>Ceratapion</i>	156
<i>similaris</i> Morimoto, 1962, <i>Barinomorphoides</i>	254
<i>similaris</i> Zumpt, 1937, <i>Brachycerus</i>	184
<i>similaris</i> Voss, 1920, <i>Byctiscus</i>	114
<i>simile</i> Kirby, 1811, <i>Betulapion</i>	172
<i>similis</i> Jordan, 1894, <i>Acorynus</i>	99
<i>similis</i> Eggers, 1911, <i>Dryocoetes</i>	230
<i>similis</i> Curtis, 1837, <i>Lasiorhynchites</i>	123
<i>similis</i> O. F. Müller, 1776, <i>Nemonyx</i>	90
<i>similis</i> Chevrolat, 1883, <i>Rhabdoscelus</i>	190
<i>similis</i> Eggers, 1923, <i>Scolytogenes</i>	225
<i>similis</i> Butovitsch, 1929, <i>Scolytus</i>	239
<i>similis</i> Ferrari, 1867, <i>Xyleborus</i>	249
<i>simillimum</i> Desbrochers des Loges, 1891, <i>Ceratapion</i>	156
<i>simmeli</i> Eggers, 1923, <i>Scolytus</i>	238
<i>simoni</i> Reitter, 1887, <i>Hypothenemus</i>	224
<i>simplex</i> Wollaston, 1865, <i>Aphanarthrum</i>	226
<i>simplex</i> Murayama, 1925, <i>Crossotarsus</i>	201
<i>simplex</i> Rey, 1892, <i>Hylastes</i>	205
<i>simplex</i> Voss, 1958, <i>Otidognathus</i>	188
<i>simplicipes</i> Desbrochers des Loges, 1891, <i>Eutrichapion</i>	166
<i>simplicirostris</i> Korotyaev, 1987, <i>Pseudopiezotrachelus</i>	175
<i>simplicorne</i> Frieser, 1995, <i>Phaenotheriosoma</i>	95
<i>simulans</i> Voss, 1924, <i>Mecorhis</i>	125
<i>simulans</i> Schedl, 1941, <i>Platypus</i>	203
<i>simulator</i> Senna, 1902, <i>Cyphagogus</i>	145
<i>simulatus</i> G. A. K. Marshall, 1923, <i>Catalabus</i>	135
<i>simum</i> Germar, 1817, <i>Pseudostenapion</i>	153
<i>sinaitica</i> K. Daniel, 1909, <i>Bruchela</i>	108
<i>sinapis</i> Normand, 1937, <i>Melanobaris</i>	258

sinensis Eggers, 1941, <i>Indocryphalus</i>	250
sinensis Fairmaire, 1888, <i>Orychodes</i>	143
sinensis Schedl, 1953, <i>Phloeosinus</i>	212
sinensis Korotyaev, 1987, <i>Piezotrachelus</i>	173
sinensis Schedl, 1941, <i>Platypus</i>	203
sinensis Eggers, 1933, <i>Polygraphus</i>	215
sinensis Wood & Huang, 1986, <i>Pseudoxylechinus</i>	209
<i>sinensis</i> Tsai & Hwang, 1965, <i>Scolytoplatypus</i>	240
<i>sinensis</i> Eggers, 1910, <i>Scolytus</i>	240
sinensis Eggers, 1941, <i>Xyleborus</i>	249
<i>singhalense</i> Heller, 1902, <i>Harpapion</i>	154
singularis Shibata, 1963, <i>Acorynus</i>	99
singularis Roelofs, 1874, <i>Ecnomonychus</i>	121
singularis Senna, 1911, <i>Eterodiurus</i>	147
singularis Senna, 1895, <i>Higonius</i>	147
singularis Voss, 1958, <i>Sipalomimus</i>	190
sinicus Voss, 1927, <i>Leptapoderus</i>	132
sinoabietis Tsai & Li, 1963, <i>Cryphalus</i>	219
sinopiceus Tsai, 1962, <i>Scolytus</i>	240
sinuatocollis Faust, 1885, <i>Picia</i>	196
sinuatus Olivier, 1807, <i>Brachycerus</i>	184
<i>siobanus</i> Eggers, 1923, <i>Euwallacea</i>	244
<i>siomio</i> Blandford, 1893, <i>Scolytoplatypus</i>	240
<i>sionilli</i> Hayes, 1936, <i>Cosmobaris</i>	256
<i>siporanus</i> Hagedorn, 1910, <i>Euwallacea</i>	245
sissu G. A. K. Marshall, 1913, <i>Pseudallapoderus</i>	137
sitchuanensis Legalov, 2003, <i>Aspidobyctiscus</i>	113
sitchuanensis Legalov, 2003, <i>Cycnotrachelodes</i>	131
sitchuanensis Legalov, 2003, <i>Lamprolabus</i>	136
sitchuanensis Legalov, 2003, <i>Phymatapoderus</i>	141
sitschuanensis Legalov, 2001, <i>Pseudomesauletes</i>	111
sitschuanensis Legalov, 2003, <i>Eugnampius</i>	119
siva Beeson, 1937, <i>Crossotarsus</i>	201
siwalikensis Voss, 1956, <i>Cneminvolvulus</i>	121
siwalikensis Stebbing, 1906, <i>Sphaerotrypes</i>	204
sjaomonjanica Legalov, 2004, <i>Mecorhis</i>	124
slovenicus Purkyně, 1954, <i>Rhynchites</i>	127
<i>smeraldinus</i> O. G. Costa, 1839, <i>Neocoenorrhinus</i>	126
<i>smreczynski</i> Bajtenov, 1979, <i>Perapion</i>	151
<i>smreczynskii</i> Dieckmann, 1963, <i>Nanomimus</i>	180
<i>smreczynskii</i> A. Hoffmann, 1934, <i>Squamapion</i>	162
smyrnensis Desbrochers des Loges, 1869, <i>Rhynchites</i>	128
sobolevae Korotyaev, 1988, <i>Synapion</i>	172
sobrinus Frieser, 1995, <i>Exechesops</i>	102
<i>sobrinus</i> Eichhoff, 1876, <i>Xyleborinus</i>	246
<i>societatis</i> Beeson, 1935, <i>Xyleborus</i>	246
socius Faust, 1882, <i>Caenorhinus</i>	116
sojunovii Bajtenov & Sojunov, 1990, <i>Metapion</i>	163
solarii Caldara, 1976, <i>Ocladius</i>	184
solarii Ganglbauer, 1906, <i>Raymondiellus</i>	199

solarii Wagner, 1908, <i>Squamapion</i>	162
solariorum Wagner, 1908, <i>Squamapion</i>	161
solidus Walker, 1859, <i>Treptoplatypus</i>	203
soltaui Hopkins, 1915, <i>Hypothenemus</i>	224
soltaui Hopkins, 1915, <i>Xyleborus</i>	247
solutus Faust, 1886, <i>Cneminvolvulus</i>	121
sondaicus Senna, 1893, <i>Cerobates</i>	146
sorbi Fabricius, 1792, <i>Omphalapion</i>	157
sordicaudulus Eggers, 1927, <i>Leptoxyleborus</i>	245
sordidus Germar, 1824, <i>Cosmopolites</i>	189
sordidus Nobuchi, 1975, <i>Cryphalus</i>	219
sordidus Blandford, 1894, <i>Indocryphalus</i>	250
soricina Fairmaire, 1884, <i>Cosmobaris</i>	256
soricinum Desbrochers des Loges, 1892, <i>Catapion</i>	164
soror Rey, 1895, <i>Aspidapion</i>	153
spadiceus Boheman, 1836, <i>Arthrostenus</i>	193
sparganii Gyllenhal, 1835, <i>Icaris</i>	194
sparnacensis Bettinger, 1935, <i>Microon</i>	179
sparsa Boheman, 1833, <i>Plintheria</i>	91
sparsepunctatus Normand, 1937, <i>Raymondiellus</i>	199
spartii Kirby, 1808, <i>Perapion</i>	151
spartii Nördlinger, 1847, <i>Phloeotribus</i>	213
spartocytisi G. A. K. Marshall, 1928, <i>Lepidapion</i>	159
spathula Desbrochers des Loges, 1894, <i>Ceratapion</i>	156
spatulifer Browne, 1977, <i>Diapus</i>	204
speciosissimus Kleine, 1916, <i>Baryrhynchus</i>	142
speciosus Schedl, 1975, <i>Xyleborinus</i>	246
spencii Kirby, 1808, <i>Cyanapion</i>	165
spessivtsevi Lebedev, 1926, <i>Pityogenes</i>	236
spessivtzevi Berger, 1917, <i>Ernoporicus</i>	220
spessiwezffii Eggers, 1914, <i>Hylurgops</i>	206
sphacelatus Pascoe, 1887, <i>Ceocephalus</i>	147
sphaerotrypoides Murayama, 1951, <i>Sueus</i>	210
spiculatus Boheman, 1845, <i>Lamprolabus</i>	136
spiculatus Eggers, 1927, <i>Trypophloeus</i>	226
spinicollis Bedel, 1874, <i>Brachycerus</i>	184
spinicollis Perris, 1869, <i>Bruchela</i>	108
spinicollis Voss, 1930, <i>Cyllorhynchites</i>	121
spinicoxale Wagner, 1908, <i>Protapion</i>	174
spinidens Reitter, 1895, <i>Pityokteines</i>	236
spinipennis Eichhoff, 1886, <i>Diamerus</i>	204
spinipes Schilsky, 1906, <i>Henicolabus</i>	135
spinitarsatum Bhateja & Pajni, 1989, <i>Hoplopodapion</i>	150
spinosus Blandford, 1894, <i>Acanthotomicus</i>	233
spinosus Olivier, 1795, <i>Eccoopterus</i>	244
spinosus DeGeer, 1775, <i>Pityogenes</i>	235
spinosus Hagedorn, 1908, <i>Premnobius</i>	237
spinulosus Rey, 1883, <i>Phloeotribus</i>	213
spitzyi Hochhuth, 1847, <i>Baris</i>	256
splendens Kleine, 1916, <i>Eterozemus</i>	145

<i>splendens</i> Roelofs, 1874, <i>Euops</i>	138
<i>splendens</i> Sokanovskiy, 1958, <i>Taphrorychus</i>	232
<i>splendidulum</i> Desbrochers des Loges, 1875, <i>Holotrichapion</i>	168
<i>splendidulus</i> Kiesenwetter, 1852, <i>Lasiorrhynchites</i>	123
<i>splendidus</i> Voss, 1930, <i>Euops</i>	138
<i>splendidus</i> Krynicki, 1832, <i>Rhynchites</i>	127
<i>spoliata</i> Boheman, 1836, <i>Maurobaris</i>	258
<i>spongiicollis</i> Fairmaire, 1889, <i>Trymatoderus</i>	192
<i>spretus</i> Jacquelin du Val, 1855, <i>Dieckmanniellus</i>	179
<i>squamans</i> Desbrochers des Loges, 1907, <i>Diplapion</i>	157
<i>squameus</i> Boheman, 1835, <i>Echinocnemus</i>	194
<i>squameus</i> Yin & Huang, 1981, <i>Polygraphus</i>	215
<i>squamidorsum</i> Desbrochers des Loges, 1908, <i>Lepidapion</i>	159
<i>squamiger</i> Hayes, 1936, <i>Cosmobaris</i>	256
<i>squamigerum</i> Jacquelin du Val, 1854, <i>Lepidapion</i>	159
<i>squamipes</i> Faust, 1888, <i>Aulacobaris</i>	253
<i>squamosum</i> Faust, 1884, <i>Metapion</i>	163
<i>squamosus</i> Murayama, 1942, <i>Hylurgops</i>	206
<i>squamosus</i> Desbrochers des Loges, 1875, <i>Icaris</i>	194
<i>squamosus</i> Schedl, 1975, <i>Polygraphus</i>	215
<i>squamosus</i> Yin & Huang, 1980, <i>Scolytus</i>	240
<i>squamulata</i> Pic, 1896, <i>Cosmobaris</i>	256
<i>squamulatum</i> Gyllenhal, 1833, <i>Exapion</i>	159
<i>squamulatus</i> L. Redtenbacher, 1874, <i>Carphoborus</i>	213
<i>squamulatus</i> Chapuis, 1865, <i>Crossotarsus</i>	201
<i>squamulatus</i> Chapuis, 1869, <i>Phloeosinus</i>	212
<i>squamulatus</i> Niisima, 1941, <i>Polygraphus</i>	215
<i>squamuliferum</i> Desbrochers des Loges, 1891, <i>Diplapion</i>	157
<i>squamuloides</i> Beeson, 1937, <i>Crossotarsus</i>	201
<i>squamulosus</i> Pic, 1907, <i>Picianus</i>	196
<i>squarrosus</i> Normand, 1937, <i>Metapion</i>	163
<i>ssiori</i> Niisima, 1909, <i>Polygraphus</i>	215
<i>starhoni</i> Reitter, 1913, <i>Dryocoetes</i>	231
<i>starki</i> Nunberg, 1956, <i>Cyclorhipidion</i>	243
<i>starki</i> Eggers, 1942, <i>Ernoporus</i>	220
<i>starki</i> Eggers, 1933, <i>Hylastes</i>	205
<i>starki</i> Spessivtsev, 1926, <i>Orthotomicus</i>	235
<i>starki</i> Kurentsov, 1941, <i>Scolytus</i>	238
<i>starki</i> Eggers, 1929, <i>Tomicus</i>	209
<i>staudingeri</i> Voss, 1920, <i>Micrapoderus</i>	137
<i>stebbingi</i> Strohmeier, 1908, <i>Ips</i>	234
<i>steindachneri</i> Frivaldszky, 1883, <i>Phaenotheriolum</i>	95
<i>steineri</i> Voss, 1936, <i>Notodermus</i>	196
<i>stenocephalum</i> Perris, 1858, <i>Holotrichapion</i>	168
<i>stenographus</i> Duftschmid, 1825, <i>Ips</i>	234
<i>stenoides</i> Shibata, 1963, <i>Phloeobius</i>	97
<i>stenoplicatus</i> Schedl, 1940, <i>Platypus</i>	203
<i>stenus</i> Jordan, 1923, <i>Phloeobius</i>	97
<i>steppensis</i> Roubal, 1935, <i>Baris</i>	256
<i>sterculiae</i> Hopkins, 1915, <i>Hypothenemus</i>	221

<i>sterilis</i> Peyerimhoff, 1919, <i>Cercomorphus</i>	108
<i>steveni</i> Gyllenhal, 1835, <i>Procas</i>	196
<i>steveni</i> Krynicki, 1832, <i>Procas</i>	196
<i>steveni</i> Gyllenhal, 1839, <i>Taphrotopium</i>	157
<i>stevensi</i> Jordan, 1925, <i>Rhaphitropis</i>	104
<i>stibinus</i> Jordan, 1912, <i>Stiboderes</i>	101
<i>sticticus</i> Voss, 1926, <i>Agomadaranus</i>	140
<i>sticticus</i> Jordan, 1904, <i>Litocerus</i>	100
<i>stierlini</i> Tournier, 1873, <i>Aulacobaris</i>	254
<i>stierlini</i> Desbrochers des Loges, 1870, <i>Eutrichapion</i>	166
<i>stierlini</i> Voss, 1938, <i>Neocoenorrhinus</i>	125
<i>stierlini</i> Eggers, 1911, <i>Scolytogenes</i>	225
<i>stigma</i> G. A. K. Marshall, 1930, <i>Aplemonus</i>	149
<i>stigma</i> Frieser, 2001, <i>Uncifer</i>	104
<i>stigmatica</i> Kiesenwetter, 1852, <i>Corimalia</i>	178
<i>stigmaticollis</i> Gyllenhal, 1838, <i>Diocalandra</i>	186
<i>stigosus</i> Jordan, 1936, <i>Uncifer</i>	104
<i>stoekleini</i> Schedl, 1935, <i>Phloeosinus</i>	212
<i>stolidum</i> Germar, 1817, <i>Diplapion</i>	157
<i>stramineus</i> Bach, 1854, <i>Nanophyes</i>	180
<i>strejceki</i> Frieser, 1995, <i>Phaenotherion</i>	95
<i>striatifrons</i> Senoh, 1985, <i>Litocerus</i>	100
<i>striatifrons</i> Jordan, 1895, <i>Xylinada</i>	102
<i>striatopunctata</i> Reitter, 1895, <i>Baris</i>	256
<i>striatopunctatus</i> Lea, 1910, <i>Hypothenemus</i>	223
<i>striatopunctatus</i> Goeze, 1777, <i>Sphenophorus</i>	191
<i>striatopunctatus</i> Reitter, 1883, <i>Sphenophorus</i>	191
<i>striatulus</i> Schedl, 1942, <i>Hypothenemus</i>	224
<i>striatulus</i> Mannerheim, 1853, <i>Trypophloeus</i>	226
<i>striatum</i> Marsham, 1802, <i>Protopirapion</i>	171
<i>striatus</i> Olivier, 1789, <i>Cercomorphus</i>	109
<i>striatus</i> Fåhraeus, 1845, <i>Cosmopolites</i>	189
<i>striatus</i> Eggers, 1927, <i>Diamerus</i>	204
<i>striatus</i> Eggers, 1933, <i>Dryocoetes</i>	231
<i>striatus</i> Voss, 1924, <i>Euops</i>	138
<i>striatus</i> Eggers, 1933, <i>Hylesinus</i>	207
<i>striatus</i> O. F. Müller, 1776, <i>Platyrhinus</i>	96
<i>striatus</i> O. F. Müller, 1776, <i>Platyrhinus</i>	96
<i>striatus</i> Thunberg, 1815, <i>Sitophilus</i>	187
<i>striatus</i> Nobuchi, 1966, <i>Taphrorychus</i>	232
<i>stricticollis</i> Desbrochers des Loges, 1892, <i>Aulacobaris</i>	253
<i>stricticollis</i> Reitter, 1894, <i>Raymondionymus</i>	200
<i>strictum</i> Desbrochers des Loges, 1896, <i>Hemitrichapion</i>	167
<i>strigellus</i> Voss, 1958, <i>Deporaus</i>	117
<i>strigilatus</i> Reitter, 1908, <i>Scolytus</i>	239
<i>strigipenne</i> Schilsky, 1902, <i>Apion</i>	149
<i>striolatus</i> Kirsch, 1875, <i>Orychodes</i>	143
<i>striopunctatum</i> Pajni, 1991, <i>Pseudaspidapion</i>	154
<i>strobilanthi</i> Desbrochers des Loges, 1890, <i>Podapion</i>	176
<i>strohmeieri</i> Schedl, 1975, <i>Ambrosiodmus</i>	241

strohmeyeri Stebbing, 1914, <i>Cryphalus</i>	219
stussineri Reitter, 1891, <i>Tarattostichus</i>	200
stygia Rost, 1893, <i>Ubychia</i>	200
suavis Gistel, 1857, <i>Nanophyes</i>	181
subaequalicum Voss, 1967, <i>Eutrichapion</i>	166
subaffinis Eggers, 1933, <i>Xyleborus</i>	246
subagnatus Eggers, 1940, <i>Hypothenemus</i>	224
subanalis Pic, 1900, <i>Baris</i>	256
subaplanatus Schedl, 1942, <i>Coccotrypes</i>	229
subarmatus Frieser, 1981, <i>Choragus</i>	106
subattenuatus Pic, 1919, <i>Nanophyes</i>	181
subauratus Voss, 1943, <i>Byctiscus</i>	113
subaureus Reitter, 1900, <i>Icaris</i>	194
subbasalis Voss, 1933, <i>Auletobius</i>	110
subcaeruleum Stephens, 1831, <i>Holotrichapion</i>	168
subcandidum Schilsky, 1902, <i>Metapion</i>	163
subcavifrons Desbrochers des Loges, 1894, <i>Ceratapion</i>	156
subcinctus Pic, 1929, <i>Leptapoderus</i>	133
subcoarctatus Voss, 1938, <i>Caenorhinus</i>	116
subcoeruleifrons Voss, 1939, <i>Eugnamptobius</i>	119
subcoeruleifrons Voss, 1941, <i>Eugnamptobius</i>	119
subcoeruleus LeConte, 1876, <i>Auletobius</i>	110
subcoeruleus Voss, 1929, <i>Cycnotrachelodes</i>	131
subconcentralis Hopkins, 1915, <i>Hypothenemus</i>	223
subconfusus Eggers, 1941, <i>Scolytus</i>	238
subconiceps Desbrochers des Loges, 1904, <i>Ischnopterapion</i>	171
subconicicolle Desbrochers des Loges, 1870, <i>Ceratapion</i>	156
subconsors Bajtenov & Lodos, 1978, <i>Squamapion</i>	162
subcoriaceus Eggers, 1927, <i>Euwallacea</i>	244
subcostata Motschulsky, 1845, <i>Tournotaris</i>	197
subcostatus Eggers, 1923, <i>Ficicis</i>	206
subcrenulatum Desbrochers des Loges, 1901, <i>Diplapion</i>	157
subcribrosus Eggers, 1933, <i>Crypturgus</i>	228
subcumulatus Voss, 1930, <i>Cyllorhynchites</i>	121
subcurvatus Zaslavskij, 1956, <i>Labiaticola</i>	257
subcyaneus Voss, 1931, <i>Attelabus</i>	134
subcylindricus Schedl, 1942, <i>Hypocryphalus</i>	220
subcylindricus Schedl, 1940, <i>Hypothenemus</i>	223
subdentirostre Desbrochers des Loges, 1875, <i>Ceratapion</i>	156
subdepressus Eggers, 1940, <i>Cryphalus</i>	219
subdepressus Rey, 1883, <i>Xyleborinus</i>	246
subelongata Pic, 1921, <i>Elasmobaris</i>	257
subelongatus Legalov & Liu, 2005, <i>Euops</i>	139
subelongatus Motschulsky, 1860, <i>Ips</i>	234
subelongatus Pic, 1905, <i>Ocladius</i>	184
subfarinosum Desbrochers des Loges, 1897, <i>Metapion</i>	163
subfasciata Boheman, 1838, <i>Diocalandra</i>	186
subfasciatus Voss, 1929, <i>Leptapoderus</i>	132
subfasciatus Jordan, 1924, <i>Melanopsacus</i>	106
subfasciatus Chevrolat, 1882, <i>Otidognathus</i>	188

<i>subferruginea</i> Reitter, 1910, <i>Baris</i>	256
<i>subglaber</i> Desbrochers des Loges, 1897, <i>Temnocerus</i>	129
<i>subglabratus</i> Schedl, 1942, <i>Hypothenemus</i>	221
<i>subglabrum</i> Israelson, 1972, <i>Aphanarthrum</i>	227
<i>subglabrum</i> Desbrochers des Loges, 1870, <i>Ischnopterapion</i>	170
<i>subgranulatus</i> Voss, 1933, <i>Auletobius</i>	110
<i>subgranulatus</i> Eggers, 1930, <i>Xyleborinus</i>	246
<i>subimpressus</i> Eggers, 1940, <i>Coccotrypes</i>	229
<i>subinsidiosum</i> Bajtenov, 1974, <i>Mesotrichapion</i>	169
<i>subitus</i> Schedl, 1949, <i>Xyleborus</i>	247
<i>sublaevithorax</i> Desbrochers des Loges, 1894, <i>Ceratapion</i>	154
<i>sublineatum</i> Schilsky, 1906, <i>Exapion</i>	159
<i>submaculatus</i> Sharp, 1889, <i>Auletobius</i>	110
<i>submaculatus</i> Voss, 1927, <i>Leptapoderus</i>	132
<i>submarginatus</i> Blandford, 1896, <i>Xyleborus</i>	249
<i>submetallicus</i> Desbrochers des Loges, 1890, <i>Cylas</i>	142
<i>submetallicus</i> Voss, 1935, <i>Euops</i>	138
<i>submontanus</i> Beeson, 1937, <i>Crossotarsus</i>	201
<i>submonticola</i> Hustache, 1938, <i>Aulacobaris</i>	253
<i>subnepotulus</i> Eggers, 1930, <i>Ambrosiophilus</i>	242
<i>subnitidus</i> Schedl, 1954, <i>Coccotrypes</i>	228
<i>subnotata</i> Boheman, 1859, <i>Mauia</i>	94
<i>subnotatus</i> Voss, 1931, <i>Cyrtotrachelus</i>	187
<i>subopacicollis</i> Hopkins, 1915, <i>Hypothenemus</i>	224
<i>subopacus</i> Eggers, 1930, <i>Ficicis</i>	206
<i>subopacus</i> C. G. Thomson, 1871, <i>Polygraphus</i>	215
<i>suborichalceus</i> Voss, 1932, <i>Metarhynchites</i>	125
<i>subornatus</i> Sharp, 1889, <i>Phymatapoderus</i>	141
<i>subparallelum</i> Desbrochers des Loges, 1888, <i>Exapion</i>	159
<i>subpectitus</i> Voss, 1943, <i>Byctiscus</i>	113
<i>subpicescens</i> Voss, 1933, <i>Pseudomesauletes</i>	111
<i>subplanus</i> Voss, 1920, <i>Exrhynchites</i>	118
<i>subplumbeum</i> Desbrochers des Loges, 1904, <i>Pseudoconapion</i>	175
<i>subplumbeus</i> Chevrolat, 1860, <i>Mesauletobius</i>	111
<i>subpolita</i> Zaslavskij, 1956, <i>Baris</i>	255
<i>subpubescens</i> Wencker, 1864, <i>Catapion</i>	165
<i>subrecticollis</i> Voss, 1961, <i>Squamapion</i>	162
<i>subrectirostre</i> Desbrochers des Loges, 1895, <i>Exapion</i>	159
<i>subretusus</i> Wollaston, 1864, <i>Triotemnus</i>	233
<i>subroseus</i> Reitter, 1916, <i>Anthribus</i>	92
<i>subrubripes</i> Ter-Minasian, 1972, <i>Melanapion</i>	160
<i>subrufescens</i> Pic, 1909, <i>Ctenomeropsis</i>	179
<i>subsimilis</i> Eggers, 1930, <i>Xylosandrus</i>	250
<i>subspinus</i> Eggers, 1930, <i>Xyleborinus</i>	246
<i>subsquamiferum</i> Desbrochers des Loges, 1894, <i>Diplapion</i>	157
<i>subsquamosum</i> Desbrochers des Loges, 1891, <i>Stenopterapion</i>	171
<i>substriatum</i> Schilsky, 1902, <i>Synapion</i>	172
<i>substriatus</i> Schedl, 1942, <i>Cryphalus</i>	219
<i>substriatus</i> Strohmeyer, 1914, <i>Hylastes</i>	205
<i>subsulcatum</i> Marsham, 1802, <i>Holotrichapion</i>	168

<i>subsulcatus</i> Rey, 1893, <i>Choragus</i>	106
<i>subtarsalis</i> Rey, 1895, <i>Melanobaris</i>	258
<i>subtessellatus</i> Voss, 1936, <i>Notodermus</i>	196
<i>subtilina</i> Reitter, 1899, <i>Baris</i>	256
<i>subtilirostris</i> Korotyaev, 1985, <i>Pseudopiezotrachelus</i>	175
<i>subtilis</i> Voss, 1930, <i>Aspidobyctiscus</i>	112
<i>subtilis</i> Voss, 1938, <i>Caenorhinus</i>	116
<i>subtilis</i> Sawada, 1993, <i>Cartorhynchites</i>	120
<i>subtrapezicolle</i> Desbrochers des Loges, 1897, <i>Holotrichapion</i>	168
<i>subtriatus</i> Schedl, 1952, <i>Scolytogenes</i>	225
<i>subtuberculatus</i> Voss, 1922, <i>Pseudomesauletes</i>	111
<i>subulatum</i> Illiger, 1807, <i>Oxystoma</i>	169
<i>subulatum</i> Illiger, 1807, <i>Oxystoma</i>	170
<i>subulatum</i> Kirby, 1808, <i>Oxystoma</i>	170
<i>subulirostris</i> G. A. K. Marshall, 1931, <i>Orthosinus</i>	192
<i>subvariolaris</i> Voss, 1935, <i>Strigapoderus</i>	134
<i>subvariolatus</i> Desbrochers des Loges, 1871, <i>Brachycerus</i>	184
<i>subverrucosa</i> Voss, 1958, <i>Nassophasis</i>	190
<i>subvestitus</i> Eggers, 1940, <i>Hypothenemus</i>	221
<i>subviolaceum</i> Desbrochers des Loges, 1908, <i>Stenoptera-pion</i>	171
<i>suecicus</i> Eggers, 1923, <i>Dryocoetes</i>	230
<i>suffodiens</i> Sampson, 1913, <i>Platypus</i>	203
<i>suffriani</i> Hochhuth, 1847, <i>Baris</i>	256
<i>sugonyaevi</i> Korotyaev, 1988, <i>Bruchela</i>	108
<i>sulcata</i> Calabresi, 1920, <i>Amorphocephala</i>	144
<i>sulcata</i> Boheman, 1836, <i>Baris</i>	256
<i>sulcatulicollis</i> Voss, 1956, <i>Piezotrachelus</i>	173
<i>sulcatum</i> Eggers, 1930, <i>Cyclorhipidion</i>	243
<i>sulcatus</i> Roelofs, 1879, <i>Dryophthoroides</i>	192
<i>sulcatus</i> Eggers, 1933, <i>Hylurgops</i>	206
<i>sulcatus</i> Chapuis, 1865, <i>Megaplatypus</i>	202
<i>sulcatus</i> LeConte, 1868, <i>Scolytus</i>	239
<i>sulcatus</i> Marsham, 1802, <i>Trypodendron</i>	251
<i>sulcicollis</i> Jekel, 1860, <i>Heterapoderus</i>	131
<i>sulcicollis</i> Chevrolat, 1866, <i>Melanobaris</i>	258
<i>sulcidorsum</i> Schrank, 1798, <i>Neocoenorrhinus</i>	125
<i>sulciferum</i> Hubenthal, 1912, <i>Holotrichapion</i>	168
<i>sulcifrons</i> Argod-Vallon, 1895, <i>Attelabus</i>	134
<i>sulcifrons</i> Gyllenhal, 1833, <i>Brachycerus</i>	183
<i>sulcifrons</i> Rey, 1892, <i>Scolytus</i>	240
<i>sulcifrons</i> Frieser, 1996, <i>Sintor</i>	98
<i>sulcifrons</i> Herbst, 1797, <i>Taphrotopium</i>	158
<i>sulcirostre</i> Sharp, 1891, <i>Miniapion</i>	154
<i>sulcithorax</i> Desbrochers des Loges, 1901, <i>Squamapion</i>	162
<i>sumatranus</i> Senna, 1893, <i>Cerobates</i>	146
<i>sumptuosus</i> Roelofs, 1875, <i>Rhynchites</i>	128
<i>sundaensis</i> Schedl, 1941, <i>Dinoplatypus</i>	202
<i>sundaensis</i> Eggers, 1927, <i>Hypothenemus</i>	223
<i>sundevalli</i> Boheman, 1839, <i>Eutrichapion</i>	166
<i>sundri</i> Beeson, 1937, <i>Crossotarsus</i>	201

<i>sundri</i> Schedl, 1969, <i>Ernocladius</i>	220
<i>sundukovi</i> Legalov, 2007, <i>Cneminvolvulus</i>	120
<i>superans</i> Faust, 1882, <i>Apoderus</i>	129
<i>superbus</i> Tournier, 1868, <i>Aplemonus</i>	149
<i>superciliosum</i> Gyllenhal, 1813, <i>Betulapion</i>	172
<i>superciliosus</i> Gyllenhal, 1833, <i>Brachycerus</i>	183
<i>supercilliosus</i> Tsai & Hwang, 1965, <i>Scolytoplatypus</i>	241
<i>suppantschitschi</i> Legalov, 2002, <i>Hemitrichapion</i>	167
<i>suturale</i> Eggers, 1933, <i>Trypodendron</i>	251
<i>suturalis</i> Boheman, 1839, <i>Araecerus</i>	105
<i>suturalis</i> Jekel, 1860, <i>Attelabus</i>	134
<i>suturalis</i> Fabricius, 1792, <i>Bruchela</i>	108
<i>suturalis</i> W. Redtenbacher, 1842, <i>Hylesinus</i>	207
<i>suturalis</i> Pic, 1907, <i>Nanomimus</i>	180
<i>suturalis</i> Gyllenhal, 1827, <i>Orthotomicus</i>	235
<i>suturalis</i> Jordan, 1895, <i>Sintor</i>	98
<i>suvorovi</i> Reitter, 1910, <i>Pharcidobaris</i>	259
<i>swainei</i> Drake, 1921, <i>Anisandrus</i>	242
<i>symaoensis</i> Legalov, 2003, <i>Allapoderus</i>	136
<i>syriaca</i> Reitter, 1888, <i>Picia</i>	196
<i>syriacum</i> Desbrochers des Loges, 1897, <i>Kalcapion</i>	160
<i>syriacus</i> Pic, 1907, <i>Arthrostenus</i>	193
<i>syriacus</i> Pic, 1925, <i>Cercomorphus</i>	109
<i>syriacus</i> Faust, 1897, <i>Labiaticola</i>	257
<i>syriacus</i> Desbrochers des Loges, 1869, <i>Lasiorhynchites</i>	124
<i>syriacus</i> H. Brisout de Barneville, 1869, <i>Nanophyes</i>	181
<i>syrticus</i> Peyerimhoff, 1925, <i>Cercomorphus</i>	109
<i>szechuanensis</i> Tsai & Li, 1963, <i>Cryphalus</i>	219
<i>szechuanensis</i> Voss, 1956, <i>Involvulus</i>	123
<i>szemaoensis</i> Tsai & Yin, 1965, <i>Polygraphus</i>	215
<i>tabangensis</i> Voss, 1961, <i>Lamprolabus</i>	136
<i>taboensis</i> Schedl, 1952, <i>Ambrosiodmus</i>	241
<i>tabulaeformis</i> Tsai & Li, 1963, <i>Cryphalus</i>	219
<i>tachygraphus</i> C. R. Sahlberg, 1836, <i>Anisandrus</i>	242
<i>tadzhica</i> Korotyaev, 1988, <i>Baris</i>	256
<i>tadzhikistanicus</i> Stark, 1941, <i>Scolytus</i>	240
<i>taichuensis</i> Schedl, 1952, <i>Diuncus</i>	243
<i>taiheizanensis</i> Murayama, 1932, <i>Platypus</i>	203
<i>taihokuensis</i> Schedl, 1952, <i>Hypothenemus</i>	224
<i>taihorinensis</i> Voss, 1922, <i>Neoeugnamptus</i>	119
<i>tainanica</i> Voss, 1932, <i>Anthinobaris</i>	252
<i>taireiensis</i> Murayama, 1943, <i>Carphoborus</i>	213
<i>taitonus</i> Eggers, 1939, <i>Cnestus</i>	243
<i>taiwana</i> Frieser, 1981, <i>Autotropis</i>	93
<i>taiwana</i> Shibata, 1982, <i>Mecotropis</i>	98
<i>taiwana</i> Shibata, 1978, <i>Rhaphitropis</i>	103
<i>taiwanensis</i> Browne, 1980, <i>Anisandrus</i>	242
<i>taiwanensis</i> Legalov, 2007, <i>Auletobius</i>	110
<i>taiwanensis</i> Legalov, 2007, <i>Euops</i>	138
<i>taiwanensis</i> Legalov, 2003, <i>Phymatapoderus</i>	141

taiwanensis Schedl, 1967, <i>Polygraphus</i>	215
<i>taiwansis</i> Schedl, 1960, <i>Platypus</i>	203
taiwanus Shibata, 1978, <i>Bothrus</i>	95
taiwanus Schedl, 1970, <i>Cryphalus</i>	219
taiwanus Frieser, 1981, <i>Derisemias</i>	98
taiwanus Kanto & Kojima, 2009, <i>Shiva</i>	182
takahashii Nobuchi, 1975, <i>Ernoporicus</i>	220
takemurai Nakane, 1963, <i>Mucronianus</i>	100
takinoyensis Murayama, 1953, <i>Xyleborus</i>	249
t-album Linnaeus, 1758, <i>Limnobaris</i>	252
<i>talpa</i> Desbrochers des Loges, 1870, <i>Catapion</i>	164
talurae Stebbing, 1906, <i>Genyocerus</i>	204
<i>tamarindi</i> Hopkins, 1915, <i>Hypothenemus</i>	224
<i>tamarindi</i> Christy, 1834, <i>Sitophilus</i>	187
tamarisci Gyllenhal, 1838, <i>Corimalia</i>	178
tamarisci Gyllenhal, 1839, <i>Onychapion</i>	150
<i>tamarixus</i> Menon & Parshad, 1961, <i>Onychapion</i>	150
tamui Nakane, 1963, <i>Euparius</i>	93
tanganum Hartmann, 1897, <i>Afrothymapion</i>	160
<i>tanganus</i> Eggers, 1935, <i>Coccotrypes</i>	229
<i>tanganus</i> Hagedorn, 1910, <i>Xyleborus</i>	247
<i>tantillus</i> Lea, 1910, <i>Hypothenemus</i>	223
<i>tapatapaoensis</i> Schedl, 1951, <i>Euwallacea</i>	244
taradakensis Murayama, 1957, <i>Taphrorychus</i>	232
<i>targionii</i> Piccioli, 1877, <i>Pseudeuparius</i>	93
tarokoensis Legalov, 2007, <i>Neoeugnampus</i>	119
tarsalis Sharp, 1891, <i>Araecerus</i>	105
<i>tarsalis</i> Förster, 1849, <i>Phloeotribus</i>	213
tatyanae Egorov, 1976, <i>Dendrobaris</i>	260
<i>tauricum</i> Desbrochers des Loges, 1902, <i>Ceratapion</i>	156
<i>tauricum</i> Schubert, 1963, <i>Necatapion</i>	165
<i>tauricus</i> Desbrochers des Loges, 1871, <i>Brachycerus</i>	183
<i>tauricus</i> Eggers, 1914, <i>Scolytus</i>	238
<i>taurinorum</i> Osella, 1977, <i>Ferreria</i>	199
tavakiliani Menier, 1974, <i>Aglycyderes</i>	109
<i>tavriense</i> Bajtenov & Lodos, 1980, <i>Squamapion</i>	161
<i>taxicola</i> Lezhava, 1943, <i>Scolytus</i>	239
<i>tchitensis</i> Egorov, 1996, <i>Bruchela</i>	108
techangensis Tsai & Hwang, 1964, <i>Hylastes</i>	205
<i>tectonae</i> Stebbing, 1903, <i>Hypothenemus</i>	223
<i>tectus</i> Beeson, 1921, <i>Sphaerotrypes</i>	204
<i>tegalensis</i> Eggers, 1923, <i>Ambrosiodmus</i>	241
<i>tehchangensis</i> Tsai & Li, 1963, <i>Cryphalus</i>	219
teheranicus A. Hoffmann, 1956, <i>Labiaticola</i>	257
telephii Bedel, 1900, <i>Pericartiellus</i>	182
temisiense Palagesiu, 1988, <i>Protapion</i>	175
tempereanum Ehret, 1991, <i>Ischnoptera pion</i>	171
<i>tenebrosus</i> C. R. Sahlberg, 1836, <i>Hylurgops</i>	205
<i>tenellum</i> C. R. Sahlberg, 1834, <i>Perapion</i>	151
<i>tenerrimus</i> C. R. Sahlberg, 1836, <i>Crypturgus</i>	227

<i>tentator</i> Faust, 1895, <i>Paroplapoderus</i>	141
<i>tenue</i> Kirby, 1808, <i>Stenopterapion</i>	171
<i>tenuicornis</i> Heller, 1927, <i>Autonopis</i>	186
<i>tenuicornis</i> Voss, 1938, <i>Eduardirhinus</i>	121
<i>tenuigraphum</i> Schedl, 1953, <i>Cyclorhipidion</i>	243
<i>tenuirostre</i> Desbrochers des Loges, 1904, <i>Ischnopterapion</i>	171
<i>tenuirostre</i> Desbrochers des Loges, 1895, <i>Squamapion</i>	161
<i>tenuirostris</i> H. Brisout de Barneville, 1870, <i>Eumycterus</i>	261
<i>tenuirostris</i> Chevrolat, 1883, <i>Rhynchophorus</i>	189
<i>tenuis</i> Murayama, 1925, <i>Dinoplatypus</i>	202
<i>tenuis</i> Hopkins, 1915, <i>Hypothenemus</i>	223
<i>tenuitubus</i> Desbrochers des Loges, 1908, <i>Catapion</i>	164
<i>tenuius</i> Gyllenhal, 1813, <i>Catapion</i>	164
<i>tepensis</i> Pic, 1929, <i>Hypophyes</i>	178
<i>teplouchovi</i> Spessivtsev, 1916, <i>Carphoborus</i>	213
<i>terektinense</i> Legalov, 2001, <i>Hemitrichapion</i>	167
<i>teres</i> Gmelin, 1790, <i>Aspidapion</i>	153
<i>tereticolle</i> Desbrochers des Loges, 1897, <i>Protapion</i>	173
<i>terlineatus</i> Gmelin, 1790, <i>Platyrhinus</i>	96
<i>terminaliae</i> Hopkins, 1915, <i>Xyleborus</i>	247
<i>terminasianae</i> Alonso-Zarazaga, 1986, <i>Kalcapion</i>	160
<i>terminassianae</i> Legalov & Liu, 2005, <i>Euops</i>	137
<i>terminassianae</i> Egorov, 1987, <i>Gonotropis</i>	100
<i>terminassianae</i> Legalov, 2000, <i>Perapion</i>	151
<i>terminassianae</i> Legalov, 2003, <i>Temnocerus</i>	128
<i>terminatus</i> Chapuis, 1865, <i>Crossotarsus</i>	201
<i>ternatensis</i> Eggers, 1923, <i>Coccotrypes</i>	228
<i>terraesanctae</i> Friedman & Freidberg, 2007, <i>Squamapion</i>	162
<i>teruelensis</i> Hustache, 1927, <i>Labiaticola</i>	257
<i>tessellata</i> Shibata, 1979, <i>Atinellia</i>	102
<i>tessellata</i> Jordan, 1895, <i>Dolichocera</i>	98
<i>tessellatus</i> Voss, 1920, <i>Eugnampitobius</i>	119
<i>tessellatus</i> Boheman, 1829, <i>Opanthribus</i>	98
<i>tessoni</i> Mulsant & Godart, 1868, <i>Eomesauletes</i>	111
<i>testaceimembris</i> Pic, 1928, <i>Tomapoderus</i>	141
<i>testaceipes</i> Reiche, 1861, <i>Bruchela</i>	108
<i>testaceipes</i> Pic, 1907, <i>Nanophyes</i>	180
<i>testaceomarginalis</i> Pic, 1939, <i>Bruchela</i>	107
<i>testaceus</i> Roelofs, 1874, <i>Auletobius</i>	110
<i>testaceus</i> Harrer, 1784, <i>Lasiorhynchites</i>	124
<i>testaceus</i> Roelofs, 1879, <i>Nanophyes</i>	180
<i>testaceus</i> Bajtenov, 1974, <i>Theanellus</i>	197
<i>testaceus</i> Fabricius, 1787, <i>Tomicus</i>	209
<i>testaceus</i> Walker, 1859, <i>Xyleborus</i>	248
<i>testudo</i> Eggers, 1939, <i>Cnestus</i>	243
<i>tetanicus</i> P. H. Lucas, 1847, <i>Brachycerus</i>	183
<i>tetrastigma</i> Aubé, 1863, <i>Corimalia</i>	178
<i>texanus</i> Hopkins, 1915, <i>Hypothenemus</i>	224
<i>theresae</i> Pic, 1929, <i>Heterapoderus</i>	131
<i>theresae</i> Pic, 1900, <i>Nanophyes</i>	180

<i>theresae</i> Pic, 1900, <i>Raymondiellus</i>	199
<i>therondi</i> Tempère, 1954, <i>Allandrus</i>	91
<i>therondi</i> A. Hoffmann, 1939, <i>Scolytus</i>	239
<i>theryi</i> Meyer, 1897, <i>Alaocyba</i>	199
<i>theryi</i> Abeille de Perrin, 1893, <i>Choragus</i>	106
<i>thibetanus</i> Legalov, 2007, <i>Byctiscus</i>	114
<i>thibetanus</i> Voss, 1927, <i>Leptapoderus</i>	132
<i>thierriati</i> Viturat, 1895, <i>Platystomos</i>	97
<i>thompsoni</i> Alonso-Zarazaga & Lyal, 1999, <i>Cyrtotrachelus</i>	188
<i>thompsoni</i> Legalov, 2009, <i>Pseudomesauletes</i>	112
<i>thompsoni</i> Morimoto, 1985, <i>Tetrasyntomatus</i>	192
<i>thomsoni</i> Ferrari, 1867, <i>Ernoporicus</i>	220
<i>thomsoni</i> Faust, 1884, <i>Neocoenorrhinus</i>	126
<i>thoracica</i> Pic, 1925, <i>Allomalina</i>	177
<i>thoracicus</i> Panzer, 1796, <i>Anisandrus</i>	242
<i>thoracicus</i> Hopkins, 1916, <i>Hypothenemus</i>	222
<i>thoracicus</i> Voss, 1958, <i>Leptapoderus</i>	133
<i>thrinacis</i> Hopkins, 1915, <i>Coccotrypes</i>	229
<i>thujae</i> Perris, 1855, <i>Phloeosinus</i>	212
<i>tianchiensis</i> Liang, 1994, <i>Euscelophilus</i>	139
<i>tianmuensis</i> Legalov, 2007, <i>Leptapoderus</i>	132
<i>tianschanicum</i> Bajtenov, 1981, <i>Pseudoprotapion</i>	176
<i>tibesticola</i> Alonso-Zarazaga, 1983, <i>Hoplopodapion</i>	150
<i>tibetanum</i> Balfour-Browne, 1944, <i>Protoceratapion</i>	157
<i>tibetanus</i> Legalov & Liu, 2005, <i>Euops</i>	138
<i>tibetanus</i> Legalov & Liu, 2005, <i>Lamprolabus</i>	136
<i>tibetensis</i> Wood & Yin, 1986, <i>Gnatharus</i>	215
<i>tibetensis</i> Wood & Huang, 1986, <i>Pseudoxylechinus</i>	209
<i>tibiale</i> Desbrochers des Loges, 1867, <i>Protapion</i>	174
<i>tibialis</i> Baudi di Selve, 1887, <i>Bruchela</i>	108
<i>tibialis</i> Tournier, 1874, <i>Echinocnemus</i>	194
<i>tibialis</i> Pic, 1919, <i>Nanomimus</i>	180
<i>tibialis</i> Voss, 1953, <i>Pertorcus</i>	252
<i>tibialis</i> Voss, 1967, <i>Temnocerus</i>	129
<i>ticinensis</i> Osella, 1977, <i>Ubychia</i>	200
<i>tigrense</i> Bajtenov & Lodos, 1977, <i>Hemitrichapion</i>	167
<i>tigrensis</i> Schedl, 1952, <i>Hypothenemus</i>	223
<i>tigrinus</i> Roelofs, 1874, <i>Agomadaranus</i>	140
<i>tigris</i> Sawada, 1993, <i>Caenorhinus</i>	115
<i>tiliae</i> Panzer, 1793, <i>Ernoporus</i>	220
<i>tiliae</i> Semenov, 1902, <i>Hylastinus</i>	207
<i>tiliae</i> Niisima, 1910, <i>Pseudoxylechinus</i>	209
<i>timida</i> Rossi, 1792, <i>Malvaevora</i>	258
<i>tincturatus</i> Pascoe, 1885, <i>Rhabdoscelus</i>	190
<i>tinctus</i> Walker, 1859, <i>Sipalinus</i>	186
<i>titschacki</i> Uyttenboogaart, 1934, <i>Cercomorphus</i>	109
<i>todo</i> Kôno, 1938, <i>Xyleborus</i>	249
<i>toelgi</i> Wagner, 1914, <i>Exapion</i>	158
<i>tokarensis</i> Ohbayashi & Satô, 1966, <i>Baryrhynchus</i>	142
<i>tokarensis</i> Nakane, 1963, <i>Litocerus</i>	100

<i>tomentosus</i> Eggers, 1939, <i>Hadrodemius</i>	245
<i>tomentosus</i> Gyllenhal, 1839, <i>Temnocerus</i>	128
<i>tomicoides</i> Sharp, 1891, <i>Valenfriesia</i>	105
<i>tomiense</i> Bajtenov, 1979, <i>Eutrichapion</i>	166
<i>tomiense</i> Bajtenov, 1982, <i>Eutrichapion</i>	166
<i>tonkinensis</i> Voss, 1924, <i>Auletomorphus</i>	120
<i>tonkinensis</i> Schedl, 1972, <i>Diapus</i>	204
<i>tonkinensis</i> Günther, 1934, <i>Otidognathus</i>	188
<i>tonkiniana</i> Jordan, 1904, <i>Apolecta</i>	104
<i>tonsuratum</i> Betta, 1847, <i>Kalcapion</i>	160
<i>toranio</i> D'Anthoine, 1788, <i>Hylesinus</i>	207
<i>torquatum</i> Wencker, 1864, <i>Squamapion</i>	161
<i>torquatum</i> Wencker, 1864, <i>Squamapion</i>	161
<i>torquatus</i> Eichhoff, 1868, <i>Xyleborus</i>	249
<i>torretassoi</i> Giordani-Soika, 1937, <i>Corimalia</i>	178
<i>torretassoi</i> Schatzmayr, 1933, <i>Lepidapion</i>	159
<i>tosaensis</i> Murayama, 1950, <i>Orthotomicus</i>	235
<i>tourneri</i> Pic, 1919, <i>Nanophyes</i>	181
<i>toxicodendri</i> Hopkins, 1915, <i>Trischidias</i>	226
<i>traegardhi</i> Aurivillius, 1905, <i>Acythopeus</i>	260
<i>traegardhi</i> Spessivtsev, 1921, <i>Pityophthorus</i>	217
<i>transbaicalicus</i> Eggers, 1941, <i>Hylurgops</i>	206
<i>transcaspicus</i> Semenov, 1903, <i>Phloeosinus</i>	211
<i>transcaspicus</i> Eggers, 1922, <i>Scolytus</i>	240
<i>translaticium</i> Gyllenhal, 1839, <i>Hemitrichapion</i>	167
<i>transsylvanicum</i> Schilsky, 1906, <i>Ceratapion</i>	155
<i>transversa</i> Bajtenov & Lodos, 1977, <i>Fremuthiella</i>	173
<i>transversus</i> Olivier, 1807, <i>Brachycerus</i>	184
<i>transversus</i> Chapuis, 1869, <i>Dactylipalpus</i>	206
<i>transversus</i> Aubé, 1850, <i>Nanodiscus</i>	179
<i>transversus</i> Olivier, 1791, <i>Nanophyes</i>	181
<i>trapezicollis</i> Voss, 1956, <i>Aplotes</i>	189
<i>trapezicollis</i> Desbrochers des Loges, 1892, <i>Aulacobaris</i>	253
<i>tredli</i> Reitter, 1908, <i>Hypothenemus</i>	224
<i>tredlii</i> Hagedorn, 1904, <i>Trypophloeus</i>	226
<i>tremulae</i> Stark, 1952, <i>Trypophloeus</i>	226
<i>trenchi</i> Stebbing, 1905, <i>Polygraphus</i>	215
<i>trepanatus</i> Wichmann, 1914, <i>Neopteleobius</i>	208
<i>trepanatus</i> Nördlinger, 1848, <i>Pityogenes</i>	236
<i>trevori</i> Beeson, 1939, <i>Coccotrypes</i>	229
<i>triangulicollis</i> Motschulsky, 1858, <i>Pseudopiezotrachelus</i>	175
<i>triangulus</i> Park, 2001, <i>Uncifer</i>	104
<i>triarmatus</i> Eggers, 1912, <i>Scolytus</i>	240
<i>triarrhenus</i> R.-Z. Zhang, 1994, <i>Phloeobius</i>	97
<i>tricarinatum</i> Waltl, 1835, <i>Pseudoprotapion</i>	176
<i>trichemerus</i> Senna, 1892, <i>Hoplopisthius</i>	146
<i>tricolor</i> Heller, 1931, <i>Anathymus</i>	189
<i>tridentatus</i> Eggers, 1921, <i>Orthotomicus</i>	235
<i>tridentatus</i> Lund, 1800, <i>Prophthalmus</i>	143
<i>trifasciatus</i> Kleine, 1916, <i>Microsebus</i>	146

<i>trifasciatus</i> Shibata, 1980, <i>Nessiiodocus</i>	100
<i>trifolii</i> P. W. J. Müller, 1803, <i>Hylastinus</i>	207
<i>trifolii</i> Gyllenhal, 1833, <i>Melanapion</i>	160
<i>trifolii</i> Linnaeus, 1768, <i>Protapion</i>	175
<i>trilineata</i> H. Brisout de Barneville, 1869, <i>Allomalina</i>	177
<i>trilineatus</i> Hope, 1831, <i>Metaprodiocetes</i>	189
<i>trimaculatus</i> Senoh, 1986, <i>Trigonorhinus</i>	99
<i>trinitatis</i> Hopkins, 1915, <i>Hypothenemus</i>	222
<i>trinotatus</i> Pic, 1919, <i>Nanophyes</i>	181
<i>trinotatus</i> Fischer von Waldheim, 1821, <i>Ocladius</i>	184
<i>triodes</i> Jordan, 1912, <i>Nessiiodocus</i>	100
<i>triornatus</i> Eichhoff, 1881, <i>Scolytus</i>	239
<i>triplagiata</i> Desbrochers des Loges, 1892, <i>Aulacobaris</i>	253
<i>triptolemus</i> Gistel, 1857, <i>Nanophyes</i>	181
<i>trispinosus</i> Strohmeyer, 1908, <i>Scolytus</i>	240
<i>triste</i> Germar, 1817, <i>Betulapion</i>	172
<i>tristigma</i> Rottenberg, 1872, <i>Corimalia</i>	178
<i>tristis</i> Fabricius, 1794, <i>Chonostropheus</i>	114
<i>tristis</i> Eggers, 1930, <i>Euwallacea</i>	244
<i>tristis</i> Blandford, 1894, <i>Hylesinus</i>	207
<i>tristis</i> Eichhoff, 1876, <i>Hypothenemus</i>	224
<i>tristis</i> Senna, 1892, <i>Ischnomerus</i>	147
<i>tristis</i> Faust, 1895, <i>Metaprodiocetes</i>	189
<i>tristis</i> Faust, 1895, <i>Prodiocetes</i>	190
<i>tristoides</i> Voss, 1924, <i>Paroplapoderus</i>	141
<i>tristriatus</i> Lund, 1800, <i>Cerobates</i>	146
<i>tritici</i> Hopkins, 1915, <i>Hypothenemus</i>	222
<i>trojanus</i> Gyllenhal, 1839, <i>Rhynchites</i>	128
<i>tropicus</i> Eichhoff, 1878, <i>Coccotrypes</i>	229
<i>truncata</i> Stebbing, 1907, <i>Amasa</i>	241
<i>truncatoides</i> Morimoto, 1981, <i>Rhaphitropis</i>	104
<i>truncatus</i> Sharp, 1889, <i>Chokkirius</i>	116
<i>truncatus</i> Niisima & Murayama, 1934, <i>Diapus</i>	204
<i>truncatus</i> Chevrolat, 1879, <i>Echinocnemus</i>	194
<i>truncatus</i> Sharp, 1891, <i>Uncifer</i>	104
<i>truquii</i> Reiche & Saulcy, 1858, <i>Protapion</i>	175
<i>trypanaeoides</i> Wollaston, 1867, <i>Xyleborus</i>	247
<i>tschegitunense</i> Legalov, 2001, <i>Hemitrichapion</i>	167
<i>tschernovi</i> Ter-Minasian, 1973, <i>Hemitrichapion</i>	167
<i>tschukotkianum</i> Bajtenov, 1980, <i>Alocentron</i>	153
<i>tschungseni</i> Voss, 1958, <i>Deporaus</i>	117
<i>tschungseni</i> Voss, 1958, <i>Piezotrachelus</i>	173
<i>tsherskii</i> Suvorov, 1915, <i>Byctiscus</i>	113
<i>tsindunensis</i> Legalov, 2007, <i>Eugnamptobius</i>	119
<i>tsinpinensis</i> Legalov, 2007, <i>Mecorhis</i>	124
<i>tsugae</i> Tsai & Yin, 1966, <i>Sphaerotrypes</i>	204
<i>tsugae</i> Swaine, 1934, <i>Xyleborinus</i>	246
<i>tsukubanus</i> Murayama, 1954, <i>Microperus</i>	245
<i>tuberculatum</i> Wollaston, 1865, <i>Aphanarthrum</i>	227
<i>tuberculatus</i> Strohmeyer, 1912, <i>Ambrosiodmus</i>	241

tuberculatus Bhateja & Pajni, 1989, <i>Aplemonus</i>	149
tuberculatus Jordan, 1895, <i>Gibber</i>	103
tuberculatus Eggers, 1933, <i>Hylurgops</i>	206
tuberculatus Shibata, 1982, <i>Litocerus</i>	100
<i>tuberculatus</i> Harold, 1878, <i>Paroplapoderus</i>	141
tuberculatus Voss, 1922, <i>Pseudomesauletes</i>	111
<i>tuberculatus</i> Motschulsky, 1863, <i>Xyleborus</i>	248
<i>tuberculimerus</i> Voss, 1930, <i>Apoderus</i>	130
<i>tuberculosis</i> Browne, 1981, <i>Coptodryas</i>	243
<i>tuberculosis</i> Hagedorn, 1912, <i>Hypothenemus</i>	223
<i>tuberculosis</i> Herbst, 1794, <i>Xyleborus</i>	248
tuberopectus Huang & Yin, 1983, <i>Hyorrhynchus</i>	210
tuberosus Niisima, 1909, <i>Crypturgus</i>	228
tuberosus Senoh, 1995, <i>Hypseus</i>	96
<i>tubicen</i> Boheman, 1829, <i>Auletes</i>	109
<i>tubicen</i> Schoenherr, 1826, <i>Auletes</i>	109
<i>tubicen</i> Wencker, 1864, <i>Protapion</i>	175
tubiferum Gyllenhal, 1833, <i>Phrissotrichum</i>	152
tubuliferum Wollaston, 1864, <i>Phrissotrichum</i>	152
tumida Voss, 1938, <i>Eusproda</i>	117
<i>tumidicolle</i> Bach, 1854, <i>Aizobius</i>	149
<i>tumidum</i> Stephens, 1835, <i>Ceratapion</i>	155
<i>tumidum</i> Gerstaecker, 1854, <i>Pseudopiezotrachelus</i>	175
<i>tumidus</i> Schedl, 1975, <i>Euwallacea</i>	244
tumidus X.-C. Zhang, 1995, <i>Phialodes</i>	136
<i>tunicense</i> Desbrochers des Loges, 1895, <i>Squamapion</i>	161
<i>tupolevi</i> Eggers, 1942, <i>Hylesinus</i>	207
<i>tupolevi</i> Stark, 1936, <i>Hylesinus</i>	207
<i>turanicum</i> Bajtenov, 1973, <i>Perapion</i>	151
turbidus Voss, 1926, <i>Paroplapoderus</i>	141
<i>turcicum</i> Desbrochers des Loges, 1897, <i>Taeniapion</i>	162
<i>turcicus</i> H. Brisout de Barneville, 1870, <i>Labiaticola</i>	257
<i>turcicus</i> Legalov, 2003, <i>Rhynchites</i>	128
<i>turcipennis</i> Boheman, 1833, <i>Cylas</i>	142
turgaica Zaslavskij, 1956, <i>Baris</i>	255
turgidulus Damoiseau, 1987, <i>Cerobates</i>	146
<i>turkestanensis</i> Voss, 1933, <i>Eurostauletes</i>	111
turkestanicum Desbrochers des Loges, 1892, <i>Catapion</i>	165
<i>turkestanicus</i> Pic, 1901, <i>Nanomimus</i>	180
turkestanicus Semenov, 1902, <i>Phloeosinus</i>	212
turkmenicus Arzanov, 2005, <i>Brachycerus</i>	184
turkmenicus Mandelshtam & Petrov, 2006, <i>Pityotrichus</i>	217
tuvense Legalov, 2001, <i>Hemitrichapion</i>	167
tycon Blandford, 1893, <i>Scolytoplatypus</i>	241
<i>tygosanensis</i> Voss, 1938, <i>Rhynchites</i>	127
<i>typhae</i> Ahrens, 1812, <i>Thryogenes</i>	197
typographus Linnaeus, 1758, <i>Ips</i>	234
tyrrhenicum Alonso-Zarazaga, 2011, <i>Taeniapion</i>	162
tzinpinensis Legalov & Liu, 2005, <i>Euops</i>	138
tzinpinensis Legalov, 2003, <i>Paroplapoderus</i>	141

<i>uchimappensis</i> Murayama, 1956, <i>Polygraphus</i>	214
<i>uedai</i> Shibata, 1986, <i>Deropygus</i>	105
<i>uenoi</i> Morimoto, 1978, <i>Dexipeus</i>	192
<i>uenoi</i> Senoh, 1982, <i>Peribathys</i>	101
<i>uhagonis</i> Desbrochers des Loges, 1870, <i>Squamapion</i>	161
<i>ulianai</i> Gatti & Pennacchio, 2004, <i>Triotemnus</i>	233
<i>ulicicola</i> Perris, 1840, <i>Stenopterapion</i>	171
<i>uliciperda</i> Pandellé, 1867, <i>Exapion</i>	159
<i>ulicis</i> Dufour, 1843, <i>Exapion</i>	159
<i>ulicis</i> Forster, 1771, <i>Exapion</i>	159
<i>ulmi</i> Germar, 1821, <i>Nanomimus</i>	180
<i>ulmi</i> Kôno, 1929, <i>Paroplapoderus</i>	141
<i>ulmi</i> L. Redtenbacher, 1847, <i>Scolytus</i>	239
<i>ulmi</i> Tsai & Yin, 1966, <i>Sphaerotrypes</i>	204
<i>umbratum</i> Eggers, 1941, <i>Cyclorhipidion</i>	243
<i>umbrinum</i> Wollaston, 1864, <i>Holotrichapion</i>	168
<i>unciferoides</i> Nakane, 1963, <i>Habrissus</i>	92
<i>uncinatum</i> Iablokoff-Khnzorian, 1959, <i>Aspidapion</i>	153
<i>uncinatus</i> C. G. Thomson, 1865, <i>Temnocerus</i>	128
<i>undatus</i> Fabricius, 1798, <i>Brachycerus</i>	184
<i>undatus</i> Fabricius, 1787, <i>Platystomos</i>	97
<i>undulatus</i> Panzer, 1795, <i>Allandrus</i>	91
<i>ungarica</i> Herbst, 1783, <i>Mecorhis</i>	124
<i>unguiculare</i> Schilsky, 1902, <i>Pseudoprotapion</i>	176
<i>unicolor</i> Olivier, 1789, <i>Cercomorphus</i>	109
<i>unicolor</i> Kirby, 1808, <i>Cyanapion</i>	165
<i>unicolor</i> Roelofs, 1874, <i>Deporaus</i>	117
<i>unicolor</i> Hopkins, 1915, <i>Hypothenemus</i>	223
<i>unicolor</i> Roelofs, 1874, <i>Pseudopiezotrachelus</i>	175
<i>unicolor</i> Marsham, 1802, <i>Sitophilus</i>	187
<i>unicornis</i> Nobuchi, 1966, <i>Hyorrhynchus</i>	210
<i>unicus</i> Legalov & Liu, 2005, <i>Baikovius</i>	114
<i>unidentatus</i> Pic, 1929, <i>Hypophyes</i>	178
<i>uniforme</i> Korotyaev, 1992, <i>Scapapion</i>	176
<i>uniformis</i> Sharp, 1889, <i>Apoderus</i>	129
<i>uniformis</i> Reitter, 1916, <i>Platystomos</i>	97
<i>uniformis</i> Roelofs, 1874, <i>Pseudomesauletes</i>	111
<i>uniformis</i> Wood & Huang, 1986, <i>Pseudoxylechinus</i>	209
<i>unimodus</i> Beeson, 1929, <i>Euwallacea</i>	244
<i>uninotata</i> Pic, 1919, <i>Corimalia</i>	178
<i>unionis</i> J. R. Sahlberg, 1913, <i>Symmorphocerus</i>	144
<i>unipunctata</i> Rey, 1893, <i>Corimalia</i>	178
<i>uniseriata</i> Eggers, 1936, <i>Amasa</i>	241
<i>uniseriatum</i> Faust, 1885, <i>Ceratapion</i>	156
<i>uniseriatus</i> Eggers, 1926, <i>Dryocoetes</i>	231
<i>uniseriatus</i> Eggers, 1924, <i>Hypothenemus</i>	222
<i>uniseriatus</i> Stierlin, 1882, <i>Sphenophorus</i>	191
<i>uniseriatus</i> Dufour, 1843, <i>Ulobaris</i>	260
<i>unispinosus</i> Schevyrew, 1890, <i>Scolytus</i>	238
<i>unispinus</i> O. F. Müller, 1776, <i>Byctiscus</i>	113

unoi Shibata, 1969, <i>Mecotropis</i>	98
ursinus Hagedorn, 1908, <i>Anisandrus</i>	242
ursulus Eggers, 1923, <i>Anisandrus</i>	242
ursulus Roelofs, 1874, <i>Cyllorhynchites</i>	121
ursus Schedl, 1935, <i>Crossotarsus</i>	201
<i>ursus</i> Sokanovskiy, 1960, <i>Dryocoetes</i>	231
<i>ursus</i> Eggers, 1923, <i>Hadrodemius</i>	245
<i>ursus</i> Gebler, 1833, <i>Mecorhis</i>	124
urticarium Herbst, 1784, <i>Taeniapion</i>	162
uruppensis Kôno, 1935, <i>Pseudopiezotrachelus</i>	175
<i>usambariensis</i> Strohmeyer, 1911, <i>Crossotarsus</i>	201
ussurensis Egorov, 1979, <i>Thryogenes</i>	197
ussuricola Korotyaev & Egorov, 1996, <i>Sergiola</i>	160
ussuriensis Zaslavskij, 1956, <i>Baris</i>	256
<i>ussuriensis</i> Eggers, 1942, <i>Cryphalus</i>	218
<i>ussuriensis</i> Voss, 1931, <i>Cycnotrachelodes</i>	131
<i>ussuriensis</i> Legalov, 2006, <i>Deporaus</i>	117
<i>ussuriensis</i> Eggers, 1933, <i>Dryocoetes</i>	231
<i>ussuriensis</i> Legalov, 2003, <i>Involvulus</i>	122
<i>ussuriensis</i> Voss, 1930, <i>Involvulus</i>	122
<i>ussuriensis</i> Reitter, 1913, <i>Ips</i>	234
<i>ussuriensis</i> Legalov, 2002, <i>Lasiorhynchites</i>	124
<i>ussuriensis</i> Bajtenov, 1977, <i>Pseudopiezotrachelus</i>	175
<i>ussuriensis</i> Berger & Kholodkovskiy, 1916, <i>Scolytoplastypus</i>	241
<i>ussuriensis</i> Kurentsov, 1941, <i>Scolytus</i>	238
<i>ussuriensis</i> Egorov, 1996, <i>Sympaector</i>	94
<i>ussuriensis</i> Egorov, 1996, <i>Tanysphyrus</i>	198
usuironis Kôno, 1930, <i>Nanophyes</i>	181
<i>uter</i> Eggers, 1923, <i>Hypothenemus</i>	221
uttaranchalensis Legalov, 2007, <i>Micrapoderus</i>	137
uttaranchalicus Legalov, 2007, <i>Euops</i>	137
<i>uyttenboogaarti</i> Eggers, 1927, <i>Dactylotrypes</i>	230
<i>vafer</i> Blandford, 1896, <i>Hypothenemus</i>	221
<i>vagabundus</i> Schedl, 1949, <i>Xyleborus</i>	249
<i>valens</i> LeConte, 1857, <i>Dendroctonus</i>	208
<i>valens</i> Sampson, 1914, <i>Hypothenemus</i>	221
<i>valentinorum</i> A. Hoffmann, 1929, <i>Exapion</i>	158
<i>valentinum</i> Clermont, 1919, <i>Exapion</i>	158
<i>valida</i> Formánek & Melichar, 1916, <i>Titanomalía</i>	178
<i>validirostre</i> Gyllenhal, 1833, <i>Cyanapion</i>	165
<i>validum</i> Germar, 1817, <i>Aspidapion</i>	153
<i>validus</i> Eichhoff, 1876, <i>Euwallacea</i>	245
<i>validus</i> Frieser, 1998, <i>Exechesops</i>	102
<i>validus</i> Blandford, 1904, <i>Hypothenemus</i>	222
<i>validus</i> Voss, 1926, <i>Paroplapoderus</i>	141
<i>vallebrosae</i> Desbrochers des Loges, 1902, <i>Ferreria</i>	199
<i>vallestris</i> Frieser, 2001, <i>Litocerus</i>	100
<i>vandykei</i> Jordan, 1933, <i>Anthribus</i>	91
<i>vanvolxemi</i> Roelofs, 1875, <i>Paroplapoderus</i>	141
<i>variabilis</i> Voss, 1941, <i>Aderorhinus</i>	118

<i>variabilis</i> Sokanovskiy, 1958, <i>Scolytus</i>	240
<i>varians</i> Jordan, 1946, <i>Araecerus</i>	105
<i>varians</i> Voss, 1928, <i>Compsapoderus</i>	130
<i>variegata</i> Shibata, 1979, <i>Atinellia</i>	102
<i>variegatum</i> Wencker, 1864, <i>Ixapion</i>	159
<i>variegatus</i> Geoffroy, 1785, <i>Anthribus</i>	91
<i>variegatus</i> Schedl, 1959, <i>Diamerus</i>	204
<i>variegatus</i> Wood & Huang, 1986, <i>Pseudoxylechinus</i>	209
<i>varicolor</i> Abeille de Perrin, 1898, <i>Nemonyx</i>	90
<i>variolosa</i> Shibata, 1969, <i>Plintheria</i>	91
<i>variolosus</i> Fabricius, 1801, <i>Attelabus</i>	134
<i>variolosus</i> Perris, 1852, <i>Hylastes</i>	205
<i>varipes</i> Germar, 1817, <i>Protapion</i>	175
<i>varipes</i> Eichhoff, 1878, <i>Thamnurgus</i>	233
<i>varius</i> Fabricius, 1787, <i>Anthribus</i>	91
<i>varius</i> Fabricius, 1775, <i>Hylesinus</i>	207
<i>varius</i> Olivier, 1795, <i>Trypodendron</i>	251
<i>varshalovitchi</i> Michalski, 1973, <i>Scolytus</i>	240
<i>vasconicus</i> Hoffmann & Tempère, 1954, <i>Eusphyrus</i>	102
<i>vasta</i> Schilsky, 1902, <i>Sergiola</i>	160
<i>vaucheri</i> Desbrochers des Loges, 1897, <i>Lasiorrhynchites</i>	124
<i>velatum</i> Gerstaecker, 1854, <i>Helianthemapion</i>	150
<i>velatus</i> Sampson, 1913, <i>Euwallacea</i>	245
<i>velox</i> Kirby, 1811, <i>Melanapion</i>	160
<i>velutinus</i> Desbrochers des Loges, 1871, <i>Brachycerus</i>	183
<i>velutinus</i> Johraku, 1953, <i>Choragus</i>	106
<i>venatus</i> Say, 1831, <i>Sphenophorus</i>	191
<i>veneta</i> Osella, 1977, <i>Ferreria</i>	199
<i>ventralis</i> Rey, 1893, <i>Anthribus</i>	91
<i>ventralis</i> Desbrochers des Loges, 1871, <i>Brachycerus</i>	183
<i>ventrosus</i> Schevyrew, 1890, <i>Scolytus</i>	240
<i>venustulum</i> Wencker, 1864, <i>Squamapion</i>	162
<i>venustulus</i> Beeson, 1937, <i>Crossotarsus</i>	201
<i>venustum</i> Herbst, 1795, <i>Exapion</i>	158
<i>venustus</i> Pascoe, 1875, <i>Byctiscus</i>	114
<i>venustus</i> Chapuis, 1865, <i>Crossotarsus</i>	201
<i>venustus</i> Kôno, 1930, <i>Eugnampitobius</i>	118
<i>venustus</i> Yin, 2001, <i>Scolytogenes</i>	225
<i>verae</i> Korotyaev, 1988, <i>Bruchela</i>	108
<i>verae</i> Petrov, 2002, <i>Hylesinus</i>	208
<i>verax</i> Schedl, 1939, <i>Amasa</i>	241
<i>vereshaginae</i> Legalov, 2007, <i>Pseudomesauletes</i>	112
<i>vernale</i> Paykull, 1792, <i>Taeniapion</i>	162
<i>vernetensis</i> Pic, 1928, <i>Pericartiellus</i>	182
<i>verrucifrons</i> Tsai & Yin, 1965, <i>Polygraphus</i>	215
<i>verrucosa</i> Karsch, 1882, <i>Sphinctotropis</i>	100
<i>verrucosus</i> Legalov & X. Zhang, 2007, <i>Euops</i>	137
<i>versicolor</i> O. G. Costa, 1839, <i>Rhynchites</i>	127
<i>vespertilio</i> Desbrochers des Loges, 1871, <i>Brachycerus</i>	183
<i>vestita</i> Perris, 1858, <i>Cosmobaris</i>	256

vestitum Wollaston, 1865, <i>Aphanarthrum</i>	226
vestitus Mulsant & Rey, 1861, <i>Chaetoptelius</i>	208
<i>vestitus</i> Rey, 1893, <i>Rhynchites</i>	127
vestitus Chittenden, 1904, <i>Sphenophorus</i>	191
<i>vexator</i> Reitter, 1913, <i>Scolytus</i>	238
<i>vianai</i> Schedl, 1958, <i>Hypothenemus</i>	223
<i>viburni</i> Eggers, 1942, <i>Cryphalus</i>	219
<i>viburni</i> Stark, 1936, <i>Cryphalus</i>	219
<i>vicarius</i> Beeson, 1939, <i>Coccotrypes</i>	228
<i>vicarius</i> Eichhoff, 1876, <i>Xyleborus</i>	248
<i>viciae</i> Paykull, 1800, <i>Eutrichapion</i>	166
<i>viciae</i> DeGeer, 1775, <i>Oxystoma</i>	169
<i>vicina</i> H. Brisout de Barneville, 1870, <i>Cosmobaris</i>	256
<i>vicina</i> Shibata, 1980, <i>Phaulimia</i>	96
<i>vicinum</i> Kirby, 1808, <i>Squamapion</i>	162
<i>vicinus</i> Comolli, 1837, <i>Kissophagus</i>	208
<i>victoris</i> Mulsant & Rey, 1853, <i>Dryocoetes</i>	230
<i>vignai</i> Osella, 1977, <i>Raymondiellus</i>	200
<i>vilis</i> Sharp, 1891, <i>Tropideres</i>	101
<i>villae</i> Comolli, 1837, <i>Cucubaris</i>	260
<i>villaticus</i> Gistel, 1857, <i>Nanophyes</i>	181
<i>villifrons</i> Dufour, 1843, <i>Taphrorychus</i>	232
<i>villosa</i> Allard, 1869, <i>Bruchela</i>	107
<i>villosa</i> Allard, 1870, <i>Bruchela</i>	107
<i>villosulum</i> Marsham, 1802, <i>Eutrichapion</i>	166
<i>villosum</i> Frieser, 1978, <i>Phaenotheriolum</i>	95
<i>villosus</i> Fabricius, 1792, <i>Dryocoetes</i>	231
<i>villosus</i> Herbst, 1794, <i>Dryocoetes</i>	231
<i>villosus</i> Ratzeburg, 1837, <i>Xyleborus</i>	247
<i>vincenti</i> Desbrochers des Loges, 1904, <i>Hoplopodapion</i>	150
<i>vincenti</i> Secq & Secq, 1996, <i>Raymondionymus</i>	200
<i>vinogradowi</i> Semenov, 1902, <i>Phloeotribus</i>	213
<i>violacea</i> Grimmer, 1841, <i>Aulacobaris</i>	254
<i>violacea</i> Gyllenhal, 1836, <i>Aulacobaris</i>	252
<i>violaceomicans</i> A. Solari & F. Solari, 1905, <i>Aulacobaris</i>	254
<i>violaceum</i> Gyllenhal, 1813, <i>Perapion</i>	151
<i>violaceum</i> Kirby, 1808, <i>Perapion</i>	151
<i>violascens</i> Schrank, 1781, <i>Temnocerus</i>	129
<i>virens</i> Gmelin, 1790, <i>Aulacobaris</i>	253
<i>virens</i> Herbst, 1797, <i>Ischnopterapion</i>	170
<i>virentis</i> Hopkins, 1915, <i>Hypothenemus</i>	224
<i>virescens</i> Brullé, 1832, <i>Aulacobaris</i>	254
<i>virescens</i> Thunberg, 1815, <i>Involvulus</i>	123
<i>virgatoidas</i> Voss, 1932, <i>Anthinobaris</i>	252
<i>viridescens</i> Marsham, 1802, <i>Omphalapion</i>	157
<i>viridicoeruleum</i> Everts, 1879, <i>Diplapion</i>	157
<i>viridicollis</i> Voss, 1924, <i>Euops</i>	138
<i>viridimicans</i> Desbrochers des Loges, 1884, <i>Oryxolaemus</i>	169
<i>viridipennis</i> Rosenhauer, 1856, <i>Aulacobaris</i>	254
<i>viridis</i> Geoffroy, 1785, <i>Aulacobaris</i>	253

<i>viridis</i> Legalov, 2003, <i>Euops</i>	138
<i>viridis</i> Geoffroy, 1785, <i>Lasiorhynchites</i>	123
<i>viridisericea</i> Goeze, 1777, <i>Aulacobaris</i>	253
<i>viridulus</i> Solari, 1955, <i>Oryxolaemus</i>	169
<i>vitalisi</i> Heller, 1922, <i>Euscelophilus</i>	139
<i>vitis</i> Ter-Minasian, 1959, <i>Svetlanaebyctiscus</i>	114
<i>vittatus</i> Voss, 1935, <i>Architomapoderus</i>	140
<i>vittatus</i> Geoffroy, 1785, <i>Cercomorphus</i>	109
<i>vittatus</i> Reitter, 1885, <i>Choragus</i>	106
<i>vittatus</i> Geoffroy, 1785, <i>Nanophyes</i>	181
<i>vittatus</i> Fabricius, 1792, <i>Pteleobius</i>	208
<i>vitticeps</i> Jekel, 1860, <i>Paroplapoderus</i>	141
<i>vittiger</i> Eichhoff, 1881, <i>Trypodendron</i>	251
<i>vittigerum</i> Wagner, 1910, <i>Exapion</i>	158
<i>voisini</i> Ehret, 1997, <i>Eutrichapion</i>	166
<i>volgensis</i> Faust, 1881, <i>Bagoopsis</i>	193
<i>volgensis</i> Zaslavskij, 1956, <i>Baris</i>	256
<i>volkovitshi</i> Legalov, 2003, <i>Apoderus</i>	130
<i>volkovitshi</i> Legalov, 2003, <i>Auletobius</i>	110
<i>volkovitshi</i> Legalov, 2003, <i>Neoeugnampthus</i>	119
<i>volkovitshi</i> Korotyaev, 1988, <i>Stenopterapion</i>	171
<i>volvulus</i> Fabricius, 1792, <i>Trypodendron</i>	251
<i>volvulus</i> Fabricius, 1794, <i>Xyleborus</i>	249
<i>vorax</i> Herbst, 1797, <i>Eutrichapion</i>	165
<i>vorontzowi</i> Jakobson, 1896, <i>Pityokteines</i>	236
<i>vossi</i> Legalov, 2007, <i>Aderorhinus</i>	118
<i>vossi</i> Legalov & Liu, 2005, <i>Aspidobyctiscus</i>	112
<i>vossi</i> Sawada, 1993, <i>Caenorhinus</i>	115
<i>vossi</i> Ter-Minasian, 1972, <i>Fremuthiella</i>	173
<i>vossi</i> Ter-Minasian, 1971, <i>Involvulus</i>	122
<i>vossi</i> Biondi, 2001, <i>Leptapoderus</i>	132
<i>vossi</i> Kôno, 1930, <i>Paratrachelophorus</i>	133
<i>v-signum</i> Voss, 1937, <i>Baris</i>	256
<i>vulgaris</i> Eggers, 1923, <i>Coccotrypes</i>	229
<i>vulgaris</i> C. F. C. Schaufuss, 1898, <i>Hypothenemus</i>	224
<i>vulgaris</i> Pajni & Bhateja, 1982, <i>Nanophyes</i>	181
<i>vulnerariae</i> Dieckmann & Wanat, 1991, <i>Catapion</i>	165
<i>vulneratus</i> Panzer, 1798, <i>Rhynchophorus</i>	189
<i>vulpecula</i> Schubert, 1940, <i>Perapion</i>	152
<i>wachtli</i> Reitter, 1887, <i>Hylesinus</i>	207
<i>wadai</i> Murayama, 1950, <i>Pseudohyorrhynchus</i>	210
<i>wagenblasti</i> Uyttenboogaart, 1935, <i>Auletes</i>	109
<i>wagneri</i> Flach, 1906, <i>Hemitrichapion</i>	167
<i>wagnerianum</i> Schatzmayr, 1925, <i>Exapion</i>	159
<i>wakayamensis</i> Nobuchi, 1981, <i>Xyleborus</i>	249
<i>walkeri</i> Cameron, 1905, <i>Ocladius</i>	184
<i>wallacei</i> J. Thomson, 1857, <i>Crossotarsus</i>	201
<i>wallacei</i> Blandford, 1896, <i>Euwallacea</i>	245
<i>waltoni</i> Stephens, 1839, <i>Hemitrichapion</i>	167
<i>wanati</i> Alonso-Zarazaga, 1993, <i>Ceratapion</i>	156

<i>waringii</i> Curtis, 1840, <i>Trypodendron</i>	251
<i>watanabei</i> Senoh, 1984, <i>Xanthoderopygus</i>	105
<i>waterhousei</i> Boheman, 1839, <i>Protapion</i>	174
<i>webbi</i> Hopkins, 1915, <i>Hypothenemus</i>	223
<i>weibaoshanensis</i> Legalov, 2007, <i>Cneminvolvulus</i>	121
<i>weibaoshanensis</i> Legalov, 2008, <i>Neobyctiscidius</i>	114
<i>weibaoshanensis</i> Legalov, 2007, <i>Neoeugnamptus</i>	119
<i>weigeli</i> Frieser, 1998, <i>Megatermis</i>	105
<i>weishanensis</i> Legalov, 2007, <i>Deporaus</i>	116
<i>weishanensis</i> Legalov, 2007, <i>Eugnamptobius</i>	119
<i>wenckeri</i> C. N. F. Brisout de Barneville, 1863, <i>Phrissotrichum</i>	152
<i>westermanni</i> Boheman, 1845, <i>Otidognathus</i>	188
<i>westwoodi</i> Parry, 1849, <i>Cyphagogus</i>	145
<i>westwoodi</i> Wollaston, 1864, <i>Diplapion</i>	157
<i>whitei</i> Jekel, 1860, <i>Trachelolabus</i>	140
<i>whitfordiodendrus</i> Schedl, 1942, <i>Euwallacea</i>	244
<i>whitteni</i> Beeson, 1935, <i>Xyleborus</i>	248
<i>wichmanni</i> Kleine, 1916, <i>Prophthalmus</i>	143
<i>wilmoti</i> Stebbing, 1911, <i>Crossotarsus</i>	201
<i>winkleri</i> Wagner, 1912, <i>Exapion</i>	159
<i>winteri</i> Korotyaev & Egorov, 1996, <i>Melanapion</i>	160
<i>woerzi</i> Wagner, 1904, <i>Protapion</i>	175
<i>wolffi</i> Krausse, 1916, <i>Taeniapion</i>	162
<i>wollastoni</i> Israelson, 1972, <i>Aphanarthrum</i>	227
<i>wollastoni</i> Chevrolat, 1852, <i>Holotrichapion</i>	168
<i>wollastoni</i> Sharp, 1891, <i>Valenfriesia</i>	105
<i>wollastonii</i> Eichhoff, 1878, <i>Cisurgus</i>	227
<i>wrangelianum</i> Korotyaev, 1976, <i>Mesotrichapion</i>	169
<i>wyomingensis</i> Chittenden, 1906, <i>Tournotaris</i>	197
<i>xanthomelas</i> Voss, 1933, <i>Lasiorrhynchites</i>	123
<i>xiahensis</i> Legalov, 2007, <i>Involvulus</i>	123
<i>xilingensis</i> Legalov, 2007, <i>Agomadaranus</i>	140
<i>xilingensis</i> Legalov, 2007, <i>Montaninvolvulus</i>	125
<i>xishamensis</i> Legalov, 2007, <i>Deporaus</i>	117
<i>x-signum</i> Reitter, 1895, <i>Melaleucus</i>	258
<i>xylographus</i> C. R. Sahlberg, 1836, <i>Pityogenes</i>	235
<i>xylographus</i> Schedl, 1969, <i>Treptoplatypus</i>	203
<i>xylographus</i> Say, 1826, <i>Xyleborus</i>	249
<i>xyloteroides</i> Eggers, 1939, <i>Cyclorhipidion</i>	243
<i>yablonianus</i> Murayama, 1943, <i>Scolytus</i>	240
<i>yaeyamanus</i> Morimoto, 1978, <i>Euparius</i>	93
<i>yaeyamensis</i> Morimoto, 1979, <i>Baryrhynchus</i>	142
<i>yakushmanus</i> Murayama, 1955, <i>Arixyleborus</i>	242
<i>yamaguchii</i> Inouye & Nobuchi, 1957, <i>Cryphalus</i>	219
<i>yamawakii</i> Morimoto, 1980, <i>Sintor</i>	98
<i>yanmensis</i> Legalov, 2009, <i>Involvulus</i>	122
<i>yasumatsui</i> Nobuchi, 1971, <i>Pseudohylesinus</i>	209
<i>yasumatsui</i> Kôno & Morimoto, 1958, <i>Temnocerus</i>	129
<i>yemenicus</i> Wanat, 1990, <i>Piezotrachelus</i>	173
<i>yezoensis</i> Oda, 1979, <i>Tropideres</i>	101

yingjiangensis Liang, 2005, <i>Euops</i>	137
yongshanensis Liang, 1994, <i>Euscelophilus</i>	139
yoshimii Shibata, 1982, <i>Litocerus</i>	100
yundianensis Legalov, 2007, <i>Caenorhinus</i>	115
yunlingensis Legalov, 2007, <i>Leptapoderus</i>	132
yunnanensis Legalov, 2003, <i>Auletomorphinus</i>	120
yunnanensis Liang, 2005, <i>Euops</i>	137
yunnanensis Voss, 1941, <i>Neoeugnamptus</i>	119
yunnanensis Bright, 2002, <i>Polygraphus</i>	215
yunnanensis Yin, 2001, <i>Scolytogenes</i>	225
yunnanensis Vaurie, 1971, <i>Sipalinus</i>	186
yunnanensis Tsai & Yin, 1966, <i>Sphaerotrypes</i>	204
yunnanensis Kirkendall & Faccoli, 2008, <i>Tomicus</i>	209
yunnanica Voss, 1932, <i>Anthinobaris</i>	252
yunnanicum Korotyaev, 1985, <i>Pseudaspidapion</i>	154
yunnanicus Legalov, 2004, <i>Agomadaranus</i>	140
yunnanicus Voss, 1930, <i>Aspidobyctiscus</i>	112
yunnanicus Voss, 1938, <i>Cneminvolvulus</i>	121
yunnanicus Legalov, 2007, <i>Deporaus</i>	117
<i>yunnanicus</i> Voss, 1930, <i>Deporaus</i>	117
yunnanicus Legalov, 2003, <i>Euops</i>	138
yunnanicus Legalov, 2003, <i>Henicolabus</i>	135
yunnanicus Legalov, 2003, <i>Maculphrysus</i>	137
yunnanicus Legalov, 2003, <i>Mordkovitshirhinus</i>	133
<i>yunnanicus</i> Voss, 1929, <i>Phymatapoderus</i>	141
yunnanicus Legalov, 2003, <i>Physapoderus</i>	133
yunnanicus Legalov, 2003, <i>Proelautobius</i>	126
yunnanicus Legalov, 2007, <i>Pseudomesauletes</i>	111
yunnanicus Legalov, 2003, <i>Pustulorhinus</i>	126
yunnanicus Legalov, 2003, <i>Temnocerus</i>	129
yunpinensis Legalov, 2003, <i>Micrapoderus</i>	137
yvoniae Pic, 1909, <i>Aulacobaris</i>	253
yvonnae A. Hoffmann, 1932, <i>Nanomimus</i>	180
zachvatkini Krivolutskaya, 1958, <i>Ernoporicus</i>	220
zagrossicum Bajtenov & Fremuth, 1981, <i>Hemitrichapion</i>	167
zagulajevi Korotyaev, 1987, <i>Pseudaspidapion</i>	154
zahravniki Knížek, 2008, <i>Scolytoplatypus</i>	241
zaitzevi Kieseritzky, 1926, <i>Rhynchites</i>	128
zaitzevi Butovitsch, 1929, <i>Scolytus</i>	240
zangezuricum Iablokoff-Khnzorian, 1977, <i>Exapion</i>	159
zaninii F. Solari, 1949, <i>Brachycerus</i>	184
zarudnyi Zaslavskij, 1956, <i>Melaleucus</i>	258
zaslavskii Nasreddinov, 1980, <i>Caenobaris</i>	261
<i>zeae</i> Schedl, 1973, <i>Hypothenemus</i>	222
<i>zeae</i> Wolfrum, 1931, <i>Trigonorhinus</i>	99
zeamais Motschulsky, 1855, <i>Sitophilus</i>	187
zellichi Ganglbauer, 1903, <i>Phaenotherion</i>	95
zhangii Legalov & Liu, 2005, <i>Euops</i>	137
zhejiangensis Legalov & Liu, 2005, <i>Aspidobyctiscus</i>	112
zhejiangensis Legalov, 2003, <i>Eugnamptus</i>	119

<i>zhejiangensis</i> Legalov, 2007, <i>Japonorhynchites</i>	123
<i>zherichini</i> Legalov, 2004, <i>Involvulus</i>	122
<i>zherichini</i> Legalov, 2004, <i>Rhynchites</i>	128
<i>zhobi</i> Stebbing, 1909, <i>Carphoborus</i>	214
<i>zhondiensis</i> Legalov, 2007, <i>Involvulus</i>	123
<i>zhungdianensis</i> Tsai & Yin, 1965, <i>Polygraphus</i>	215
<i>zinovjevi</i> Zherikhin, 1981, <i>Pericartiellus</i>	182
<i>zoiai</i> Osella & Giusto, 1983, <i>Raymondionymus</i>	200
<i>zoufali</i> Wagner, 1912, <i>Taeniapion</i>	162
<i>zuberi</i> Desbrochers des Loges, 1870, <i>Squamapion</i>	162
<i>zurcheri</i> Pic, 1908, <i>Nanophyes</i>	180